

Prices shown are not the final selling price.
To obtain the list price, multiply the price by 2.65.
Prices effective as May 2025.

TWIST



■ CABLE MANAGEMENT

Twist is available with several cable management options.



Steel metal channel 0,8 mm to 1 mm thick, large capacity for double desks.



Steel metal channel 0,7 mm to 1 mm thick for individual desk.



Metallic cable box container.



Polystyrene cable riser.



Free standing metal cable riser.



Push Latch "T" access.



"U" Access.



Integrated "Q" access.



"R" access.



"P" access with electronic complement.

■ SCREENS

TWIST offers a big variety of screens: all upholstered panels, with aluminium tool rails allowing accessories, acoustic or glazed. TWIST also offers sliding and independent screens for desktops without any kind of fixation but with big stability.



Desktop fixed screens.



Free standing screen.

■ MODESTY PANEL



Metallic or MFC.

■ CPU HOLDER



CPU holder of 25-30 x 49 cm and 1,5 mm thick.


■ FINISHES

Melamine



00 White 11 Lime Oak 07 Chesnut 10 Light Oak 03 Black

Compact Laminated



30 White

Glass




52 White 59 Black

Estructure



White Silver Black Black / Polished

TWIST - Individual desks, Twin desks and Meeting tables



■ FEATURES


- ① Cast aluminium legs offering big frame stability and lightness which allows a very distinguished esthetic.
- ② 50x40mm warm rolled steel frame profile 2 mm thick, with a new system for quick assembling allowing a very strong stability by using minimum quantity of screws.
- ③ Table surface made out of 25mm MFC with round corners. 2mm thick edge.
- ④ Several screen options available (see accessories).
- ⑤ Several cable managing options available (see accessories).
- ⑥ PP levellers with anti-skid pad.

■ CONFIGURATION EXAMPLES




PLACEMENT OF UPPER ACCESS OF WIRING ON TWIST DESKS


STRAIGHT DESKS




RETURNS







TWIN & MEETING DESKS



MEETING TABLES



CABLE ACCESS DESKS

T WIRING ACCESS	Q WIRING ACCESS	R WIRING ACCESS	P WIRING ACCESS
			
MAXIMUM OPENING: 90°	MAXIMUM OPENING: 110°	MAXIMUM OPENING: 180°	MAXIMUM OPENING: 180°
<ul style="list-style-type: none"> • ABS injected lid • Frame injected in ABS • Injection-moulded polyamide clamping clips PA • Black bristle brush with zinc-plated plate profile • Polyamide guides for adjustment according to the thickness of the surface between 13 and 30 mm • Dimensions: 25 x 11,7 cm 	<ul style="list-style-type: none"> • Black die-cast aluminium frame • Die-cast aluminium lid • Aluminium guides for adjustment according to the thickness of the surface between 13 and 30 mm • Dimensions: 30,5 x 12,1 cm 	<ul style="list-style-type: none"> • Melamine lid of the same finish as the surface • Black Bristle Brush • Black die-cast aluminium frame • Aluminium guides for adjustment according to the thickness of the surface between 13 and 30 mm • Complete opening in 180° by means of hinges. • Dimensions: 30,5 x 12,1 cm 	<ul style="list-style-type: none"> • The wiring access P only includes the cut-out in the table top. • If you order the desking with the optional PC wiring access, please refer to the accessories section to order the integrated power and data connection in the desk top. • Compact solution for integrated power and data connection with easy workstation access. • Different configuration combinations for a wide range of applications. • Perimeter frame in black aluminium. • Optional integrated aluminium cover to protect connections against dust and dirt. Available in black and white. • Total dimensions: 241 x 73 mm • Total dimensions cover: 257 x 87 mm • Junction box top surface dimensions: 225 x 60 mm

- Models with this standard cable access has the icon next to the code
- Desk price with the cable access is as per the attached table.
- To order different desks which the electrification access is not standard, **please check sales team.**
- To order desks with cable access, please add the corresponding letter according to the desired placement, at the end of the reference:

Front centered access	Centered access
T Q R	PC QC RC

COMBINATIONS OF FINISHES OFFERED

IMPORTANT NOTE: The combination of wired access is carried out in the following way:

(If in any case you want the upper access in different finishing established, the customer must indicate it on the order.)








T / Q / P - WIRING ACCESS

Combinaciones Superficie/Estructura	Flip-up door / cover finish		
	White	Silver	Black
Surface: White Structure: Any Finish	●		
Surface: Black Structure: Any Finish			●
Surface: Any Finish - (Not White) Structure: White	●		
Surface: Any Finish - (Not White) Structure: Aluminizada		●	
Surface: Any Finish - (Not White) Structure: Black			●
Surface: Any Finish - (Not White) Structure: Black-Polished foot/Chrome			●

R WIRING ACCESS

Combinaciones Surface/Structure	Flip-up door / cover finish	
	Finish Cover in the same colour as the surface	
Surface: Any Finish Structure: Any Finish	●	

TABLE OF FINISHES

	WHITE	LIME OAK	CHESTNUT	LIGHT OAK	BLACK	WHITE GLASS	BLACK GLASS
							
MFC	00	11	07	10	03		
C. LAMINATE	30						
GLASS						52	59

To see finishes in detail, check finishes section. Before ordering we suggest to check real samples

TWIST DESKS WIDTH 60 cm, 80cm and 100cm - OPERATIVE AND DIRECTION






Model	Support	Framework/ Legs	Reference	MFC	Black MFC	White Compact L.	Black Glass	White Glass	Packaging Packs- Vol - Weight
TW13 T Q R 	Leveler	White/White	TW1310--						
		Black/Black	TW1318--	646,80	807,80	949,20			
		Silver/Silver	TW1312--						
		Black / Polished	TW1317--	917,00	1.076,60	1.218,00			
TW14 T Q R 	Leveler	White/White	TW1410--						
		Black/Black	TW1418--	660,80	820,40	967,40	1.247,40	1.247,40	
		Silver/Silver	TW1412--						
		Black / Polished	TW1417--	931,00	1.090,60	1.240,40	1.517,60	1.517,60	
TW15 T Q R 	Leveler	White/White	TW1510--						
		Black/Black	TW1518--	686,00	847,00	1.069,60	1.374,80	1.374,80	
		Silver/Silver	TW1512--						
		Black / Polished	TW1517--	959,00	1.118,60	1.338,40	1.646,40	1.646,40	
TW16 T Q R 	Leveler	White/White	TW1610--						
		Black/Black	TW1618--	736,40	975,80	1.335,60	1.640,80	1.640,80	
		Silver/Silver	TW1612--						
		Black / Polished	TW1617--	1.008,00	1.248,80	1.611,40	1.908,20	1.908,20	
TW53 Auxiliar Return 	Leveler	White/White	TW5310--						
		Black/Black	TW5318--	411,60	470,40	651,00			
		Silver/Silver	TW5312--						
		Black / Polished	TW5317--	546,00	607,60	785,40			
TW54 Auxiliar Return 	Leveler	White/White	TW5410--						
		Black/Black	TW5418--	464,80	544,60	660,80			
		Silver/Silver	TW5412--						
		Black / Polished	TW5417--	603,40	683,20	796,60			

TO ORDER OPERATIVE AND DIRECTION TABLES WITH **HEIGHT ADJUSTABLE SYSTEM**, PLEASE CHECK THE SALES TEAM.

R wiring accesses cannot be used on tables with **Black Anti-Fingerprint** or **Compact Laminate** surfaces










ACCESS TO WIRING	R.R.P UNIT	
	MFC	COMPACT LAMINATE
ACCESS TO "T" WIRING	39,20	39,20
ACCESS TO "Q" WIRING	78,40	78,40
ACCESS TO "R" WIRING	100,80	

TABLE OF FINISHES

	WHITE	LIME OAK	CHESTNUT	LIGHT OAK	BLACK
					
MFC	00	11	07	10	03
C. LAMINATE	30				






To see finishes in detail, check finishes section. Before ordering we suggest to check real samples

TWIST - MEETING DESKS

Model	Support	Framework/ Legs	Reference	MFC	Black MFC	White Compact L.	Black Glass	White Glass	Packaging Packs· Vol · Weight
TW610 PC QC RC		White/White	TW61010--						
		Black/Black	TW61018--	1.009,40	1.251,60	1.612,80			
		Silver/Silver	TW61012--						
		Black / Polished	TW61017--	1.279,60	1.520,40	1.881,60			
TW643 PC QC RC		White/White	TW64310--						
		Black/Black	TW64318--	833,00	1.402,80	1.444,80			
		Silver/Silver	TW64312--						
		Black / Polished	TW64317--	1.103,20	1.671,60	1.715,00			
TW644 PC QC RC		White/White	TW64410--						
		Black/Black	TW64418--	1.062,60	1.303,40	1.653,40			
		Silver/Silver	TW64412--						
		Black / Polished	TW64417--	1.331,40	1.573,60	1.922,20			
TW646 PC QC RC		White/White	TW64610--						
		Black/Black	TW64618--	1.461,60	2.601,20	2.679,60			
		Silver/Silver	TW64612--						
		Black / Polished	TW64617--	1.866,20	3.005,80	3.084,20			
TW648 PC QC RC		White/White	TW64810--						
		Black/Black	TW64818--	1.565,20	2.706,20	2.787,40			
		Silver/Silver	TW64812--						
		Black / Polished	TW64817--	1.971,20	3.110,80	3.192,00			
TW640 PC QC RC	 Extension desk	White/White	TW64010--						
		Black/Black	TW64018--	648,20	1.219,40	1.255,80			
		Silver/Silver	TW64012--						
		Black / Polished	TW64017--	785,40	1.356,60	1.394,40			
TW45 PC QC RC		White/White	TW4510--						
		Black/Black	TW4518--	833,00	1.402,80	1.444,80			
		Silver/Silver	TW4512--						
		Black / Polished	TW4517--	1.103,20	1.671,60	1.715,00			
TW63 PC QC RC		White/White	TW6310--						
		Black/Black	TW6318--	1.512,00	2.651,60	2.732,80			
		Silver/Silver	TW6312--						
		Black / Polished	TW6317--	1.916,60	3.056,20	3.137,40			
TW630 PC QC RC	 Extension desk	White/White	TW63010--						
		Black/Black	TW63018--	649,60	1.220,80	1.257,20			
		Silver/Silver	TW63012--						
		Black / Polished	TW63017--	786,80	1.358,00	1.394,40			

ACCESS TO WIRING	R.R.P UNIT	
	MFC	COMPACT LAMINATE
ACCESS TO "P" WIRING	30,80	30,80
ACCESS TO "Q" WIRING	78,40	78,40
ACCESS TO "R" WIRING	100,80	

TABLE OF FINISHES

	WHITE	LIME OAK	CHESTNUT	LIGHT OAK	BLACK
					
MFC	00	11	07	10	03
C. LAMINATE	30				

To see finishes in detail, check finishes section. Before ordering we suggest to check real samples

TWIST DESKS WIDTH 160cm - MEETING, TWIN AND EXTENSION DESKS









Model	Support	Framework/ Legs	Reference	MFC	Black MFC	White Compact L.	Packaging Packs- Vol - Weight
TW423 T Q R PC QC RC	 Leveler	White/White	TW42310--				
		Black/Black	TW42318--	859,60	1.429,40	1.463,00	
		Silver/Silver	TW42312--				
		Black / Polished	TW42317--	1.127,00	1.698,20	1.729,00	
TW426 T Q R PC QC RC	 Leveler	White/White	TW42610--				
		Black/Black	TW42618--	1.563,80	2.704,80	2.738,40	
		Silver/Silver	TW42612--				
		Black / Polished	TW42617--	1.948,80	3.088,40	3.120,60	
TW443 T Q R PC QC RC	 Leveler	White/White	TW44310--				
		Black/Black	TW44318--	676,20	1.247,40	1.279,60	
		Silver/Silver	TW44312--				
Extension desk		Black / Polished	TW44317--	810,60	1.379,00	1.411,20	
TW424 T Q R PC QC RC	 Leveler	White/White	TW42410--				
		Black/Black	TW42418--	886,20	1.456,00	1.556,80	
		Silver/Silver	TW42412--				
		Black / Polished	TW42417--	1.156,40	1.727,60	1.829,80	
TW427 T Q R PC QC RC	 Leveler	White/White	TW42710--				
		Black/Black	TW42718--	1.618,40	2.758,00	2.961,00	
		Silver/Silver	TW42712--				
		Black / Polished	TW42717--	2.024,40	3.165,40	3.365,60	
TW444 T Q R PC QC RC	 Leveler	White/White	TW44410--				
		Black/Black	TW44418--	702,80	1.271,20	1.373,40	
		Silver/Silver	TW44412--				
Extension desk		Black / Polished	TW44417--	840,00	1.409,80	1.506,40	

TO ORDER TWIN DESKS WITH **HEIGHT ADJUSTABLE SYSTEM**, PLEASE CHECK THE SALES TEAM.

R wiring accesses cannot be used on tables with **Black Anti-Fingerprint** or **Compact Laminate** surfaces

ACCESS TO WIRING	R.R.P UNIT	
	MFC	COMPACT LAMINATE
ACCESS TO "P" WIRING	30,80	30,80
ACCESS TO "T" WIRING	39,20	39,20
ACCESS TO "Q" WIRING	78,40	78,40
ACCESS TO "R" WIRING	100,80	

TABLE OF FINISHES

	WHITE	LIME OAK	CHESNUT	LIGHT OAK	BLACK	WHITE STEEL	SILVER STEEL	BLACK STEEL
								
MFC	00	11	07	10	08			
STEEL						00	02	08

For more details of colour finishes, go to the page of finishes. We recommend you check our physical samples, before delivery.


CABLE TRAY - INDIVIDUAL DESKS

EXPLANATION OF USE OF THE CABLE TRAY


Use of cable tray in individual workstation of 80 cm / 100 cm width:

- To use the **electrification cable tray on individual desks**, request the corresponding/desired model, which is listed on the price list.
 - Desks of 140 cm:** Individual cable tray 89 cm of large or metallic cable container
 - Desks of 160 cm:** Individual cable tray 109 cm of large or metallic cable container
 - Desks of 180 cm:** Individual cable tray 129 cm of large or metallic cable container
 - Desks of 200 cm:** Individual cable tray 129 cm of large or metallic cable container
- NOTA:** Las **Canales de Electrificación Individual para USO SIN FALDÓN**, disponen de un herraje independiente que no permite la futura colocación de Faldón. Si desea solicitar **Faldón con Canal de Electrificación**, deberá solicitar el **Pack que incluye ambos**.

Cable Tray of 113 cm / 123 cm / 143 cm



Metallic cables container



The brackets for MODESTY PANEL are supplied in a standard aluminized finish. In order to request the **BRACKETS OF THE MODESTY PANELS in WHITE (B) or BLACK (N)**, to use in tables of white or black structure, the corresponding letter must be added to the end of the reference.

Sample: MFC Modesty panel for 120 cm desk - **FTW33--**

White MFC finish: **00**

white finish brackets: **B**

} **FTW3300B**



Sample: MFC Modesty panel for 120 cm desk - **FTW33--**

White MFC finish: **00**

black finish brackets: **N**


} **FTW3300N**

MODESTY PANELS (Only for Single Desks)


Model	Dimensions (A x H)	Desks	References	MFC	Steel	Packaging Packs·Vol·Weight
 MFC Modesty Panel	104 x 28 cm	For 140 cm Desks	FTW33--	98,00		1·0,060 m³·33 Kg.
	124 x 28 cm	For 160 cm Desks	FTW34--	100,80		1·0,060 m³·33 Kg.
	144 x 28 cm	For 180 and 200 cm Desks	FTW35--	105,00		1·0,060 m³·33 Kg.
 Steel Modesty Panel	103 x 28 cm	For 140 cm Desks	FTW63--		165,20	1·0,060 m³·33 Kg.
	123 x 28 cm	For 160 cm Desks	FTW64--		168,00	1·0,060 m³·33 Kg.
	143 x 28 cm	For 180 and 200 cm Desks	FTW65--		173,60	1·0,060 m³·33 Kg.

ELECTRIFICATION SYSTEMS - USE WITHOUT MODESTY PANEL

Single cable trays to be used without modesty panel include a different bracket that doesn't allow to use a modesty panel.
If a modesty panel and cable tray is needed, you must request the pack that includes both.

Model	Dimensions (A x B x H)	Desks	White Steel	Silver Steel	Black Steel	RRP Unit	Packaging Packs·Vol·Weight
	89 x 7 cm	140 cm	59780	59782	59788	138,60	
	109 x 7 cm	160 cm	59700	59702	59708	141,40	
	129 x 7 cm	180 y 200 cm	59720	59722	59728	147,00	

METALLIC WIRING CONTAINER FOR "T" WIRING ACCESS

Model	Dimensions (A x B x H)	Description	Units/pack	White	Silver	Black	R.R.P.P. Unit	Packaging Packs·Vol·Weight
	31,5 x 11,3 x 9,9 cm	Metallic Container for Connectivity elements. Use with "T" Wiring access	1 Unit	T110	T112	T118	56,00	
			2 Units	T120	T122	T128	106,40	

METALLIC WIRING CONTAINER FOR "P", "Q" and "R" WIRING ACCESS










Model	Dimensions (A x B x H)	Description	Units/pack	White	Silver	Black	R.R.P.P. Unit	Packaging Packs·Vol·Weight
	40 x 13 x 12 cm	Metallic Container for Connectivity elements. Use with "P" "Q" AND "R" Wiring access	1 Unit	CQR110	CQR112	CQR118	71,40	
			2 Units	CQR120	CQR122	CQR128	138,60	1·0,021 m³·5 Kg.

TABLE OF FINISHES

	WHITE	LIME OAK	CHESNUT	LIGHT OAK	BLACK	WHITE STEEL	SILVER STEEL	BLACK STEEL
								
MFC	00	11	07	10	08			
STEEL						00	02	08

For more details of colour finishes, go to the page of finishes. We recommend you check our physical samples, before delivery.

The brackets for MODESTY PANEL are supplied in a standard aluminized finish. In order to request the **BRACKETS OF THE MODESTY PANELS in WHITE (B) or BLACK (N)**, to use in tables of white or black structure, the corresponding letter must be added to the end of the reference.

Sample: MFC Modesty panel for 120 cm desk - **FTW33--**
White MFC finish: **00**
white finish brackets: **B**

} **FTW3300B**

Sample: MFC Modesty panel for 120 cm desk - **FTW33--**
White MFC finish: **00**
black finish brackets: **N**

} **FTW3300N**




MODESTY PANELS + CABLE TRAY (Only for Single Desks)

TO REQUEST A PACK OF MODESTY PANEL + CABLE TRAY, YOU MUST CONSIDER THE FOLLOWING TABLE COMBINATION:

Structure Finish	Surface Finish	Modesty Panel Finish	Cable Tray Finish
White	White	White MFC or White Steel	White
	Any finish - (Not White)	Any finish - (Not White) or White Steel	
Silver	White	White MFC or White Steel	Silver
	Any finish - (Not White)	Any finish - (Not White) or Silver Steel	
Black	White	White MFC or White Steel	Black
	Any finish - (Not White)	Any finish - (Not White) or Black Steel	

Model	Modesty Panel Dimensions (A x H)	Cable Tray Dimensions (A x H)	Tables	Table Structure Finish	References	Modesty Panel Finish		Packaging Packs - Vol - Weight
						MFC	Steel	
 MFC Modesty Panel + Steel Cable Tray	104 x 28 cm	89 x 7 cm	For 140 cm Desks	White	FTW3300--	182,00		1 • 0,060 m ² • 33 Kg.
				Silver	FTW3302--			
				Black	FTW3308--			
	124 x 28 cm	109 x 7 cm	For 160 cm Desks	White	FTW3400--	191,80		1 • 0,060 m ² • 33 Kg.
				Silver	FTW3402--			
				Black	FTW3408--			
	144 x 28 cm	129 x 7 cm	For 180 and 200 cm Desks	White	FTW3500--	198,80		1 • 0,060 m ² • 33 Kg.
				Silver	FTW3502--			
				Black	FTW3508--			
 Steel Modesty Panel + Steel Cable Tray	103 x 28 cm	89 x 7 cm	For 140 cm Desks	White	FTW6300--		249,20	1 • 0,060 m ² • 33 Kg.
				Silver	FTW6302--			
				Black	FTW6308--			
	123 x 28 cm	109 x 7 cm	For 160 cm Desks	White	FTW6400--		257,60	1 • 0,060 m ² • 33 Kg.
				Silver	FTW6402--			
				Black	FTW6408--			
	143 x 28 cm	129 x 7 cm	For 180 and 200 cm Desks	White	FTW6500--		264,60	1 • 0,060 m ² • 33 Kg.
				Silver	FTW6502--			
				Black	FTW6508--			

TABLE OF FINISHES

	WHITE	SILVER	BLACK
			
STEEL	00	02	08

For more details of colour finishes, go to the page of finishes. We recommend you check our physical samples, before delivery.


CABLE TRAY - DESKS OF 120 CM WIDTH - FIXED ANCHORAGE

EXPLANATION OF USE OF THE CABLE TRAY

Use of cable tray on **Meeting desks of 120 cm width**:

- To use **electrification cable tray on desks of 120 cm width**, request the desired/corresponding model, which is listed on the pricelist
- The cable trays for the **120 cm wide meeting tables are screwed to the table top**.
 - Desks of 160 cm**: 29 cm width and 84 cm length cable tray.
 - Desks of 220 cm**: 29 cm width and 84 cm length cable tray.
 - Desks of 240 cm**: 29 cm width and 84 cm length cable tray
 - Desks of 320 cm**: 29 cm width and 104 cm length cable tray
 - Progressive tables 160 cm width**: 29 cm width and 144 cm length cable tray.

Cable tray 84cm / 104cm / 144cm



29cm WIDTH RECESSED CABLE TRAY FOR 120cm WIDTH MEETING DESKS





Model	Dimensions (A x B x H)	Desks	White	Aluminizada	Black	RRP Unit	Packaging Packs - Vol - Weight
	84 x 29 x 3,8 cm	For 160, 220 and 240 cm desks. Individual Use	XPMTCTB58429A0	XPMTCTB58429A2	XPMTCTB58429A8	96,60	
	104 x 29 x 3,8 cm	For 320 cm desks. Individual Use	58800	58802	58808	105,00	
	144 x 29 x 3,8 cm	For 160 cm desks. in the end of the progression	58840	58842	58848	126,00	

TABLE OF FINISHES

	WHITE	SILVER	BLACK
			
STEEL	00	02	08

For more details of colour finishes, go to the page of finishes. We recommend you check our physical samples, before delivery.


CABLE TRAY - DESKS OF 140 CM WIDTH

EXPLANATION OF USE OF THE CABLE TRAY

Use of cable tray on **double operative desks and extendable double desks**:

- To use **electrification cable tray on desks of 140 cm width**, request the desired/corresponding model, which is listed on the pricelist
 - **Desks of 140 cm**: 42 cm width and 50 cm length cable tray.
 - **Desks of 280 cm**: 42 cm width and 84 cm length cable tray.
 - **Progressive tables 140 cm width**: 42 cm width and 124 cm length cable tray.

Cable tray 50cm / 84cm / 124cm



42cm WIDTH & 50cm LENGTH CABLE TRAY FOR TWIN OPERATIVE DESKS

Model	Dimensions (A x B x H)	Desks	White	Silver	Black	RRP Unit	Packaging Packs - Vol - Weight
	50 x 42 x 3,8 cm	For 140cm desks Individual use in TW45	55190	55192	55198	58,80	

42cm WIDTH CABLE TRAY FOR DOUBLE OPERATIVE DESKS





Model	Dimensions (A x B x H)	Desks	White	Silver	Black	RRP Unit	Packaging Packs - Vol - Weight
	84 x 42 x 3,8 cm	For 280 cm desks. Individual use or in the end of the progression	68180	68182	68188	110,60	
	124 x 42 x 3,8 cm	For 140cm desks. Use in central tables of the progression.	68120	68122	68128	124,60	

TABLE OF FINISHES

	WHITE	SILVER	BLACK
			
STEEL	00	02	08

For more details of colour finishes, go to the page of finishes. We recommend you check our physical samples, before delivery.


CABLE TRAY - DESKS OF 160 CM WIDTH

EXPLANATION OF USE OF THE CABLE TRAY


Use of cable tray on **double operative desks** and **extendable double desks**:

- To use **electrification cable tray on desks of 160 cm width**, request the desired/corresponding model, which is listed on the pricelist
 - **Desks of 140 cm**: 42 cm width and 64 cm length cable tray.
 - **Desks of 160 cm**: 42 cm width and 64 cm length cable tray.
 - **Desks of 280 cm**: 42 cm width and 84 cm length cable tray.
 - **Desks of 320 cm**: 42 cm width and 104 cm length cable tray.
 - **Progressive tables 140 cm width**: 42 cm width and 124 cm length cable tray.
 - **Progressive tables 160 cm width**: 42 cm width and 144 cm length cable tray.


Cable tray 64cm / 84cm / 104cm / 124cm / 144cm








42cm WIDTH & 64cm LENGTH CABLE TRAY FOR TWIN OPERATIVE DESKS

Model	Dimensions (A x B x H)	Desks	White	Silver	Black	RRP Unit	Packaging Packs - Vol - Weight
	64 x 42 x 3,8 cm	For 140cm and 160cm desks Individual use in TW423 and TW424	58190	58192	58198	121,80	



42cm WIDTH CABLE TRAY FOR DOUBLE OPERATIVE DESKS

Model	Dimensions (A x B x H)	Desks	White	Silver	Black	RRP Unit	Packaging Packs - Vol - Weight
	84 x 42 x 3,8 cm	For 280 cm desks. Individual use or in the end of the progression	68180	68182	68188	110,60	
	104 x 42 x 3,8 cm	For 320 cm desks. Individual use or in the end of the progression	68100	68102	68108	114,80	
	124 x 42 x 3,8 cm	For 140cm desks. Use in central tables of the progression.	68120	68122	68128	124,60	
	144 x 42 x 3,8 cm	For 160cm desks. Use in central tables of the progression.	68140	68142	68148	134,40	

CABLE SPINE

Model	Dimensions (A x B x H)	Description	Silver	White	Black	RRP Unit	Packaging Packs - Vol - Weight
	4,5 x 4,5 x 80 cm	Cable spine (flexible polystyrene) white finish. Minimum order of 3 unit - Price for 1 unit USE ONLY WITH CONTAINER FOR WIRING ACCESS "Q" AND "R"	39425	394250	394258		23,80 0,0045 m³ • 0,4 Kg.
	7 x 4,5 x 80 cm	Polystyrene riser cables, flexible, finished in white. Minimum order of 3 unit - Price for 1 unit	39525	395250	395258		28,00 0,0045 m³ • 0,4 Kg.
	7 x 4,5 x 132 cm	Polystyrene riser cables, flexible, finished in white. Minimum order of 3 unit - Price for 1 unit	39526	395260	395268		35,00 0,0045 m³ • 0,4 Kg.
	8 x 5 x 52 cm	Sheet metal riser cables, for single and double desks, quadruple and double growth. Pack 1 Unit.	50702	50700	50708		117,00 0,008 m³ • 2,5 Kg.
	15 x 10 x 62,5 cm	Sheet metal riser cables, for single and double desks, quadruple and double growth. Pack 1 Unit.	50712	50710	50718		140,00 0,021 m³ • 5 Kg.

CPU SUPPORT

Model	Dimensions (A x B x H)	Description	Pack of units	Silver	White	Black	RRP Unit	Packaging Packs - Vol - Weight
	27 x 14-22 x 50 cm	ATX CPU Support. Width adjustment. From 14 to 22cm.	Pack 1 Unit	505082	505080	505088		135,80 0,0045 m³ • 0,4 Kg.
	27 x 9-14 x 39 cm	SLIM CPU Support. Width adjustment. From 9 to 14cm.	Pack 1 Unit	505092	505090	505098		120,40 0,0045 m³ • 0,4 Kg.

TEXTILE CABLE RISE

	MODEL AND SIZES	DESCRIPTION	UNITS/PACK	BLACK	RRP PACK	Packaging (Packs - Vol - Weight)
	Ø3 x 75 cm	Braided textile wrap with zipper for quick and easy installation. Offers additional protection against flames and abrasion	1 Unit	394318	39,20	.
			4 Units	394348	137,20	

TWIST - GEN








■ FEATURES

- ① Cast aluminium legs offering big frame stability and lightness which allows a very distinguished esthetic.
- ② 50x40mm warm rolled steel frame profile 2 mm thick, with a new system for quick assembling allowing a very strong stability by using minimum quantity of screws.
- ③ 120 degree tops which allow linking desks and create a very new working concept. Table surface made out of 25mm MFC with round corners. 2mm thick edge.
- ④ Several screen options available (see accessories).
- ⑤ Several cable managing options available (see accessories).
- ⑥ PP levellers with anti-skid pad.
- ⑦ Ending MFC pedestal with both sides access.
- ⑧ Steel mobile pedestals with castors. Top cushion available in a wide range of fabrics.
- ⑨ Middle extension / desk return / meeting table.
- ⑩ Central support leg for configurations with desk returns

■ CONFIGURATION EXAMPLES



TWIST - GEN 100



CABLE ACCESS DESKS

U WIRING ACCESS



- 80 mm diameter polypropylene cover for wiring to the bottom.
- The upper part incorporates a small flange for small cable passage and allows the complete cover to be removed for cable passage.
- **Dimensions:** Ø 8 cm

- Models with this standard cable access has the icon next to the code
- Desk price with the cable access is as per the attached table.
- To order different desks which the electrification access is not standard, **please check sales team**.
- To order desks with cable access, please add the corresponding letter according to the desired placement, at the end of the reference:

Front centered access

U

COMBINATIONS OF FINISHES OFFERED

IMPORTANT NOTE: The combination of wired access is carried out in the following way:


(If in any case you want the upper access in different finishing established, the customer must indicate it on the order.)

U - WIRING ACCESS

Flip-up door / cover finish






Combinaciones Superficie/Estructura	White	Silver	Black
Surface: Any Finish - (Not White) Structure: White	●		
Surface: Any Finish - (Not White) Structure: Aluminized		●	
Surface: Any Finish - (Not White) Structure: Black			●

TWIST - GEN 100















TWIST - GEN 100

TABLE OF FINISHES

	WHITE	LIME OAK	CHESTNUT	LIGHT OAK	BLACK
					
MELAMINA	00	11	07	10	03

Para ver con mayor detalle los colores de acabado, ir a la página de acabados. Se recomienda consultar muestras físicas, antes del suministro.











TWIST GEN 100 - TRIPLE DESK 120°

Model	Support	Framework/ Legs	Reference	MFC	MFC Black anti-fingerprints	Packaging Packs- Vol - Weight
<div><div>TW290 </div><div><div>x3 UNITS</div></div></div>	Leveler	White / White	TW29010--U	1.362,20	2.087,40	
		Silver / Silver	TW29012--U			
		Black / Black	TW29018--U			
<div><div>TW294 </div><div><div>x3 UNITS</div></div></div>	Leveler	White / White	TW29410--U	1.691,20		
		Silver / Silver	TW29412--U			
		Black / Black	TW29418--U			
<div><div>TW295 </div><div><div>x3 UNITS</div></div></div>	Leveler	White / White	TW29510--U	1.934,80		
		Silver / Silver	TW29512--U			
		Black / Black	TW29518--U			

TWIST - GEN




TWIST

TABLE OF FINISHES


	FABRICS				WHITE	LIME OAK	CHESTNUT	LIGHT OAK	BLACK	
	GROUP 1	GROUP 3		GROUP 4					ANT-FINGERPRINTS	BLACK
										
FABRIC	T--	AE--	AO--	M--						
MFC					00	11	07	10	03	08

To see finishes in detail, check finishes section. Before ordering we suggest to check real samples.


TWIST GEN 100 - OPTIONAL PEDESTALS

Model	Description	Front & Structure	Reference	Top Finish					Packaging Packs- Vol - Weight
				White MFC	Lime Oak MFC	Chestnut MFC	Light Oak MFC	Black 03 Anti-finger- prints MFC	
TW216 Transition desk-top 	Extension table top to be used: - As an additional extension top (supports up to 20kg) - With a pedestal without top 4 linking brackets included		TW216--	130,20	130,20	130,20	130,20	210,00	
TW220 Transition desk-top 	Extension table top to be used: - As an additional extension top (supports up to 20kg) - With 2 pedestals without top 4 linking brackets included		TW220--	140,00	140,00	140,00	140,00	261,80	
TW77 	Pedestal without top Pedestal to be used under extension table tops with cable driving and access from both sides. Shelf + drawer + Filing drawer USE WITH EXTENSION TABLE TOP	White	TW77000			791,00			
		Lime oak	TW77111			791,00			
		Chestnut	TW77707			791,00			
		Light Oak	TW77710			791,00			
		Black 08	TW77708			791,00			


TWIST GEN - END RETURN AND TRANSITION DESK TOP

Modelo	Support	Front & Structure	Reference	Top Finish					Packaging Packs- Vol - Weight
				White MFC	Lime Oak MFC	Chestnut MFC	Light Oak MFC	Black 03 Anti-finger- prints MFC	
TW75 	Pedestal with top Pedestal for end of layouts. Can be opened from both sides. Shelf + drawer + Filing drawer	White	TW750--	781,20	781,20	781,20	781,20	861,00	
		Lime oak	TW751--	781,20	781,20				
		Chestnut	TW757--	781,20		781,20			
		Light Oak	TW7510--	781,20			781,20		
		Black 08	TW758--					861,00	

TWIST GEN - MOBILE PEDESTAL WITH TOP CUSHION




Model	Description	Structure	Reference	Cushion Finish			Packaging Packs- Vol - Weight
				FABRIC GROUP 0	FABRIC GROUP 1	FABRIC GROUP 2	
TW32 	Mobile pedestal with cushion top Steel pedestal. Steel drawer + filing drawer	White	TW320---	376,60	389,20	397,60	

CABLE SPINE

Model	Dimensions (A x B x H)	Description	Silver	White	Black	RRP Unit	Packaging Packs- Vol - Weight
	4,5 x 4,5 x 80 cm	Cable spine (flexible polystyrene) white finish. Minimum order of 3 unit - Price for 1 unit USE ONLY WITH CONTAINER FOR WIRING ACCESS "Q" AND "R"	39425	394250	394258	23,80	1 • 0,0045 m ² • 0,4 Kg.

TWIST - GEN

TABLE OF FINISHES

	WHITE	SILVER	BLACK
			
STEEL	00	02	08

For more details of colour finishes, go to the page of finishes. We recommend you check our physical samples, before delivery.


CABLE TRAY - DESKS GEN

EXPLANATION OF USE OF THE CABLE TRAY





Use of cable tray on 120° Triple desk and Transition Top:

- To use electrification cable tray on desks of 120° Triple desk and Transition Top, request the desired/corresponding model, which is listed on the pricelist:
 - 120° Triple desk: 43,7 x 37,8 cm cable tray. Individual use in center of table for progression cable tray.
 - 120° Triple desk: 54,1 cm length x 17,5cm width progression cable tray, to connect with Transition Top cable tary..
 - 60cm Transition Top: 92,5 cm length x 17,5cm width cable tray for transition top.
 - 80cm Transition Top: 112,6 cm length x 17,5cm width cable tray for transition top.

Cable tray 43,7 cm / 54,1cm / 92,5cm / 112,6cm



EXPLANATION OF USE OF THE CABLE TRAY

Cable trays for 1 x 120° triple table	Cable trays for 2 x 120° triple tables	Cable trays for 2 or more 120° triple tables and extension tops. Use WITHOUT pedestal without top	Cable trays for 2 or more 120° triple tables and extension tops. Use WITH pedestal without top
 <p>TW290</p> <p>61400 61402 61408</p>	 <p>TW290 TW290</p>	 <p>TW290 TW216 TW290</p> <p>--- TW220</p>	 <p>TW290 TW216 TW290</p> <p>--- TW220</p>





A single central cable tray will be used for 1 x 120° triple table

We do not recommend this type of layouts due to the lack of space on adjoining workstations

For layouts with 2 or more 120° triple tables and extension tops **without pedestal without top**, we recommend to use a central cable tray on the triple desk. We recommend to order progressive cable trays on the triple desk to create a flowing cable tray together with the cable trays on the extension tops.

For layouts with 2 or more 120° triple tables and extension tops no supported by pedestals, we recommend to use a central cable tray (in the extension top) and progressive cable trays on the triple desk. Nevertheless if the extension tops are supported by pedestals, no cable trays can be used. To compensate, pedestals have a space at the top to allow cable management thought it.

CABLE TRAY FOR GEN DESKS - 120° TRIPLE DESK AND TRANSITION TOPS

	Model	Dimensions (A x B x H)	Desks	White	Silver	Black	RRP Unit	Packaging Packs - Vol - Weight
1		63 x 54,6 cm	For 120° triple Gen desk Individual use in center of TW280	61400	61402	61408	165,20	
2		78,7 x 17,5 cm	For 120° triple Gen desk Progression cable tray in Triple desk, to connect to Transition Top cable tary.	61450	61452	61458	106,40	
3		56,5 x 17,5 cm	For 60cm Gen Transition Top Use with Transition Top	61490	61492	61498	72,80	
4		76,5 x 17,5 cm	For 80cm Gen Transition Top Transition Top	61410	61412	61418	105,00	


EXAMPLE OF AN ORDER FOR DIVIDERS TO USE WITH TRIPLE DESK






Divider Model	Divider Finish	Final Reference
ZMV161 Mobile Divider for Twist Triple desks Pack 1 Unit	T82 Upholstered finish Fabric T	ZMV161T82

TABLE TOP DIVIDERS FOR TWIST - TRIPLE DESK 120°



- Divider Upholstered:
- Board of 19mm.
 - 5mm foam (60kg/m3) on each side.
 - Upholstered finishes: Fabric T, AE, AO, D and M.
 - 8mm thick flexible Profile.










		ZWN30 FOR TRIPLE DESK			
Model Dimensions (A x B)		80 28	<div></div>		
		FABRIC			
		UPHOLSTERED DIVIDER FOR TRIPLE DESK TWIST - GEN 80 cm Large			
Units / Pack		Pack 3 Units ZWN303			
UPHOLSTERED DIVIDER e= 30 mm - h= 28 cm					
Upholstered	GROUP 0		Fabric T	3T--	420,00
			Fabric AE	3AE--	464,80
			Fabric AO	3AO--	
	GROUP 2		Fabric D	3D--	497,00
			Fabric M	3M--	

TOP MOBILE DIVIDER FOR TWIST - TRIPLE DESK 120°



- Mobile Divider Upholstered:
- Board of 10+10mm.
 - Internal reinforcement plate 3mm thick, which gives it greater stability.
 - 5mm foam (60kg/m3) on each side.
 - Upholstered finishes: Fabric T, AE, AO, D and M.
 - 8mm thick flexible Profile.
 - Anchoring system using an adaptable polycarbonate clamp for surfaces of 13/19 and 25 mm.

Model Dimensions (A x B)		ZMV16 30 67 42 		ZMV18 30 86 42 	
		MOBILE UPHOLSTERED DIVIDER 67 cm Large		MOBILE UPHOLSTERED DIVIDER 86 cm Large	
Units / Pack		Pack 1 Unit ZMV161	Pack 2 Units ZMV162	Pack 1 Unit ZMV181	Pack 2 Units ZMV182
Upholstered	GROUP 0	 Fabric T	T--	333,20	659,40
	GROUP 1	 Fabric AE	AE--	351,40	701,40
		 Fabric AO	AO--		
	GROUP 2	 Fabric D	D--	358,40	711,20
		 Fabric M	M--		
				361,20	715,40

TWIST - SPINE



■ SPINE FEATURES

- ① Filing cabinet support available for single and twin desks. Trapezoidal top's shape.
- ② Cast aluminium legs offering big frame stability and lightness which allows a very distinguished esthetic.
- ③ 50x40mm warm rolled steel frame profile 2 mm thick, with a new system for quick assembling allowing a very strong stability by using minimum quantity of screws.
- ④ Table surface made out of 25mm MFC with round corners. 2mm thick edge.
- ⑤ Double access for cables allows using it by two sides (optional).
- ⑥ Several screen options available (see accessories).
- ⑦ Several cable managing options available (see accessories).
- ⑧ PP levers with anti-skid pad.

- ① MFC filing cabinet. The frame is made of 19mm melamine. Two models are available:
 - Individual module: 180 x 40 x 61 cm - Compartment using one side.
 - Double module: 180 x 80 x 61 cm - Compartment using 2 sides.

- ② Interior shelves 19 mm melamine.
- ③ Top cover in 25 mm melamine, veneered soft edges for added safety and durability.
- ④ 2 models of reversible fronts: Sliding melamine 16 mm door and Filing drawer with metal tray and melamine 16 mm front.
- ⑤ Hollow interior for continuous electrification with access to it from the top using folding doors.
- ⑥ Die Cast aluminum feet with PVC anti-skid pad.


■ CONFIGURATION EXAMPLES



PLACEMENT OF UPPER ACCESS OF WIRING ON TWIST DESKS

DESK SUPPORTED TO SPINE - LINEAR MODULES


TQRUR



TWSR24

Desk supported to Spine credenza


TQRLUL



TWSL24

Desk supported to Spine credenza


TQRRUR



TWSR25

Desk supported to Spine credenza


TQRLUL



TWSL25

Desk supported to Spine credenza


TQRTRQRRLUR



TWS444


Desk supported to Spine credenza

E25




Double Module Compartment
Continuous Electrifications

E15




Single Module Compartment
Continuous Electrifications

E177



Filing drawer

E175



Sliding Door

Front Accessories for single and double modules

CABLE ACCESS DESKS

T WIRING ACCESS	Q WIRING ACCESS	R WIRING ACCESS	U WIRING ACCESS
			
MAXIMUM OPENING: 90°	MAXIMUM OPENING: 110°	MAXIMUM OPENING: 180°	
<ul style="list-style-type: none"> • ABS injected lid • Frame injected in ABS • Injection-moulded polyamide clamping clips PA • Black bristle brush with zinc-plated plate profile • Polyamide guides for adjustment according to the thickness of the surface between 13 and 30 mm • Dimensions: 25 x 11,7 cm 	<ul style="list-style-type: none"> • Black die-cast aluminium frame • Die-cast aluminium lid • Aluminium guides for adjustment according to the thickness of the surface between 13 and 30 mm • Dimensions: 30,5 x 12,1 cm 	<ul style="list-style-type: none"> • Melamine lid of the same finish as the surface • Black Bristle Brush • Black die-cast aluminium frame • Aluminium guides for adjustment according to the thickness of the surface between 13 and 30 mm • Complete opening in 180° by means of hinges. • Dimensions: 30,5 x 12,1 cm 	<ul style="list-style-type: none"> • 80 mm diameter polypropylene cover for wiring to the bottom. • The upper part incorporates a small flange for small cable passage and allows the complete cover to be removed for cable passage. • Dimensions: Ø 8 cm

- Models with this standard cable access has the icon next to the code
- Desk price with the cable access is as per the attached table.
- To order different desks which the electrification access is not standard, **please check sales team.**
- To order desks with cable access, please add the corresponding letter according to the desired placement, at the end of the reference:

Front centered access	Left hand side	Right hand side	
T Q R	TL UL	TR QR RR UR	

COMBINATIONS OF FINISHES OFFERED

IMPORTANT NOTE: The combination of wired access is carried out in the following way:
(If in any case you want the upper access in different finishing established, the customer must indicate it on the order.)

T / Q / U - WIRING ACCESS


Combinaciones Superficie/Estructura	Flip-up door / cover finish		
	White	Silver	Black
Surface: White Structure: Any Finish	●		
Surface: Any Finish - (Not White) Structure: White	●		
Surface: Any Finish - (Not White) Structure: Aluminizada		●	
Surface: Any Finish - (Not White) Structure: Black			●
Surface: Any Finish - (Not White) Structure: Black-Polished foot			●

R WIRING ACCESS


Combinaciones Surface/Structure	Flip-up door / cover finish	
	Finish Cover in the same colour as the surface	
Surface: Any Finish Structure: Any Finish	●	

PLACEMENT OF UPPER ACCESS OF WIRING ON TWIST DESKS

STRAIGHT DESKS



TWIN DESK



NOTE: HOW TO REQUEST TWIST DESKS WITH UPPER ACCESS TO WIRING


ACCESS TO 'U' WIRING



80mm diameter polypropylene cover top for access to wiring. Cover top can be moved completely away for accessing to the whole wiring in an easy way.

- To order a desk with upper access to wiring you must add:
 - **ROUND WIRING ACCESS:** the letter **U** at the end of the requested reference.
- Models that incorporate this standard form of access display an icon or icons alongside the corresponding reference.
- The price of desks with access to wiring will increase by each unit added, according to the price indicated in the attached table.
- To order other desks with access to wiring which does not have the standard outputs (they will not contain any icon), **please consult our Sales Department.**

ACCESS TO 'T' WIRING




Access system of cabling with an opening system. "Push-Latch". Made from ABS. It also incorporates an "Anti Dust" system that prevents the accumulation of dust in the wiring.


- To order a desk with upper access to wiring you must add:
 - **LARGE WIRING ACCESS:** the letter **T** at the end of the requested reference.
- Models that incorporate this standard form of access display an icon or icons alongside the corresponding reference.
- The price of desks with access to wiring will increase by each unit added, according to the price indicated in the attached table.
- To order other desks with access to wiring which does not have the standard outputs (they will not contain any icon), **please consult our Sales Department.**



ACCESS TO 'Y' WIRING



ACCESS TO 'W' WIRING




ACCESS TO 'M' WIRING

To order other desks with access to wiring which does not have the standard outputs, please consult our Sales Department.

NOTE: HOW TO REQUEST TWIST DESKS WITH UPPER ACCESS TO WIRING

EXAMPLES OF SINGLE DESKS

TWSR241000T



T



TWIST Desk **TWSR241000T** finished in white melamine surface and desk edge, white structure and levelers, with "T" access to wiring on the desk.

REFERENCE

DESK R.R.P.


ACCESS WIRING R.R.P.

TOTAL R.R.P.


TWSR241000T

EXAMPLES OF TWIN DESKS

TWS4441000T



T



TWIST Desk **TWS4441000T** finished in white melamine surface and desk edge, white structure and levelers, with 2 "T" access to wiring centred on the desk.

REFERENCE





DESK R.R.P.

ACCESS WIRING R.R.P.

TOTAL R.R.P.

TWS4441000T

TABLE OF FINISHES





	WHITE	LIME OAK	LIGHT OAK	CHESTNUT
				
MFC	00	11	10	07

To see finishes in detail, check finishes section. Before ordering we suggest to check real samples


IMPORTANT NOTE: The combination of wired access is carried out in the following way:
(If in any case you want the upper access in different finishing established, the customer must indicate it on the order.)

Combinations Surface/Structure	Access to wiring finish		
	White	Aluminized	Black
Surface: Any finish - (Not White) Structure: White	●		

STRAIGHT DESKS FOR USE WITH SPINE - WIDTH 80 cm

Model	Support	Framework/ Legs	Reference	MFC	Packaging Packs- Vol - Weight
TWSR24 T Q R UR					
 Cabinet on the Right	Leveler	White / White	TWSR2410--	495,60	
TWSL24 T Q R UL					
 Cabinet on the Left	Leveler	White / White	TWSL2410--	495,60	
TWSR25 T Q R UR					
 Cabinet on the Right	Leveler	White / White	TWSR2510--	525,00	
TWSL25 T Q R UL					
 Cabinet on the Left	Leveler	White / White	TWSL2510--	525,00	







TWIN DESKS FOR USE WITH SPINE - WIDTH 160 cm

Model	Support	Framework/ Legs	Reference	MFC	Packaging Packs- Vol - Weight
TWS444 T Q R TR QR RR UR					
 Cabinet on the Left	Leveler	White / White	TWS44410--	827,40	


ACCESS TO WIRING	R.R.P UNIT
	MFC
ACCESS TO "U" WIRING	25,20
ACCESS TO "T" WIRING	39,20
ACCESS TO "Q" WIRING	78,40
ACCESS TO "R" WIRING	100,80


R wiring accesses cannot be used on tables with **Black Anti-Fingerprint** or **Compact Laminate** surfaces

TABLE OF FINISHES


	WHITE	LIME OAK	LIGHT OAK	CHESTNUT	BLACK	BLACK ANT-IFINGERPRINTS
						
MELAMINE	00	11	10	07	08	03


SINGLE SPINE MODULE - CONTINUOUS ELECTRIFICATION



Measurements	Sides, shelves, Rear, and Lower Cover	References	Upper Cover and Front					Packaging Packs - Vol - Weight
			White Melamine	Lime oak Melamine	Light oak Melamine	Chestnut Melamine	03 Black Melamine	
	White Melamine	E150--	1.024,80	1.024,80	1.024,80	1.024,80	1.071,00	Packs: 3 • Vol: 0,231 m³ Weight: 55,7 Kg.





DOUBLE SPINE MODULES - CONTINUOUS ELECTRIFICATION



Measurements	Sides, shelves, Rear, and Lower Cover	References	Upper Cover and Front					Packaging Packs - Vol - Weight
			White Melamine	Lime oak Melamine	Light oak Melamine	Chestnut Melamine	03 Black Melamine	
	White Melamine	E250--	1.114,40	1.114,40	1.114,40	1.114,40	1.222,20	Packs: 3 • Vol: 0,231 m³ Weight: 55,7 Kg.










AUXILIARY ACCESSORIES FOR SINGLE SPINE MODULES

FILING DRAWERS WILL ALWAYS BE FIXED IN THE OUTER PART OF THE STORAGE. IT IS NOT POSSIBLE TO FIX THEM IN THE CENTRAL SPACE.

Model	Units/Pack	References	White Melamine	Lime oak Melamine	Light oak Melamine	Chestnut Melamine	08 Black Melamine	Packaging Packs - Vol - Weight
 Sliding door	Pack 2 Units	E1752--	151,20	151,20	151,20	151,20	151,20	Packs: 3 • Vol: 0,231 m³ Weight: 55,7 Kg.
 Filing drawer	Pack 2 Units	E1772--	418,60	418,60	418,60	418,60	418,60	Packs: 3 • Vol: 0,231 m³ Weight: 55,7 Kg.
 Sliding door	Mixed Pack consists of: - 1 unit. Sliding door - 1 unit. Filing drawer	E1762--	284,20	284,20	284,20	284,20	284,20	Packs: 3 • Vol: 0,231 m³ Weight: 55,7 Kg.
 Filing drawer								

DIVIDERS FOR SPINE USE

TABLE OF FINISHES

	GROUP 0				GROUP 1		GROUP 2		
	WHITE	BLACK	GLASS WHITE	WHITE METHACRYLATHE	FABRIC GROUP T	FABRIC GROUP AE	FABRIC GROUP AO	FABRIC GROUP D	FABRIC GROUP M
									
MELAMINE	00	08							
GLASS			52						
METHACRYLATHE				90					
FABRIC					T--	AE--	AO--	D--	M--

For more details of colour finishes, go to the page of finishes. We recommend you check our physical samples, before delivery.



DIVIDERS USE FOR DOUBLE SPINE MODULES **WITHOUT OVERHEAD STORAGE**

DIVIDERS FOR USE IN SPINE MODULE

DIVIDERS D50 - USE FOR DOUBLE SPINE MODULES WITHOUT OVERHEAD STORAGE

TABLE TOP DIVIDERS - ANCHORAGE IN WHITE

- The use of dividers on Spine modules always offer anchorage in white. To order dividers with anchorage and frames in different finishes please consult our Sales Department.
- The use of Split on Spine modules always offer anchorage and frames in white. To order dividers with anchorage and frames in different finishes please consult our Sales Department.

D50 DIVIDERS

Sample: Pack of 1 screen 170 x 35 cm (pack 1 unit) - **DE561--B**

White Glass finish: **52**

Brackets in white finish: B



DE56152B

Sample: Pack of 1 screen 170 x 35 cm (pack 1 unit) - **DE561--B**

Black Fabric-Grupe K Finish : **T82**

Brackets in white finish: B

DE561BT82









ONLY FOR DOUBLE SPINE MODULES

The dividers in the D50 series are suitable for use in DOUBLE SPINE MODULES with CONTINUOUS ELECTRIFICATION, using anchorage to the central beam from the electrification channel. The dividers have different heights, depending on the material and model used.

Model	Desks	Units/Pack	References	White Melamine	Black Melamine	Fabric Group 0	Fabric Group 1	Fabric Group 2	White Methacrylathe	White Glass	Packaging Packs - Vol - Weight
170 35	For use on double Spine modules WITHOUT OVERHEAD STORAGE	1 Unit	DE561--B	93,80	93,80	151,20	214,20	226,80	270,20	394,80	Packs: 1 - Vol: 0,043 m³ Weight: 14 Kg.







TABLE OF FINISHES

	WHITE	LIME OAK	LIGHT OAK	CHESNUT	WHITE STEEL	BLACK STEEL
						
MFC	00	11	10	07		
STEEL					00	08

For more details of colour finishes, go to the page of finishes. We recommend you check our physical samples, before delivery.



CABLE TRAY - SPINE DESKS

HOW TO USE THE SPINE DESKS CABLE TRAY - LINEAR MODULES

DESKS WITH ACCESS TO 'UR' OR 'UL' WIRING 	DESKS WITH ACCESS TO 'TR' OR 'TL' WIRING 	DESKS WITH ACCESS TO 'T' WIRING 
 <p>80mm diameter polypropylene cover top for access to wiring. Cover top can be moved completely away for accessing to the whole wiring in an easy way. No Additional cable tray needed</p>	 <p>Access system of cabling with an opening system. "Push-Latch". Made from ABS. It also incorporates an "Anti Dust" system that prevents the accumulation of dust in the wiring. For the direct handling of connections, it is advisable to use the Metallic wiring container for "T" wiring access</p>	 <p>Access system of cabling with an opening system. "Push-Latch". Made from ABS. It also incorporates an "Anti Dust" system that prevents the accumulation of dust in the wiring. For the direct handling of connections, it is advisable to use the individual and double cable tray</p>


NOTA: Single cable trays to be used without modesty panel include a different bracket that doesn't allow to use a modesty panel. If a modesty panel and cable tray is needed, you must request the Pack that includes both.

MODESTY PANELS (Only for Single Desks)

Model	Dimensions (A x H)	Desks	References	MFC	Steel	Packaging Packs - Vol - Weight
 MFC Modesty Panel	104 x 28 cm	For 160 cm Desks	FTW33--	98,00		1 • 0,060 m ² • 33 Kg.
	124 x 28 cm	For 180 cm Desks	FTW34--	100,80		1 • 0,060 m ² • 33 Kg.
 Steel Modesty Panel	103 x 28 cm	For 160 cm Desks	FTW63--		165,20	1 • 0,060 m ² • 33 Kg.
	123 x 28 cm	For 180 cm Desks	FTW64--		168,00	1 • 0,060 m ² • 33 Kg.

ELECTRIFICATION SYSTEMS - USE WITHOUT MODESTY PANEL

Single cable trays to be used without modesty panel include a different bracket that doesn't allow to use a modesty panel.
If a modesty panel is needed, please order a modesty panel and a cable tray to be used with modesty panel.

Model	Dimensions (A x B x H)	Desks	White Steel	Black Steel	RRP Unit	Packaging Packs - Vol - Weight
	89 x 7 cm	160 cm	59780	59788	138,60	
	109 x 7 cm	180 cm	59700	59708	141,40	

METALLIC WIRING CONTAINER FOR "T" WIRING ACCESS









Model	Dimensions (A x B x H)	Description	Units/pack	White	Black	R.R.P.P. Unit	Packaging Packs - Vol - Weight
	31,5 x 11,3 x 9,9 cm	Metallic Container for Connectivity elements. Use with "T" Wiring access	1 Unit	T110	T118	56,00	
			2 Units	T120	T128	106,40	

TABLE OF FINISHES

	WHITE	LIME OAK	LIGHT OAK	CHESNUT	WHITE STEEL	BLACK STEEL
						
MFC	00	11	10	07		
STEEL					00	08

For more details of colour finishes, go to the page of finishes. We recommend you check our physical samples, before delivery.



METALLIC WIRING CONTAINER FOR “Q” y “R” WIRING ACCESS

Model	Dimensions (A x B x H)	Description	Units/pack	White	Black	R.R.P.P. Unit	Packaging Packs· Vol · Weight
	40 x 13 x 12 cm	Metallic Container for Connectivity elements. Use with “T” Wiring access	1 Unit	CQR110	CQR118	71,40	1·0,021 m³ · 5 Kg.
			2 Units	CQR120	CQR128	138,60	


MODESTY PANELS + CABLE TRAY (Only for Single Desks)

TO REQUEST A PACK OF MODESTY PANEL + CABLE TRAY, YOU MUST CONSIDER THE FOLLOWING TABLE COMBINATION:

Structure Finish	Surface Finish	Modesty Panel Finish	Cable Tray Finish
White	White	White MFC or White Steel	White
	Any finish - (Not White)	Any finish - (Not White) or White Steel	
Black	White	White MFC or White Steel	Black
	Any finish - (Not White)	Any finish - (Not White) or Black Steel	

Model	Modesty Panel Dimensions (A x H)	Cable Tray Dimensions (A x H)	Tables	Table Structure Finish	References	Modesty Panel Finish		Packaging Packs· Vol · Weight
						MFC	Steel	
	104 x 28 cm	89 x 7 cm	For 160 cm Desks	White	FTW3300--	182,00		1·0,060 m³ · 33 Kg.
				Black	FTW3308--			
MFC Modesty Panel + Steel Cable Tray	124 x 28 cm	109 x 7 cm	For 180 cm Desks	White	FTW3400--	191,80		1·0,060 m³ · 33 Kg.
				Black	FTW3408--			
	103 x 28 cm	89 x 7 cm	For 160 cm Desks	White	FTW6300--		249,20	1·0,060 m³ · 33 Kg.
				Black	FTW6308--			
Steel Modesty Panel + Steel Cable Tray	123 x 28 cm	109 x 7 cm	For 180 cm Desks	White	FTW6400--		257,60	1·0,060 m³ · 33 Kg.
				Black	FTW6408--			


29cm WIDTH RECESSED CABLE TRAY FOR 160cm WIDTH TWIN DESKS

Model	Dimensions (A x B x H)	Desks	White	Black	RRP Unit	Packaging Packs· Vol · Weight
	84 x 29 x 3,8 cm	For 160 cm twin desks. Individual Use	57580	57588	95,20	



CABLE SPINE


Model	Dimensions (A x B x H)	Description	Silver	White	Black	RRP Unit	Packaging Packs - Vol - Weight
	4,5 x 4,5 x 80 cm	Cable spine (flexible polystyrene) white finish. Minimum order of 3 unit - Price for 1 unit USE ONLY WITH CONTAINER FOR WIRING ACCESS "Q" AND "R"	39425	394250	394258	23,80	1 • 0,0045 m³ • 0,4 Kg.
	7 x 4,5 x 80 cm	Polystyrene riser cables, flexible, finished in white. Minimum order of 3 unit - Price for 1 unit	39525	395250	395258	28,00	1 • 0,0045 m³ • 0,4 Kg.
	8 x 5 x 52 cm	Sheet metal riser cables, for single and double desks, quadruple and double growth. Pack 1 Unit.	50702	50700	50708	117,60	1 • 0,008 m³ • 2,5 Kg.
	15 x 10 x 62,5 cm	Sheet metal riser cables, for single and double desks, quadruple and double growth. Pack 1 Unit.	50712	50710	50718	140,00	1 • 0,021 m³ • 5 Kg.

TEXTILE CABLE RISE

	MODEL AND SIZES	DESCRIPTION	UNITS/PACK	BLACK	RRP PACK	PACKAGING (Packs - Vol - Weight)
	Ø3 x 75 cm	Braided textile wrap with zipper for quick and easy installation. Offers additional protection against flames and abrasion	1 Unit	394318	39,20	.
			4 Units	394348	137,20	

CPU SUPPORT


Model	Dimensions (A x B x H)	Description	Pack of units	Silver	White	Black	RRP Unit	Packaging Packs - Vol - Weight
	27 x 14-22 x 50 cm	ATX CPU Support. Width adjustment. From 14 to 22cm.	Pack 1 Unit	505082	505080	505088	135,80	1 • 0,0045 m³ • 0,4 Kg.
	27 x 9-14 x 39 cm	SLIM CPU Support. Width adjustment. From 9 to 14cm.	Pack 1 Unit	505092	505090	505098	120,40	1 • 0,0045 m³ • 0,4 Kg.



■ Desks mounted screens


Desk-Mounted screens, different sizes available, fixing kits and finishes. Easy to be adapted to any surface. They provide visual contact but at the same time privacy. Twin desks with electrification system have their own desk-mounted screens (**D50 Serie for Vital or Arkitek**)

■ DESK MOUNTED SCREENS OFFER




MFC SCREEN - e=19mm

19 mm thick Chipboard




GLASS SCREEN - e=8mm

Laminatd Security Glass (4+4 mm) / Tempered glass (8 mm)





METHACRYLATE SCREEN - e=8mm

8 mm thick White Methacrylathe



UPHOLSTERED SCREEN WITH FLEXIBLE PROFILE - e=30mm

- ① 19 mm thick Chipboard
- ② Foam thickness e= 5 mm and 60 Kg/m³ density (etotal= 30 mm)
- ③ Different fabrics available glued using water glue.
- Optional accoustic or fire resistant fabrics for projects.
- ④ 8mm thick flexible Profile









UPHOLSTERED SCREEN. SEWAN AND SEATHED - e=30mm

- ① 19 mm thick Chipboard
- ② Foam thickness e= 5 mm and 60 Kg/m³ density (etotal= 30 mm)
- ③ Different fabrics available glued using water glue.
- Optional accoustic or fire resistant fabrics for projects.
- ④ Sewn and sheathed.

EXAMPLE OF AN ORDER FOR DIVIDER

Model	Bracket finish	Divider Finish	Final Reference
DLN432 Screen for desk 140 cm Pack 2 units	N Black bracket	T82 Group T Upholstered	DLN432NT82

TABLE TOP MOBILE DIVIDERS - SUPPORT ON DISCS






					
	Support on discs with anti slip pad.	38	38	38	38
		Upholstered divider e=30 mm	Upholstered divider e=30 mm	Upholstered divider e=30 mm	Upholstered divider e=30 mm

Model Dimensions (A x B)	ZW43 110 38	ZW44 130 38	ZW45 150 38
	TABLE TOP DIVIDER FOR 120, 140 and 160 cm DESK	TABLE TOP DIVIDER FOR 140 and 160 cm DESK	TABLE TOP DIVIDER FOR 160 cm DESK

Coding required to configure reference.
They do not mean an increase in cost

Units / Pack			Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units
Base Reference			ZW431	ZW432	ZW441	ZW442	ZW451	ZW452
Bracket finish	WHITE	0						
	BLACK	8						







FLEXIBLE PROFILE UPHOLSTERED DIVIDER e= 30 mm - h= 38 cm

Upholstered e= 30 Flexible profile	GROUP 0		Group T	3T--	189,00	358,40	194,60	373,80	207,20	403,20
			Group AE	3AE--	215,60	414,40	228,20	441,00	270,20	527,80
	GROUP 1		Group AO	3AO--						
	GROUP 2		Group D	3D--	226,80	443,80	242,20	469,00	299,60	581,00
			Group M	3M--						

Model Dimensions (A x B)	DLN43 110 38	DLN44 130 38	DLN45 150 38
	TABLE TOP DIVIDER FOR 140 and 160 cm DESK	TABLE TOP DIVIDER FOR 140 and 160 cm DESK	TABLE TOP DIVIDER FOR 160 cm DESK

Units / Pack			Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units
Base Reference			DLN431	DLN432	DLN441	DLN442	DLN451	DLN452
Bracket finish	WHITE	B						
	BLACK	N						

SEWN AND SHEATHED UPHOLSTERED DIVIDER e= 30 mm - h= 38 cm

Upholstered e= 30 Sewn and sheathed	GROUP 0		Group T	T--	222,60	431,20	228,20	446,60	245,00	476,00
			Group AE	AE--	249,20	487,20	264,60	519,40	306,60	597,80
	GROUP 1		Group AO	AO--						
	GROUP 2		Group D	D--	263,20	515,20	278,60	543,20	334,60	653,80
			Group M	M--						
GROUP 3			Group A	A--	310,80	609,00	333,20	651,00	396,20	779,80

EXAMPLE OF AN ORDER FOR DIVIDER

Divider Model	Bracket finish	Type of surface	Divider finish	Final Reference
ZH841 Screen for individual desk Pack 1 units	O White	F For use with Compact laminate surfaces	3T82 Group T Upholstered	ZH8410F3T82

Coding required to
configure reference.
They do not mean an
increase in cost

SCREENS FOR INDIVIDUAL

31	28	28	38	38	
MFC	Methacrylate	Glass	Upholstered divider e= 30 mm	Upholstered divider e= 30 mm	

Model Dimensions (A x B)				ZH83 110 <div></div>	ZH84 130 <div></div>	ZH85 150 <div></div>	ZH86 170 <div></div>					
				TABLE TOP DIVIDER FOR 120, 140, 160 and 180 cm DESK	TABLE TOP DIVIDER FOR 140, 160 and 180 cm DESK	TABLE TOP DIVIDER FOR 160 and 180 cm DESK	TABLE TOP DIVIDER FOR 180 cm DESK					
Units / Pack				Pack 1 Unit	Pack 2 Units.	Pack 1 Unit	Pack 2 Units.	Pack 1 Unit	Pack 2 Units.			
Base Reference				ZH831	ZH832	ZH841	ZH842	ZH851	ZH852	ZH861	ZH862	
Bracket finish	WHITE	0										
	SILVER	2										
	BLACK	8										
Type of surface	For use with Compact laminate surfaces you have to add a "F" at code	F	16,80	32,20	16,80	32,20	16,80	32,20	16,80	32,20		
MFC DIVIDER e = 19 mm - h= 31 cm												
MFC	<div></div>	White	00	79,80	144,20	82,60	151,20	86,80	162,40	93,80	175,00	
METHACRYLATE DIVIDER e = 8 mm - h= 28 cm												
Methacrylate	<div></div>	White	90	158,20	301,00	173,60	334,60	180,60	350,00	229,60	449,40	
GLASS DIVIDER e = 8 mm - h= 28 cm												
Glass	<div></div>	White	52	266,00	518,00	294,00	574,00	322,00	634,20	366,80	715,40	
FLEXIBLE PROFILE UPHOLSTERED DIVIDER e= 30 mm - h= 38 cm												
Upholstered e= 30 Flexible profile	GROUP 0	<div></div>	Group T	3T--	161,00	306,60	166,60	319,20	179,20	347,20	208,60	406,00
		<div></div>	Group AE	3AE--	189,00	361,20	200,20	386,40	242,20	341,60	274,40	536,20
	<div></div>	Group AO	3AO--									
	GROUP 2	<div></div>	Group D	3D--	201,60	389,20	214,20	417,20	273,00	529,20	333,20	651,00
		<div></div>	Group M	3M--								
SEWN AND SHEATHED UPHOLSTERED DIVIDER e= 30 mm - h= 38 cm												
Upholstered e= 30 Sewn and sheathed	GROUP 0	<div></div>	Group T	T--	196,00	378,00	203,00	393,40	217,00	420,00	246,40	478,80
		<div></div>	Group AE	AE--	224,00	432,60	239,40	466,20	278,60	541,80	312,20	609,00
	<div></div>	Group AO	AO--									
	GROUP 2	<div></div>	Group D	D--	235,20	459,20	252,00	490,00	308,00	599,20	369,60	722,40
		<div></div>	Group M	M--								
	GROUP 3	<div></div>	Group A	A--	284,20	555,80	306,60	596,40	369,60	722,40	435,40	861,00

EXAMPLE OF AN ORDER FOR DIVIDER

Model	Bracket finish	Divider Finish	Final Reference
ZT231 Screen for double desk Pack 1 unit	8 Black bracket	3T82 Group T Upholstered	ZT23183T82

Coding required to
configure reference.
They do not mean an
increase in cost

TABLE TOP DIVIDERS FOR - FRONTAL USE ON DOUBLE DESKS

	Methacrylate	Glass	Upholstered divider e=30 mm	Upholstered divider e=30 mm	

Model Dimensions (A x B)	ZT23 110	ZT24 130	ZT25 150
	TABLE TOP DIVIDER FOR 120, 140 and 160 cm DESK	TABLE TOP DIVIDER FOR 140 and 160 cm DESK	TABLE TOP DIVIDER FOR 160 cm DESK

Units / Pack	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units
Base Reference	ZT231	ZT232	ZT241	ZT242	ZT251	ZT252
Bracket finish	WHITE	0				

Type of surface	For use with Compact laminat surfaces you have to add a "F" at code	F	16,80	32,20	16,80	32,20	16,80	32,20
--------------------	---------------------------------------------------------------------------	---	-------	-------	-------	-------	-------	-------






METHACRYLATE DIVIDER e = 8 mm - h= 28 cm

	White	90	148,40	282,80	162,40	308,00	172,20	333,20
--	-------	-----------	--------	--------	--------	--------	--------	--------







GLASS DIVIDER e = 8 mm - h= 28 cm

	White	52	257,60	501,20	285,60	555,80	313,60	611,80
--	-------	-----------	--------	--------	--------	--------	--------	--------

FLEXIBLE PROFILE UPHOLSTERED DIVIDER e= 30 mm - h= 38 cm

Upholstered ≈ 30 Flexible profile	GROUP 0		Group T	3T--	161,00	306,60	166,60	319,20	179,20	347,20
	GROUP 1		Group AE	3AE--	189,00	361,20	200,20	386,40	242,20	471,80
			Group AO	3AO--						
	GROUP 2		Group D	3D--	201,60	389,20	214,20	417,20	273,00	529,20
			Group M	3M--						

SEWN AND SHEATHED UPHOLSTERED DIVIDER e= 30 mm - h= 38 cm

Upholstered eg 30 Sewn and sheathed	GROUP 0		Group T	T--	196,00	378,00	203,00	393,40	217,00	420,00
	GROUP 1		Group AE	AE--	224,00	432,60	239,40	466,20	278,60	541,80
			Group AO	AO--						
	GROUP 2		Group D	D--	235,20	459,20	252,00	490,00	308,00	599,20
			Group M	M--						
	GROUP 3		Group A	A--	284,20	555,80	306,60	596,40	369,60	722,40