

Prices shown are not the final selling price.
To obtain the list price, multiply the price by 2.65.
Prices effective as May 2025.

Dorik

by Odosdesign




Program of tables


Tables · Height 740 mm




DRIS010040C




DRIT017070J



DRIT018080J




DRIT030080J




DRIT030100J


Meeting tables · Height 74 cm




DRIS010055C




DRIS010055C




DRIS010055C




DRIS011969C




DRIT030120K



DRIT030140L




DRIT030160L




DRIT042412L


Coffee tables · Height 35 cm




DRIS010049A



DRIT030080K



DRIT030100K




DRIT030120K


Contract tables · Height 105 cm




DRIS010036D



DRIT016060J



DRIT010060J



DRIT030080J

Technical profile

Dorik · Tables height 740 mm · Column height 721 mm and diameter 400 mm



Available desk-top dimensions



700 x 700 mm
800 x 800 mm



Ø 800 mm
Ø 1000 mm

- 1 Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2 Black injected polypropylene (PP) levellers.
- 3 Inner counterweight of 60 kg. Three bags of soil to be ordered separately.
- 4 Structure realized in sheet steel of 3 mm of thickness, like support of the work surface. Black finish.



OUTDOOR

Option available for outdoor use, **provided the desk-top inishes is in compact laminate®** and does not have electrical accessories.

Dorik · Tables height 740 mm · Column height 705 mm and diameter 550 mm



Available desk-top dimensions



Ø 1200 mm

- 1 Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2 Black injected polypropylene (PP) levellers.
- 3 Inner counterweight of 80 kg. Four bags of soil to be ordered separately.
- 4 Structure realized in sheet steel of 3 mm of thickness, like support of the work surface. Black finish



OUTDOOR

Option available for outdoor use, **provided the desk-top inishes is in compact laminate®** and does not have electrical accessories.



Available desk-top dimensions



Ø 1400 mm
Ø 1600 mm

- 1 Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2 Black injected polypropylene (PP) levellers.
- 3 Inner counterweight of 80 kg. Four bags of soil to be ordered separately.
- 4 Structure realized in melamine board of 16 mm of thickness, like support of the work surface. Black finish

Technical profile

Dorik · Tables height 740 mm · Columns height 721 mm and diameter 400 mm



Available desk-top dimensions



2400 x 1200 mm

- 1 Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2 Black injected polypropylene (PP) levellers.
- 3 Inner counterweight of 60 kg per column, a total counterweight of 120 kg. Six bags of soil to be ordered separately.
- 4 Structure realized in melamine board of 16 mm of thickness, like support of the work surface. Black finish

Dorik · Coffee table height 350 mm · Column height 331 mm and diameter 490 mm



Available desk-top dimensions



Ø 800 mm

Ø 1000 mm

Ø 1200 mm

- 1 Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2 Black injected polypropylene (PP) levellers.
- 3 Inner counterweight of 40 kg. Two bags of soil to be ordered separately.
- 4 Structure realized in sheet steel of 3 mm of thickness, like support of the work surface. Black finish



OUTDOOR

Option available for outdoor use, **provided the desk-top inishes is in compact laminate®** and does not have electrical accessories.

Dorik · Tables height 1050 mm · Column height 1031 mm and diameter 370 mm



Available desk-top dimensions



600 x 600 mm



Ø 600 mm

Ø 800 mm

- 1 Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2 Black injected polypropylene (PP) levellers.
- 3 Inner counterweight of 60 kg. Three bags of soil to be ordered separately.
- 4 Structure realized in sheet steel of 3 mm of thickness, like support of the work surface. Black finish



OUTDOOR


Option available for outdoor use, **provided the desk-top inishes is in compact laminate®** and does not have electrical accessories.

Finishes available

Desk-top

MFC · Thickness: 19 mm with straight edge

Chipboard with melamine surface in different finishes with a thickness of 19 mm.



Compact Laminate · Thickness: 10 mm with bevelled edge

10 mm thick compact board made of wood fibres. With white or decorated high pressure laminate and bevelled edge.

Black core




Coloured core



MDF · Thickness: 19 mm with bevelled edge

Medium density fibreboard laminated with natural wood in oak finish with a thickness of 19 mm and with a bevelled edge



Dekton® · Thickness: 12 mm with bevelled edge

DEKTON® by Consentino, The Technical Ultracompact Stone, a sophisticated blend of raw materials used to manufacture state-of-the-art porcelain tiles. 12 mm thick and bevelled edge.




STRUCTURE

Polythene



How to code a reference correctly



- 1 At the beginning of the coding and price tables of our price list, you will find the available models and their prices, as well as the basic reference of the product.
- 2 The system is designed to code vertically, adding desired components to the product by selecting the reference digits. Creating a correlation that will form the final order reference.
- 3 The finishes of arms, bases, optional complements, supports and upholstery will be shown in different colors so that the location of their reference and price is intuitive.
- 4 At the end of each table we will have legends or informative notes about the product being offered. Please read carefully to avoid confusion or mistakes when ordering.

Example of reference configuration for an order

| DORIK | DR1 |
|----------------------------|-------------|
| Structure · Central column | S01 |
| Measures: Ø 400 mm | 0040 |
| Height 72,1 cm | C |

| STRUCTURE | + |
|----------------|----------|
| Central column | J |

| SUPPORT | + |
|----------|----------|
| Levelers | F |

| STRUCTURE FINISH | + |
|------------------|-----------|
| Black | 08 |

| FINAL CONFIGURATION REFERENCE |
|-------------------------------|
| DR1 S01 0040 C F 08 |

| DORIK | DR1 |
|--------------------------------------|-------------|
| Top desk · Circular top desk | T03 |
| Measures: Ø 1000 mm | 0100 |
| Support of the work surface · Type A | J |

| SURFACE | + |
|-----------------|------------|
| MFC · Light Oak | M10 |

| FINAL CONFIGURATION REFERENCE |
|-------------------------------|
| DR1 T03 0100 J M10 |



* The final cost of the module will be obtained starting from the established base price and adding to it the cost of the different complements that are added to it.

| | | | | | |
|--|--|--|---------------------------|--|------------------------------------|
| | Configuration required to set up reference. No cost increase | | Combination not available | | Removed after stocks are exhausted |
|--|--|--|---------------------------|--|------------------------------------|


IMPORTANT NOTE:

In order to guarantee stability and quality in accordance with Actiu standards, it is necessary to order the counterweights. The counterweights required are indicated above each reference.

Column · Contract tables

Height 74 cm

Support of the work surface included



| | |
|---|------------------------|
| MEASUREMENT | Ø 0 cm |
| HEIGHT | 72,1 cm |
| NECESSARY COUNTERWEIGHTS (Not included) | 3 units (Total: 60 kg) |
| REFERENCE | DRIS010040C |

STRUCTURE

| | | |
|----------------|----------|--------|
| Central column | I | 400,40 |
|----------------|----------|--------|

SUPPORT


| | | |
|----------|----------|--|
| Levelers | F | |
|----------|----------|--|

STRUCTURE FINISH

| | | |
|-------|-----------|--|
| White | 00 | |
| Mink | 20 | |
| Black | 08 | |

Desk-top · Contract tables

Height 74 cm



| | | | | |
|-------------|--------------------|--------------------|--------------------|--------------------|
| MEASUREMENT | 70 x 70 cm | 80 x 80 cm | Ø 80 cm | Ø 100 cm |
| REFERENCE | DRIT017070J | DRIT018080J | DRIT030080J | DRIT030100J |

DESK-TOP FINISHES

| Finish | Code | 70x70 cm | 80x80 cm | Ø 80 cm | Ø 100 cm |
|----------------------------------|------------|----------|----------|----------|----------|
| MFC · White | M00 | | | | |
| MFC · Gris Coco | M15 | | | | |
| MFC · Lime Oak | M11 | 142,80 | 161,00 | 161,00 | 176,40 |
| MFC · Light Oak | M10 | | | | |
| MFC · Chestnut | M07 | | | | |
| MFC · Dark Oak | M14 | | | | |
| MDF · Black Anti-fingerprint | M03 | 168,00 | 204,40 | 204,40 | 253,40 |
| Compact Laminate · Traffic White | F20 | 242,20 | 316,40 | 316,40 | 418,60 |
| Compact Laminate · Samas Black | F28 | 309,40 | 411,60 | 411,60 | 562,80 |
| Compact Laminate · Marmo Olimpo | F21 | 452,20 | 614,60 | 614,60 | 868,00 |
| Compact Laminate · Pulpis Light | F26 | | | | |
| Laminated DM · Light Oak | L10 | | | 513,80 | 697,20 |
| Dekton® · Kelya Black | N38 | 1.122,80 | 1.503,60 | 1.503,60 | 2.087,40 |
| Dekton® · Rem White | N30 | 1.199,80 | 1.605,80 | 1.605,80 | 2.245,60 |

COMPLEMENTS

Counterweights



| | |
|---|------------------------|
| DESCRIPTION | Counterweight of 20 kg |
| REFERENCE | XDRSC1 |
| PACK UNITS | |
| PACK OF 1 UNIT 20 kg x 1 Counterweight = 20 kg | 01 22,40 |

IMPORTANT NOTE:

In order to guarantee stability and quality in accordance with Actiu standards, it is necessary to go to the accessories section to order the counterweights.
The counterweights required are indicated above each reference.

Column · Meeting tables


Height 74 cm

Support of the work surface included


Column for desk-top of Ø 120 cm



Column for desk-top of Ø 140 cm



Column for desk-top of Ø 160 cm



| | | | |
|---|------------------------|------------------------|------------------------|
| MEASUREMENT | Ø 5 cm / Ø 49 cm | Ø 5 cm / Ø 78 cm | Ø 5 cm / Ø 96 cm |
| HEIGHT | 70,5 cm | 71,8 cm | 71,8 cm |
| NECESSARY COUNTERWEIGHTS (Not included) | 4 units (Total: 80 kg) | 4 units (Total: 80 kg) | 4 units (Total: 80 kg) |
| REFERENCE | DRIS010055C | DRIS010055C | DRIS010055C |

STRUCTURE

| | | | | |
|---|----------|--------|--------|--------|
| Central column for desk-top of Ø 120 cm | L | 499,80 | | |
| Central column for desk-top of Ø 140 cm | N | | 546,00 | |
| Central column for desk-top of Ø 160 cm | P | | | 562,80 |

SUPPORT




| | | | | |
|----------|----------|--|--|--|
| Levelers | F | | | |
|----------|----------|--|--|--|

STRUCTURE FINISH

| | | | | |
|-------|-----------|--|--|--|
| White | 00 | | | |
| Mink | 20 | | | |
| Black | 08 | | | |

Desk-top · Meeting tables

Height 74 cm



| | | | |
|-------------|--------------------|--------------------|--------------------|
| MEASUREMENT | Ø 20 cm | Ø 10 cm | Ø 60 cm |
| REFERENCE | DRIT030120K | DRIT030140L | DRIT030160L |

DESK-TOP FINISHES

| | | | | |
|----------------------------------|------------|----------|----------|----------|
| MFC · White | M00 | | | |
| MFC · Gris Coco | M15 | | | |
| MFC · Lime Oak | M11 | | | |
| MFC · Light Oak | M10 | 249,20 | 376,60 | 408,80 |
| MFC · Chestnut | M07 | | | |
| MFC · Dark Oak | M14 | | | |
| MDF · Black Anti-fingerprint | M03 | 351,40 | 551,60 | 624,40 |
| Compact Laminate · Traffic White | F20 | 604,80 | 779,80 | 1.124,20 |
| Compact Laminate · Samas Black | F28 | 789,60 | 1.045,80 | 1.523,20 |
| Compact Laminate · Marmo Olimpo | F21 | | | |
| Compact Laminate · Pulpis Light | F26 | 1.218,00 | 1.615,60 | 2.378,60 |
| Laminated DM · Light Oak | L10 | 935,20 | 1.198,40 | 1.898,40 |
| Dekton® · Kelya Black | N38 | 2.797,20 | | |
| Dekton® · Rem White | N30 | 3.082,80 | | |

COMPLEMENTS

Counterweights




| | | | |
|---|------------------------|--|-------|
| DESCRIPTION | Counterweight of 20 kg | | |
| REFERENCE | XDRSC1 | | |
| PACK UNITS | | | |
| PACK OF 1 UNIT 20 kg x 1 Counterweight = 20 kg | 01 | | 22,40 |

IMPORTANT NOTE:

In order to guarantee stability and quality in accordance with Actiu standards, it is necessary to go to the accessories section to order the counterweights. The counterweights required are indicated above each reference.

Columns · Meeting tables

Height 74 cm
Support of the work surface included



| | |
|---|-------------------------|
| MEASUREMENT | 188,5 x 68,5 cm |
| HEIGHT | 73,4 cm |
| NECESSARY COUNTERWEIGHTS (Not included) | 6 units (Total: 120 kg) |
| REFERENCE | DRIS011969C |

STRUCTURE

| | | |
|---------------------|----------|--------|
| Two central columns | M | 799,40 |
|---------------------|----------|--------|

SUPPORT


| | | |
|----------|----------|--|
| Levelers | F | |
|----------|----------|--|

STRUCTURE FINISH

| | | |
|-------|-----------|--|
| White | 00 | |
| Mink | 20 | |
| Black | 08 | |

Desk-top · Meeting tables

Height 74 cm



| | |
|-------------|--------------------|
| MEASUREMENT | 240 x 120 cm |
| REFERENCE | DRIT042412L |

DESK-TOP FINISHES

| | | |
|----------------------------------|------------|----------|
| MFC · White | M00 | 611,80 |
| MFC · Gris Coco | M15 | |
| MFC · Lime Oak | M11 | |
| MFC · Light Oak | M10 | |
| MFC · Chestnut | M07 | |
| MFC · Dark Oak | M14 | |
| MDF · Black Anti-fingerprint | M03 | |
| Compact Laminate · Traffic White | F20 | 1.379,00 |
| Compact Laminate · Samas Black | F28 | 1.855,00 |
| Compact Laminate · Marmo Olimpo | F21 | 2.872,80 |
| Compact Laminate · Pulpis Light | F26 | |
| Laminated DM · Light Oak | L10 | 2.179,80 |

COMPLEMENTS

Counterweights



| | |
|-------------|------------------------|
| DESCRIPTION | Counterweight of 20 kg |
| REFERENCE | XDRSC1 |

PACK UNITS

| | | |
|---|-----------|-------|
| PACK OF 1 UNIT 20 kg x 1 Counterweight = 20 kg | 01 | 22,40 |
|---|-----------|-------|

IMPORTANT NOTE:

In order to guarantee stability and quality in accordance with Actiu standards, it is necessary to go to the accessories section to order the counterweights.
The counterweights required are indicated above each reference.

Column · Coffee tables

Height 35 cm
Support of the work surface included



| | |
|---|------------------------|
| MEASUREMENT | Ø 9 cm |
| HEIGHT | 31,5 cm |
| NECESSARY COUNTERWEIGHTS (Not included) | 2 units (Total: 40 kg) |
| REFERENCE | DRIS010049A |

STRUCTURE

| | | |
|----------------|----------|--------|
| Central column | I | 355,60 |
|----------------|----------|--------|

SUPPORT



| | | |
|----------|----------|--|
| Levelers | F | |
|----------|----------|--|

STRUCTURE FINISH

| | | |
|-------|-----------|--|
| White | 00 | |
| Mink | 20 | |
| Black | 08 | |

Desk-top · Coffee tables

Height 35 cm



| | | | |
|-------------|--------------------|--------------------|--------------------|
| MEASUREMENT | Ø 0 cm | Ø 00 cm | Ø 20 cm |
| REFERENCE | DRIT030080K | DRIT030100K | DRIT030120K |

DESK-TOP FINISHES

| Finish | Code | Ø 80 cm | Ø 100 cm | Ø 120 cm |
|----------------------------------|------------|----------|----------|----------|
| MFC · White | M00 | 161,00 | 176,40 | 249,20 |
| MFC · Gris Coco | M15 | | | |
| MFC · Lime Oak | M11 | | | |
| MFC · Light Oak | M10 | | | |
| MFC · Chestnut | M07 | | | |
| MFC · Dark Oak | M14 | | | |
| MDF · Black Anti-fingerprint | M03 | 204,40 | 253,40 | 351,40 |
| Compact Laminate · Traffic White | F20 | 316,40 | 418,60 | 604,80 |
| Compact Laminate · Samas Black | F28 | 411,60 | 562,80 | 789,60 |
| Compact Laminate · Marmo Olimpo | F21 | 614,60 | 868,00 | 1.218,00 |
| Compact Laminate · Pulpis Light | F26 | | | |
| Laminated DM · Light Oak | L10 | 513,80 | 697,20 | 935,20 |
| Dekton® · Kelya Black | N38 | 1.503,60 | 2.087,40 | 2.797,20 |
| Dekton® · Rem White | N30 | 1.605,80 | 2.245,60 | 3.082,80 |

COMPLEMENTS

Counterweights



| | |
|---|------------------------|
| DESCRIPTION | Counterweight of 20 kg |
| REFERENCE | XDRSC1 |
| PACK UNITS | |
| PACK OF 1 UNIT 20 kg x 1 Counterweight = 20 kg | 01 22,40 |

IMPORTANT NOTE:
In order to guarantee stability and quality in accordance with Actiu standards, it is necessary to go to the accessories section to order the counterweights.
The counterweights required are indicated above each reference.

Column · Contract tables
Height 105 cm
Support of the work surface included



| | |
|---|------------------------|
| MEASUREMENT | Ø 7 cm |
| HEIGHT | 103,1 cm |
| NECESSARY COUNTERWEIGHTS (Not included) | 3 units (Total: 60 kg) |
| REFERENCE | DR1S010036D |

| STRUCTURE | | |
|----------------|----------|--------|
| Central column | I | 429,80 |

| SUPPORT | | |
|----------|----------|--|
| Levelers | F | |

| STRUCTURE FINISH | | |
|------------------|-----------|--|
| White | 00 | |
| Mink | 20 | |
| Black | 08 | |

Desk-top · Contract tables
Height 105 cm



| | | | |
|-------------|--------------------|--------------------|--------------------|
| MEASUREMENT | 60 x 60 cm | Ø 60 cm | Ø 80 cm |
| REFERENCE | DRIT016060J | DRIT010060J | DRIT030080J |

| DESK-TOP FINISHES | | | | |
|----------------------------------|------------|----------|----------|----------|
| MFC · White | M00 | | | |
| MFC · Gris Coco | M15 | | | |
| MFC · Lime Oak | M11 | 130,20 | 130,20 | 161,00 |
| MFC · Light Oak | M10 | | | |
| MFC · Chestnut | M07 | | | |
| MFC · Dark Oak | M14 | | | |
| MDF · Black Anti-fingerprint | M03 | | | |
| Compact Laminate · Traffic White | F20 | 215,60 | 215,60 | 316,40 |
| Compact Laminate · Samas Black | F28 | 273,00 | 273,00 | 411,60 |
| Compact Laminate · Marmo Olimpo | F21 | 396,20 | 396,20 | 614,60 |
| Compact Laminate · Pulpis Light | F26 | | | |
| Laminated DM · Light Oak | L10 | | | 513,80 |
| Dekton® · Kelya Black | N38 | 996,80 | 996,80 | 1.503,60 |
| Dekton® · Rem White | N30 | 1.052,80 | 1.052,80 | 1.605,80 |

COMPLEMENTS

Counterweights



| DESCRIPTION | Counterweight of 20 kg |
|---|------------------------|
| REFERENCE | XDRSC1 |
| PACK UNITS | |
| PACK OF 1 UNIT 20 kg x 1 Counterweight = 20 kg | 01 22,40 |