

Prices shown are not the final selling price.
To obtain the list price, multiply the price by 2.65.
Prices effective as May 2025.


Dorik

by Odosdesign



Program of tables


Contract tables · Height 740 mm




DR1S010040C



DR1T017070J



DR1T018080J



DR1T030080J




DR1T030100J


Meeting tables · Height 74 cm




DR1S010055C



DR1S010055C




DR1S010055C




DR1S011969C


QC RC




DR1T030120K



DR1T030140L



DR1T030160L



DR1T042412L

Technical profile

Dorik · Contract tables height 740 mm · Column height 721 mm and diameter 400 mm



Available desk-top dimensions



700 x 700 mm
800 x 800 mm



Ø 800 mm
Ø 1000 mm

- 1** Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2** Black injected polypropylene (PP) levellers.
- 3** Inner counterweight of 60 kg. Three bags of soil to be ordered separately.
- 4** Structure realized in sheet steel of 3 mm of thickness, like support of the work surface. Black finish.



OUTDOOR

Option available for outdoor use, **provided the desk-top inishes is in compact laminate®** and does not have electrical accessories.

Dorik · Meeting tables height 740 mm · Column height 705 mm and diameter 550 mm



Available desk-top dimensions



Ø 1200 mm

- 1** Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2** Black injected polypropylene (PP) levellers.
- 3** Inner counterweight of 80 kg. Four bags of soil to be ordered separately.
- 4** Structure realized in sheet steel of 3 mm of thickness, like support of the work surface. Black finish



OUTDOOR

Option available for outdoor use, **provided the desk-top inishes is in compact laminate®** and does not have electrical accessories.



Available desk-top dimensions



Ø 1400 mm
Ø 1600 mm

- 1** Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2** Black injected polypropylene (PP) levellers.
- 3** Inner counterweight of 80 kg. Four bags of soil to be ordered separately.
- 4** Structure realized in melamine board of 16 mm of thickness, like support of the work surface. Black finish

Technical profile

Dorik · Meeting tables height 740 mm · Columns height 721 mm and diameter 400 mm



Available desk-top dimensions



- 1** Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2** Black injected polypropylene (PP) levellers.
- 3** Inner counterweight of 60 kg per column, a total counterweight of 120 kg. Six bags of soil to be ordered separately.
- 4** Structure realized in melamine board of 16 mm of thickness, like support of the work surface. Black finish

Finishes available


MFC · Thickness: 19 mm with straight edge

Chipboard with melamine surface in different finishes with a thickness of 19 mm.




Compact Laminate · Thickness: 10 mm with bevelled edge

10 mm thick compact board made of wood fibres. With white or decorated high pressure laminate and bevelled edge.



Dekton® · Thickness: 12 mm with bevelled edge

DEKTON® by Consentino, The Technical Ultracompact Stone, a sophisticated blend of raw materials used to manufacture state-of-the-art porcelain tiles. 12 mm thick and bevelled edge.



MDF · Thickness: 19 mm with bevelled edge



Medium density fibreboard laminated with natural wood in oak finish with a thickness of 19 mm and with a bevelled edge



STRUCTURE - Polythene



Access to wiring and connections

WIRING ACCESS 	WIRING ACCESS 	WIRING ACCESS 
		
MAXIMUM OPENING 110°.	MAXIMUM OPENING 180°.	MAXIMUM OPENING 110°.
Black aluminum injected frame. Aluminum injected cover. Aluminum guides for adjustment according to the thickness of the surface between 13 and 30 mm. Dimensions: 305 x 121 mm.	MFC cover with the same finish as the surface. Black bristle brush. Black aluminum injected frame. Aluminum guides for adjustment according to the thickness of the surface between 13 and 30 mm. Complete 180° opening by means of hinges. Dimensions: 305 x 121 mm.	COMPACT LAMINATE cover with the same finish as the surface. Black bristle brush. Black aluminum injected frame. Aluminum guides for adjustment according to the thickness of the surface 10 mm. Dimensions: 305 x 121 mm.

- The models that incorporate these accesses in a standardized way show the corresponding icon or icons together with their reference.
- The price of the tables with WIRING access will be increased for each unit incorporated, according to the price indicated in the attached table.
- To request other tables with access to wiring that do not have standardized outlets (they will not contain any icon), please consult with the sales department.
- To request a table with access above the wiring, the following coding must be added at the end of the requested reference, according to its placement.

CENTERED ACCESS



Combinations of finishes offered


SURFACE FINISHES	COMBINATIONS OF FINISHES OFFERED		
	Q WIRING ACCES	R WIRING ACCES	
Surface			
MELAMINE · WHITE	WHITE	MELAMINE · WHITE	
MELAMINE · COCO GREY	BLACK	MELAMINE · COCO GREY	
MELAMINE · LIME OAK	WHITE	MELAMINE · LIME OAK	
MELAMINE · LIGHT OAK	BLACK	MELAMINE · LIGHT OAK	
MELAMINE · CHESTNUT	BLACK	MELAMINE · CHESTNUT	
MELAMINE · DARK OAK	BLACK	MELAMINE · DARK OAK	
MDF · BLACK ANTIHUELLA	BLACK	MDF · BLACK ANTI-FINGERPRINT	
COMPACT LAMINATE · TRAFFIC WHITE	WHITE	COMPACT LAMINATE · TRAFFIC WHITE	
COMPACT LAMINATE · MARMO OLIMPO	WHITE	COMPACT LAMINATE · MARMO OLIMPO	
COMPACT LAMINATE · PULPIS LIGHT	BLACK	COMPACT LAMINATE · PULPIS LIGHT	
COMPACT LAMINATE · SAMAS BLACK	BLACK	COMPACT LAMINATE · SAMAS BLACK	

* **Important note:** The combination of the accesses with wiring is carried out as follows (If in any of the cases it is desired that the electrification output be in a different finish than the one established, the client must expressly indicate it in the order).


Superior cable access location to cabling and connections

Meeting and contract tables

Centered access



How to code a reference correctly



- 1 At the beginning of the coding and price tables of our price list, you will find the available models and their prices, as well as the basic reference of the product.
- 2 The system is designed to code vertically, adding desired components to the product by selecting the reference digits. Creating a correlation that will form the final order reference.
- 3 The finishes of arms, bases, optional complements, supports and upholstery will be shown in different colors so that the location of their reference and price is intuitive.
- 4 At the end of each table we will have legends or informative notes about the product being offered. Please read carefully to avoid confusion or mistakes when ordering.

Example of reference configuration for an order

DORIK	DRI
Structure · Central column	S01
Measures: Ø 400 mm	0040
Height 72,1 cm	C

STRUCTURE	
Central column	J

SUPPORT	
Levelers	F

STRUCTURE FINISH	
Black	08

FINAL CONFIGURATION REFERENCE
DRI S01 0040 C F 08

DORIK	DRI
Top desk · Circular top desk	T03
Measures: Ø 1000 mm	0100
Support of the work surface · Type A	J

SURFACE	
MFC · Light Oak	M10

FINAL CONFIGURATION REFERENCE
DRI T03 0100 J M10



* The final cost of the module will be obtained starting from the established base price and adding to it the cost of the different complements that are added to it.

	Configuration required to set up reference. No cost increase		Combination not available		Removed after stocks are exhausted
--	--	--	---------------------------	--	------------------------------------


IMPORTANT NOTE:

In order to guarantee stability and quality in accordance with Actiu standards, it is necessary to order the counterweights. The counterweights required are indicated above each reference.

Column · Contract tables

Height 74 cm

Support of the work surface included



MEASUREMENT	Ø 0 cm
HEIGHT	72,1 cm
NECESSARY COUNTERWEIGHTS (Not included)	3 units (Total: 60 kg)
REFERENCE	DRIS010040C

STRUCTURE

Central column	I	400,40
----------------	----------	--------

SUPPORT


Levelers	F	
----------	----------	--

STRUCTURE FINISH

White	00	
Mink	20	
Black	08	

Desk-top · Contract tables

Height 74 cm



MEASUREMENT	70 x 70 cm	80 x 80 cm	Ø 80 cm	Ø 100 cm
REFERENCE	DRIT017070J	DRIT018080J	DRIT030080J	DRIT030100J

DESK-TOP FINISHES

Finish	Code	70x70 cm	80x80 cm	Ø 80 cm	Ø 100 cm
MFC · White	M00				
MFC · Gris Coco	M15				
MFC · Lime Oak	M11	142,80	161,00	161,00	176,40
MFC · Light Oak	M10				
MFC · Chestnut	M07				
MFC · Dark Oak	M14				
MDF · Black Anti-fingerprint	M03	168,00	204,40	204,40	253,40
Compact Laminate · Traffic White	F20	242,20	316,40	316,40	418,60
Compact Laminate · Samas Black	F28	309,40	411,60	411,60	562,80
Compact Laminate · Marmo Olimpo	F21	452,20	614,60	614,60	868,00
Compact Laminate · Pulpis Light	F26				
Laminated DM · Light Oak	L10			513,80	697,20
Dekton® · Kelya Black	N38	1.122,80	1.503,60	1.503,60	2.087,40
Dekton® · Rem White	N30	1.199,80	1.605,80	1.605,80	2.245,60

COMPLEMENTS

Counterweights



DESCRIPTION	Counterweight of 20 kg
REFERENCE	XDRSC1
PACK UNITS	
PACK OF 1 UNIT 20 kg x 1 Counterweight = 20 kg	01 22,40

IMPORTANT NOTE:

In order to guarantee stability and quality in accordance with Actiu standards, it is necessary to go to the accessories section to order the counterweights. The counterweights required are indicated above each reference.

Column · Meeting tables


Height 74 cm

Support of the work surface included


Column for desk-top of Ø 120 cm



Column for desk-top of Ø 140 cm



Column for desk-top of Ø 160 cm



MEASUREMENT	Ø 5 cm / Ø 49 cm	Ø 5 cm / Ø 78 cm	Ø 5 cm / Ø 96 cm
HEIGHT	70,5 cm	71,8 cm	71,8 cm
NECESSARY COUNTERWEIGHTS (Not included)	4 units (Total: 80 kg)	4 units (Total: 80 kg)	4 units (Total: 80 kg)
REFERENCE	DRIS010055C	DRIS010055C	DRIS010055C

STRUCTURE

Central column for desk-top of Ø 120 cm	L	499,80		
Central column for desk-top of Ø 140 cm	N		546,00	
Central column for desk-top of Ø 160 cm	P			562,80

SUPPORT



Levelers	F			
----------	----------	--	--	--

STRUCTURE FINISH

White	00			
Mink	20			
Black	08			

Desk-top · Meeting tables

Height 74 cm



MEASUREMENT	Ø 20 cm	Ø 10 cm	Ø 60 cm
REFERENCE	DRIT030120K	DRIT030140L	DRIT030160L

DESK-TOP FINISHES

MFC · White	M00			
MFC · Gris Coco	M15			
MFC · Lime Oak	M11			
MFC · Light Oak	M10	249,20	376,60	408,80
MFC · Chestnut	M07			
MFC · Dark Oak	M14			
MDF · Black Anti-fingerprint	M03	351,40	551,60	624,40
Compact Laminate · Traffic White	F20	604,80	779,80	1.124,20
Compact Laminate · Samas Black	F28	789,60	1.045,80	1.523,20
Compact Laminate · Marmo Olimpo	F21			
Compact Laminate · Pulpis Light	F26	1.218,00	1.615,60	2.378,60
Laminated DM · Light Oak	L10	935,20	1.198,40	1.898,40
Dekton® · Kelya Black	N38	2.797,20		
Dekton® · Rem White	N30	3.082,80		

COMPLEMENTS

Counterweights



DESCRIPTION	Counterweight of 20 kg		
REFERENCE	XDRSC1		
PACK UNITS			
PACK OF 1 UNIT 20 kg x 1 Counterweight = 20 kg	01		22,40


IMPORTANT NOTE:

In order to guarantee stability and quality in accordance with Actiu standards, it is necessary to go to the accessories section to order the counterweights.
The counterweights required are indicated above each reference.

Columns · Meeting tables

Height 74 cm

Support of the work surface included



MEASUREMENT	188,5 x 68,5 cm
HEIGHT	73,4 cm
NECESSARY COUNTERWEIGHTS (Not included)	6 units (Total: 120 kg)
REFERENCE	DR1S011969C

STRUCTURE

Two central columns	M	799,40
---------------------	----------	--------

SUPPORT


Levelers	F	
----------	----------	--

STRUCTURE FINISH

White	00	
Mink	20	
Black	08	

Desk-top · Meeting tables

Height 74 cm



MEASUREMENT	240 x 120 cm
REFERENCE	DR1T042412L

DESK-TOP FINISHES

MFC · White	M00	611,80
MFC · Gris Coco	M15	
MFC · Lime Oak	M11	
MFC · Light Oak	M10	
MFC · Chestnut	M07	
MFC · Dark Oak	M14	
MDF · Black Anti-fingerprint	M03	917,00
Compact Laminate · Traffic White	F20	1.379,00
Compact Laminate · Samas Black	F28	1.855,00
Compact Laminate · Marmo Olimpo	F21	2.872,80
Compact Laminate · Pulpis Light	F26	
Laminated DM · Light Oak	L10	2.179,80

OPTIONAL WIRING ACCESS

MFC / MDF Black Anti-fingerprint / Compact Laminate	QC	+ 78,40
MFC / MDF Black Anti-fingerprint	RC	+ 100,80
Compact Laminate	RC	+ 124,60

COMPLEMENTS

Counterweights



DESCRIPTION	Counterweight of 20 kg
REFERENCE	XDRSC1

PACK UNITS

PACK OF 1 UNIT 20 kg x 1 Counterweight = 20 kg	01	22,40
---	-----------	-------