

Prices shown are not the final selling price.
To obtain the list price, multiply the price by 2.65.
Prices effective as May 2025.

LONGO


— By Ramos&Bassols —



Desks and separate storage units


Straight desks · Width 800 mm

TF TR TL QF QR QL
RF RR RL




LM1A011380C

TF TR TL QF QR QL
RF RR RL



LM1A011680C

TF TR TL QF QR QL
RF RR RL




LM1A011880C

Contract desks



LM1B011366C




LM1B019090C

Coffee tables · Height 320 mm




LM1B051366A



LM1B059090A


Twin, bench and progressive desks · Withdh 1600 mm

TF QF RF




LM1A041616C

TF QF RF



LM1A053216C


TF QF RF



LM1A061616C

Management desks and meeting tables · Width 1000 mm


TF TR TL PC
QF QR QL QC RF RR RL RC



LM1F012010C


Tables with file support · Width 800 mm · Reversible auxiliary Cabinet

TF TR QF QR RF RR



LM1E111880C


TF TR QF QR RF RR



LM1E112010C


Meeting tables · Width 1200 mm

PC QC RC




LM1G011612C

PC QC RC




LM1G012212C

PC QC RC




LM1G012412C

PC QC RC



LM1G013212C


PC QC RC



LM1G021612C


Meeting tables · Width 1320 mm

PC QC RC




LM1G011313C

PC QC RC



LM1G012613C


PC QC RC



LM1G021313C


Meeting tables · Width 1600 mm

PC QC RC




LM1G011616C

PC QC RC



LM1G013216C

PC QC RC



LM1G021616C

Technical sheet



- 1 Extruded aluminum profile.
- 2 Attachment brackets made from injected aluminum.
- 3 Feet injected with aluminum. Two models:
 - Fixed height 74 cm.
 - Adjustable height 74-82 cm.
- 4 Feet injected with PP with anti-slip leveller.
- 5 Surfaces in different finishes and colors.
- 6 Diferent access to optional wiring.
- 7 Optional accessories connected to the table top: cable traand, CPU supports, etc...
- 8 Optional accessories for desktop: desktop screens, auxiliary cabinets,...

Structure




- Structure formed of extruded aluminum profiles covered with an epoxy paint, finished in white, silver and black. The profiles have a joining sandstem, Actiu registered band which enables items to be linked to create infinite possibilities
- Feets:
 - Injected with aluminum in a pandramid shape, covered in epoxy paint in white, silver, black, or polished finishes.
 - Leveler made from PP with an anti-slip sole.
- Injected aluminum brackets for joints, covered in epoxy paint in white and black.

Supports



LEVELLERS

- Total height: 74 cm



HEIGHT ADJUSTMENT

- Total height: 74-82 cm

Combinatorial finished


A	B
White	White
Black	Black
Polished	Black

Surface finishes

Melamine · 19 mm




Tempered glass · 10 mm Laminated safety glass · 5 + 5 mm



Structural finishes

Structure, legs and brackets are all offered in the following finishes:



Accessories

Electrification system

An integrated electrification system which enables effective management of cabling and easy installation. It has a steel tray with a large capacity which sits under the work surfaces, which is accessed by via an aluminium door supported on a central beam.



Metal tray made from 1mm sheet steel, great capacity for wires and connections for twin desks. Maximum accessibility optimizing the work surface, enables optimal wiring management. Two models available

- Fixed height
- Height regulation (three positions)




Polystyrene tray for individual or twin desks with wiring and connections. Maximum accessibility optimising the work surface enabling optimal wiring management. It is anchored directly to the beams of the Longo structure.



Output wiring and connections, allow quick and easy access to the connections and wiring from the surface of the tables.

Optional accessories



CPU holder. 25-30x49 cm and 1,5 mm thick sheet steel



Modesty panel

Desktop screen

Longo has its own system of desktop screens which are anchored directly onto the surface of the table, giving great stability and aesthetic appeal. Fully upholstered, with aluminum profile or rail guides for fixing 3rd level items, soundproof and glass composition, the new desktop screens offer many possibilities. Longo also has movable desktop screens incorporating a stable support system without fixation, which allows the user to change the position of the screen according to their needs at any moment.



How to code a reference

				
	T Wiring Access	Q Wiring Access	R Wiring Access	P Wiring Access
	Maximum opening: 90°	Maximum opening: 110°	Maximum opening: 180°	Maximum opening: 180°
	• ABS injected lid • Frame injected in ABS • Injection-moulded polyamide clamping clips PA • Black bristle brush with zinc-plated plate profile • Polyamide guides for adjustment according to the thic-kness of the surface between 13 and 30 mm • Dimensions: 25 x 11,7 cm	• Black die-cast aluminium frame • Die-cast aluminium lid • Aluminium guides for adjustment according to the thickness of the surface between 13 and 30 mm • Dimensions: 30,5 x 12,1 cm	• Melamine lid of the same finish as the surface • Black Bristle Brush • Black die-cast aluminium frame • Aluminium guides for adjustment according to the thickness of the surface between 13 and 30 mm • Complete opening in 180° by means of hinges. • Dimensions: 30,5 x 12,1 cm	• The wiring access P only includes the cut-out in the table top. • If you order the desking with the optional PC wiring access, please refer to the accessories section to order the integrated power and data connection in the desk top. • Compact solution for integrated power and data connection with easy workstation access. • Different configuration combinations for a wide range of applications. • Perimeter frame in black aluminium. • Optional integrated aluminium cover to protect connections against dust and dirt. Available in black and white. • Total dimensions: 241 x 73 mm • Total dimensions cover: 257 x 87 mm • Junction box top surface dimensions: 225 x 60 mm

-Models with this standard cable access has the icon next to the code
-Desk price with the cable access is as per the attached table.
-To order different desks which the electrification access is not standard, please check sales team.
-To order desks with cable access, please add the corresponding letter according to the desired placement, at the end of the reference:

WIRING ACCESS				
	FRONT CENTERED ACCESS	LEFT HAND SIDE	RIGHT HAND SIDE	CENTERED ACCESS
	TF QF RF	TL QL RL	TR QR RR	PC QC RC


IMPORTANT NOTE:
The combination of wired access is carried out in the following way:
(If in any case you want the upper access in different finishing established, the customer must indicate it on the order.)

MELAMINE SURFACE FINISHES AND STRUCTURE		COMBINATIONS OF FINISHES OFFERED			
Surface	Structure	T WIRING ACCES	Q WIRING ACCES	R WIRING ACCES	P WIRING ACCES
WHITE	WHITE	WHITE	WHITE	WHITE	WHITE
	BLACK	WHITE	WHITE	WHITE	WHITE
	POLISHED	WHITE	WHITE	WHITE	WHITE
LIME OAK	WHITE	WHITE	WHITE	LIME OAK	WHITE
	BLACK	BLACK	BLACK	LIME OAK	BLACK
	POLISHED	BLACK	BLACK	LIME OAK	BLACK
LIGHT OAK	WHITE	WHITE	WHITE	LIGHT OAK	WHITE
	BLACK	BLACK	BLACK	LIGHT OAK	BLACK
	POLISHED	BLACK	BLACK	LIGHT OAK	BLACK
CHESTNUT	WHITE	WHITE	WHITE	CHESTNUT	WHITE
	BLACK	BLACK	BLACK	CHESTNUT	BLACK
	POLISHED	BLACK	BLACK	CHESTNUT	BLACK
DARK OAK	WHITE	WHITE	WHITE	DARK OAK	WHITE
	BLACK	BLACK	BLACK	DARK OAK	BLACK
	POLISHED	BLACK	BLACK	DARK OAK	BLACK
BLACK	WHITE	BLACK	BLACK		BLACK
	BLACK	BLACK	BLACK		BLACK
	POLISHED	BLACK	BLACK		BLACK


Superior cable access location to cabling and connections

Rectangular desks - 80 cm wide


Front access



Right lateral access




Left lateral access




Twin and progressive desks - 160 cm wide


Front access



Front access




Front access




Executive and meeting desks - 100 cm wide


Front access




Right lateral access



Left lateral access




Centered access




Meeting desks - 120 / 132 / 160 cm wide


Centered access



Centered access



Centered access



How to code a reference



- 1

At the beginning of the coding and price tables of our price list, you will find the available models and their prices, as well as the basic reference of the product.
- 2

The system is designed to code vertically, adding desired components to the product by selecting the reference digits. Creating a correlation that will form the final order reference.
- 3

The finishes of arms, bases, optional complements, supports and upholstery will be shown in different colors so that the location of their reference and price is intuitive.
- 4

At the end of each table we will have legends or informative notes about the product being offered. Please read carefully to avoid confusion or mistakes when ordering.
- 5

This catalog has an interactive menu that will facilitate the user's navigation. It is located at the bottom of each page and from it you can go to the index, go back or even navigate within the family and the product displayed.

Example of reference configuration for an order




Longo · Operative tables	LM1
Individual straight tables	A01
Measures: 1600 x 800 mm	1680
Fixed height: 710 - 800 mm	C
STRUCTURE	↓
Straight legs	B
SUPPORT	↓
Levelers	F
SURFACE	↓
MFC surface · Light Oak	M10
STRUCTURE	↓
White	00
WIRED ACCESS	↓
Front wiring access · T type	TF

FINAL CONFIGURATION REFERENCE
LM1 A01 1680 C B F M10 00 TF



* The final cost of the module will be obtained starting from the established base price and adding to it the cost of the different complements that are added to it.

	Configuration required to set up reference. No cost increase		Combination not available		Removed after stocks are exhausted
--	---	--	---------------------------	--	------------------------------------

Straight desks Withd 800 mm						
	1320 x 800 mm		1600 x 800 mm		1800 x 800 mm	
	Height 740 mm		Height 740 mm		Height 740 mm	
	LM1A011380C		LM1A011680C		LM1A011880C	



STRUCTURE					
Straight legs		B	805,00	848,40	880,60

SUPPORT					
Levelers		F			
Height adjustment system		C	+ 224,00	+ 224,00	+ 224,00

FINISHES SURFACE					
MFC · White	M00				
MFC · Lime Oak	M11				
MFC · Light Oak	M10				
MFC · Chestnut	M07				
MFC · Dark Oak	M14				
MFC · Black anti-fingerprint	M03	+ 161,00	+ 189,00	+ 189,00	
Glass · Black	V59	+ 488,60	+ 569,80	+ 604,80	
Glass · White	V52	+ 488,60	+ 569,80	+ 604,80	

FINISHES STRUCTURE					
Frame	Legs	Ref	↓	↓	↓
White		00			
Black		08			
Black	Polished	09	+ 319,20	+ 319,20	+ 319,20



OPTIONAL WIRING ACCESS					
MFC	TF	+ 39,20	+ 39,20	+ 39,20	
	TL				
	TR				
	QF	+ 78,40	+ 78,40	+ 78,40	
	QL				
	QR				
	RF	+ 100,80	+ 100,80	+ 100,80	
	RL				
	RR				
MFC BLACK ANTI-FINGERPRINT	TF	+ 39,20	+ 39,20	+ 39,20	
	TL				
	TR				
	QF	+ 78,40	+ 78,40	+ 78,40	
	QL				
	QR				

Contract desks Withd 660/900 mm			
MEASURES		1320 x 660 mm	900 x 900 mm
HEIGHT		Height 740 mm	Height 740 mm
REFERENCE		LM1B011366C	LM1B019090C

STRUCTURE			
Straight legs	B	733,60	712,60
SUPPORT			
Levelers	F		
Height adjustment system	C	+ 224,00	+ 224,00

FINISHES SURFACE			
MFC · White	M00		
MFC · Lime Oak	M11		
MFC · Light Oak	M10		
MFC · Chestnut	M07		
MFC · Dark Oak	M14		
MFC · Black anti-fingerprint	M03	+ 161,00	+ 138,60
Glass · Black	V59	+ 414,40	+ 366,80
Glass · White	V52	+ 414,40	+ 366,80




FINISHES STRUCTURE				
Frame	Legs	Ref	↓	↓
White		00		
Black		08		
Black	Polished	09	+ 319,20	+ 319,20

Coffe tables Height 320 mm			
MEASURES		1320 x 660 mm	900 x 900 mm
HEIGHT		Height 320 mm	Height 320 mm
REFERENCE		LM1B051366A	LM1B059090A

STRUCTURE			
Straight legs	B	579,60	560,00
SUPPORT			
Levelers	F		

FINISHES SURFACE			
MFC · White	M00		
MFC · Lime Oak	M11		
MFC · Light Oak	M10		
MFC · Chestnut	M07		
MFC · Dark Oak	M14		
MFC · Black anti-fingerprint	M03	+ 161,00	+ 138,60
Glass · Black	V59	+ 414,40	+ 366,80
Glass · White	V52	+ 414,40	+ 366,80

FINISHES STRUCTURE				
Frame	Legs	Ref	↓	↓
White		00		
Black		08		
Black	Polished	09	+ 64,40	+ 64,40

Double desks and middle extensions Withdh 1600 mm				
	MEASURES	1600 x 1600 mm	3200 x 1600 mm	1600 x 1600 mm · Extension desk
	HEIGHT	Height 740 mm	Height 740 mm	Height 740 mm
	REFERENCE	LM1A041616C	LM1A053216C	LM1A061616C

STRUCTURE				
Straight legs	B	1.069,60	1.797,60	917,00

SUPPORT				
Levelers	F			
Height adjustment system	C	+ 224,00	+ 334,60	+ 113,40

FINISHES SURFACE				
MFC · White	M00			
MFC · Lime Oak	M11			
MFC · Light Oak	M10			
MFC · Chestnut	M07			
MFC · Dark Oak	M14			
MFC · Black anti-fingerprint	M03	+ 663,60	+ 1.325,80	+ 663,60

FINISHES STRUCTURE					
Frame	Legs	Ref	↓	↓	↓
White		00			
Black		08			
Black	Polished	09	+ 319,20	+ 469,00	+ 158,20

OPTIONAL WIRING ACCESS				
MFC	TF	+ 78,40	+ 156,80	+ 78,40
	QF	+ 156,80	+ 313,60	+ 156,80
	RF	+ 201,60	+ 403,20	+ 201,60
MFC BLACK ANTI-FINGERPRINT	TF	+ 78,40	+ 156,80	+ 78,40
	QF	+ 156,80	+ 313,60	+ 156,80

Prices shown are not the final selling price.
To obtain the list price, multiply the price by 2.65.
Prices effective as May 2025.

Longo · Operative tables

Executive desks and meeting table Withd 1000 mm	2000 mm 1000 mm
MEASURES	2000 x 1000 mm
HEIGHT	Height 740 mm
REFERENCE	LMIF012010C

STRUCTURE		
Straight legs	B	970,20

SUPPORT		
Levelers	F	
Height adjustment system	C	+ 224,00

FINISHES SURFACE		
MFC · White	M00	
MFC · Lime Oak	M11	
MFC · Light Oak	M10	
MFC · Chestnut	M07	
MFC · Dark Oak	M14	
MFC · Black anti-fingerprint	M03	+ 278,60
Glass · Black	V59	+ 807,80
Glass · White	V52	+ 807,80

FINISHES STRUCTURE			
Frame	Legs	Ref	↓
White		00	
Black		08	
Black	Polished	09	+ 319,20

OPTIONAL WIRING ACCESS		
MFC	PC	+ 30,80
	TF	+ 39,20
	TR	
	TL	
	QF	+ 78,40
	QR	
	QL	
	QC	
	RF	+ 100,80
	RR	
	RL	
	RC	
MFC BLACK ANTI-FINGERPRINT	PC	+ 30,80
	TF	+ 39,20
	TR	
	TL	
	QF	+ 78,40
	QR	
	QL	
	QC	
GLASS	PC	+ 231,00



IMPORTANT NOTE:

When ordering the table with the optional **PC wiring access**, please refer to the accessories section to order the power and data connection integrated in the table top. The optional **PC wiring access** only includes the cut-out in the table top.

CLICK TO COMPLEMENTS

Desk with cabinet support - executive

Witdh 800/1000 mm

1800 mm

800 mm

1800 mm

2000 mm

1000 mm

1800 mm

MEASURES

1800 x 800 mm · **Reversible**

2000 x 1000 mm · **Reversible**

HEIGHT

Height 740 mm

Height 740 mm

REFERENCE

LM1E111880C

LM1E112010C

STRUCTURE			
Straight legs	B	730,80	806,40

SUPPORT			
Levelers	F		


FINISHES SURFACE			
MFC · White	M00		
MFC · Lime Oak	M11		
MFC · Light Oak	M10		
MFC · Chestnut	M07		
MFC · Dark Oak	M14		
MFC · Black anti-fingerprint	M03	+ 189,00	+ 278,60
Glass · Black	V59	+ 604,80	+ 807,80
Glass · White	V52	+ 604,80	+ 807,80

FINISHES STRUCTURE				
Frame	Legs	Ref	↓	↓
White		00		
Black		08		
Black	Polished	09	+ 158,20	+ 158,20

OPTIONAL WIRING ACCESS			
MFC	TF	+ 39,20	+ 39,20
	TR		
	QF	+ 78,40	+ 78,40
	QR		
	RF	+ 100,80	+ 100,80
	RR		
MFC BLACK ANTI-FINGERPRINT	TF	+ 39,20	+ 39,20
	TR		
	QF	+ 78,40	+ 78,40
	QR		

IMPORTANT NOTE:
THE DESKS WITH CABINET SUPPORT MUST **ALWAYS BE ORDERED WITH THE STORAGE UNIT.**
TWO ORDERS MUST BE DONE: THE TABLE ORDER + THE STORAGE UNIT ORDER

Storage unit for desk with cabinet support
Height 690 mm




MODEL	Longo storage unit · Model 3 holes for desk with cabinet support
MEASURES	1800 x 500 x 690 mm
REFERENCE	LMM111807

STRUCTURE			
Frame	Legs	Ref	↓
White		00	1.254,40
Black		08	
Black	Polished	09	64,40

FINISHES SURFACE			
Body and top surface	Doors	Ref	↓
MFC · White	Glass · White	M00V52	
	Glass · Black	M00V59	
MFC · Lime Oak	Glass · White	M11V52	
	Glass · Black	M11V59	
MFC · Light Oak	Glass · White	M10V52	
	Glass · Black	M10V59	
MFC · Chestnut	Glass · White	M07V52	
	Glass · Black	M07V59	
MFC · Dark Oak	Glass · Black	M14V59	
MFC · Black anti-fingerprint	Glass · Black	M03V59	+ 84,00


OBLIGATED WIRING ACCESS		
MFC	UF	

Optional drawer
Complement for storage units



MODEL	Frontal MFC Drawer and Metal Structure
COMPATIBILITY	For Longo storage LMM111807
REFERENCE	LMM191807

FINISHES SURFACE		
MFC · White	M00	162,40
MFC · Lime Oak	M11	
MFC · Light Oak	M10	
MFC · Chestnut	M07	
MFC · Dark Oak	M14	

Meeting desks Witdh 1200 mm				
	MEASURES		1600 x 1200 mm	
	HEIGHT		Height 740 mm	
	REFERENCE		LM1G011612C	

STRUCTURE			
Straight legs	B	963,20	1.061,20

SUPPORT			
Levelers	F		
Height adjustment system	C	+ 224,00	+ 224,00

FINISHES SURFACE			
MFC · White	M00		
MFC · Lime Oak	M11		
MFC · Light Oak	M10		
MFC · Chestnut	M07		
MFC · Dark Oak	M14		
MFC · Black anti-fingerprint	M03	+ 282,80	+ 628,60
Glass · Black	V59	+ 925,40	+ 1.755,60
Glass · White	V52	+ 925,40	+ 1.755,60

FINISHES STRUCTURE				
Frame	Legs	Ref	↓	↓
White		00		
Black		08		
Black	Polished	09	+ 319,20	+ 319,20



OPTIONAL WIRING ACCESS			
MFC	PC	+ 30,80	+ 30,80
	QC	+ 78,40	+ 78,40
	RC	+ 100,80	+ 100,80
MFC BLACK ANTI-FINGERPRINT	PC	+ 30,80	+ 30,80
	QC	+ 78,40	+ 78,40
GLASS	PC	+ 231,00	+ 231,00



IMPORTANT NOTE:

When ordering the table with the optional **PC wiring access**, please refer to the accessories section to order the power and data connection integrated in the table top. The optional **PC wiring access** only includes the cut-out in the table top.

CLICK TO COMPLEMENTS

Meeting desks and extension desk Withdh 1200 mm				
	MEASURES	2400 x 1200 mm	3200 x 1200 mm	1600 x 1200 mm • Extension desk
	HEIGHT	Height 740 mm	Height 740 mm	Height 740 mm
	REFERENCE	LM1G012412C	LM1G013212C	LM1G021612C

STRUCTURE				
Straight legs	B	1.184,40	1.579,20	781,20

SUPPORT				
Levelers	F			
Height adjustment system	C	+ 334,60	+ 334,60	+ 113,40

FINISHES SURFACE				
MFC · White	M00			
MFC · Lime Oak	M11			
MFC · Light Oak	M10			
MFC · Chestnut	M07			
MFC · Dark Oak	M14			
MFC · Black anti-fingerprint	M03	+ 481,60	+ 565,60	+ 282,80
Glass · Black	V59	+ 1.442,00	+ 1.590,40	+ 866,60
Glass · White	V52	+ 1.442,00	+ 1.590,40	+ 866,60

FINISHES STRUCTURE					
Frame	Legs	Ref	↓	↓	↓
White		00			
Black		08			
Black	Polished	09	+ 469,00	+ 469,00	+ 158,20




OPTIONAL WIRING ACCESS				
MFC	PC	+ 61,60	+ 61,60	+ 30,80
	QC	+ 156,80	+ 156,80	+ 78,40
	RC	+ 201,60	+ 201,60	+ 100,80
MFC BLACK ANTI-FINGERPRINT	PC	+ 61,60	+ 61,60	+ 30,80
	QC	+ 156,80	+ 156,80	+ 78,40
GLASS	PC	+ 462,00	+ 462,00	+ 231,00



IMPORTANT NOTE:

When ordering the table with the optional **PC wiring access**, please refer to the accessories section to order the power and data connection integrated in the table top. The optional **PC wiring access** only includes the cut-out in the table top.

CLICK TO COMPLEMENTS

Meeting desks Withdh 1320 mm			
			
			
MEASURES	1320 x 1320 mm		
HEIGHT	Height 740 mm		
REFERENCE	LMIG011313C		

STRUCTURE				
Straight legs	B	884,80	1.559,60	694,40

SUPPORT				
Levelers	F			
Height adjustment system	C	+ 224,00	+ 334,60	+ 113,40

FINISHES SURFACE				
MFC · White	M00			
MFC · Lime Oak	M11			
MFC · Light Oak	M10			
MFC · Chestnut	M07			
MFC · Dark Oak	M14			
MFC · Black anti-fingerprint	M03	+ 257,60	+ 513,80	+ 257,60

FINISHES STRUCTURE					
Frame	Legs	Ref	↓	↓	↓
White		00			
Black		08			
Black	Polished	09	+ 319,20	+ 469,00	+ 158,20




OPTIONAL WIRING ACCESS				
MFC	PC	+ 30,80	+ 61,60	+ 30,80
	QC	+ 78,40	+ 156,80	+ 78,40
	RC	+ 100,80	+ 201,60	+ 100,80
MFC BLACK ANTI-FINGERPRINT	PC	+ 30,80	+ 61,60	+ 30,80
	QC	+ 78,40	+ 156,80	+ 78,40



IMPORTANT NOTE:

When ordering the table with the optional **PC wiring access**, please refer to the accessories section to order the power and data connection integrated in the table top. The optional **PC wiring access** only includes the cut-out in the table top.

CLICK TO COMPLEMENTS

Meeting desks Witdh 1600 mm									
	1600 x 1600 mm			3200 x 1600 mm			1600 x 1600 mm · Extension desk		
	Height 740 mm			Height 740 mm			Height 740 mm		
	LMIG011616C			LMIG013216C			LMIG021616C		

STRUCTURE				
Straight legs	B	1.083,60	1.827,00	931,00

SUPPORT				
Levelers	F			
Height adjustment system	C	+ 224,00	+ 334,60	+ 113,40

FINISHES SURFACE				
MFC · White	M00			
MFC · Lime Oak	M11			
MFC · Light Oak	M10			
MFC · Chestnut	M07			
MFC · Dark Oak	M14			
MFC · Black anti-fingerprint	M03	+ 663,60	+ 1.325,80	+ 663,60

FINISHES STRUCTURE					
Frame	Legs	Ref	↓	↓	↓
White		00			
Black		08			
Black	Polished	09	+ 319,20	+ 469,00	+ 158,20

OPTIONAL WIRING ACCESS				
MFC	PC	+ 30,80	+ 61,60	+ 30,80
	QC	+ 78,40	+ 156,80	+ 78,40
	RC	+ 100,80	+ 201,60	+ 100,80
MFC BLACK ANTI-FINGERPRINT	PC	+ 30,80	+ 61,60	+ 30,80
	QC	+ 78,40	+ 156,80	+ 78,40



IMPORTANT NOTE:




When ordering the table with the optional **PC wiring access**, please refer to the accessories section to order the power and data connection integrated in the table top. The optional **PC wiring access** only includes the cut-out in the table top.

CLICK TO COMPLEMENTS

Available complements

Modesty Panels

Only for individual tables

			
MEASURES	1250 x 280 mm	1450 x 280 mm	1650 x 280 mm
COMPATIBILITY	1600 mm tables	1800 mm tables	2000 and 2200 mm tables
REFERENCE	XLMFA11228	XLMFA11428	XLMFA11628

WIDTHRING FINISH


White	00	96,60	99,40	100,80
Black	08			

SURFACE FINISH

MFC · White	M00			
MFC · Lime oak	M11			
MFC · Light oak	M10			
MFC · Chesnut	M07			
MFC · Dark oak	M14			
MFC · Black	M08			
Glass · White	V52	+ 198,80	+ 204,40	+ 224,00
Glass · Black	V59			

Pad manager

Desk Protector

	
MEASURES	720 x 463 x 4 mm
REFERENCE	PAD5

INTEGRAL POLYURETHANE

Black	9	77,00
Red	7	

CPU support

Suspended and adjustable

	
MEASURES	500 x 270 x 140/220 mm
COMPATIBILITY	ATX CPUs from 140 to 220 mm wide
REFERENCE	50506

SHEET METAL FINISH

White	0	133,00
Black	8	

Cable risers Flexible polystyrene				
	MEASURES	800 x 40,5 mm / Ø 40,5 mm		800 x 40,5 mm / Ø 70 mm
	COMPATBILTY	For use with P, Q and R access containers.		
	MINIMUM UNITS ORDER	3 units · Price for 1 unit		3 units · Price for 1 unit
	REFERENCE	39425		39525



FLEXIBLE POLYSTYRENE FINISH			
White	0	23,80	28,00
Black	8		

Cable risers Sheet metal				
	MEASURES	520 x 80 x 50 mm		625 x 150 x 100 mm
	COMPATIBILITY	For use on single, quadruple and double progression tables.		
	REFERENCE	5070		5071

FINISHING SHEET METAL			
White	0	117,60	140,00
Black	8		


Cable risers Braided textile wrap			
	PACKS	Pack 1 unit	Pack 4 units
	MEASURES	750 mm / Ø 30 mm	
	CHARACTERISTICS	Zippered for quick and easy installation. Offers additional protection against flame and abrasion.	
	REFERENCE	39431	39434

FINISHING FABRIC			
Black	8	39,20	137,20

Cable container Individual tables				
	MEASURES		400 x 120 x 130 mm	
	COMPATIBILITY		Container for electrification accessories with P, Q and R wiring access.	
	PACKS		Pack 1 unit	Pack 2 units
	REFERENCE		CQR11	CQR12

MEASURES		310,5 x 90,9 x 110,3 mm	
COMPATIBILITY		Container for electrification accessories with T-access.	
PACKS		Pack 1 unit	Pack 2 units
REFERENCE		T11	T12


FINISHES					
White	0	71,40	138,60	56,00	106,40
Black	8				

Cable management Individual tables				
	MEASURES	320 x 60 x 130 mm		
	COMPATIBILITY	Polystyrene cable tray, modular and articuable, with easy connection system to make a cable tray in progression. Pack of 10 modules (3 metres)		
	PACKS	Pack 10 Units		
	REFERENCE	XTCPO0301100		


FINISHES			
White	0	71,30	
Black	8		

Power and data connection compatibility for meeting tables


Locate the requested table model to order the necessary power connection units for all meeting tables.




LM1F012010C
x1




LM1G011612C
x1




LM1G012212C
x1




LM1G012412C
x2




LM1G013212C
x2




LM1G021612C
x1




LM1G011313C
x1




LM1G012613C
x2




LM1G021313C
x1



LM1G011616C
x1



LM1G013216C
x2




LM1G021616C
x1

Example of power connection

Please refer to the following examples to order all the components required for the desired configuration. The **GX21** mains power cable must always be ordered. The power distributor **GX22** is included in the power connection with USB charging. In case of ordering a table with progressive desk and **power connection with HDMI**, the **GX22 connection spread kit** must be ordered for the progressive desk.


EXAMPLE 01



LM1G012212C

COMPONENTS	DESCRIPTION	UNITS
LM1G012212CBFM0000PC	Meeting table 220 x 120 cm with PC cable access	x1
XELBCP122081EU99	Power connection with 2 sockets + 2 USB charging sockets and without cover	x1
 · GX21	2 metres extension cable, end power entry. EU · 220v	x1
 · GX22	Connection spread kit	INCLUDED


EXAMPLE 02



LM1G013212C

COMPONENTS	DESCRIPTION	UNITS
LM1G013212CBFM0000PC	Meeting table 320 x 160 cm with PC cable access	x1
XELBCP222081EU99	Power connection with 2 sockets + 1 HDMI and without cover	x2
 · GX21	2 metres extension cable, end power entry. EU · 220v	x1
 · GX22	Connection spread kit	x1
 · GX20	Extension cable (1'5 m.)	x1

EXAMPLE 03






LM1G013216C

LM1G021616C

LM1G013216C

COMPONENTS	DESCRIPTION	UNITS
LM1G013216CBFM0000PC	Meeting table 320 x 160 cm with PC cable access	x1
LM1G021616CBFM0000PC	Extension table 160 x 160 cm with PC cable access	x1
XELBCP122081EU99	Power connection with 2 sockets + 2 USB charging sockets and without cover	x3
 · GX21	2 metres extension cable, end power entry. EU · 220v	x1
 · GX22	Connection spread kit	INCLUDED
 · GX20	Extension cable (1'5 m.)	x2

Power and data connection Meeting desks			
	2 plugs + 2 USB charging sockets type A and C GX22 INCLUDED (Connection spread kit)	2 plugs + 1 HDMI	1 plug + 1 HDMI + 2 USB charging sockets type A and C GX22 INCLUDED (Connection spread kit)
	Integrated power and data connection for meeting desks with PC wiring access		
	Pack 1 unit	Pack 1 unit	Pack 1 unit
	XELBCP122	XELBCP222	XELBCP322

FRAME FINISH / INITIAL PRICE				
Black	08	327,60	250,60	396,20

CONNECTIVITY				
EU · 220V	1EU			
US · 120V	1US	+ 18,20	+ 18,20	+ 18,20
UK · 220V	1UK	+ 35,00	+ 35,00	+ 35,00


OPTIONAL TOP COVER				
Without cover	99			
White	00	+ 252,00	+ 252,00	+ 252,00
Black	08	+ 252,00	+ 252,00	+ 252,00

Electrical accessories Meeting tables						
	COMPONENTS	Extension cable (1'5 m.)	End power entry 2 mts. EU · 220V	End power entry 2 mts. UK · 220V	End power entry 2 mts. US · 120V	Connection spread kit.
	DESCRIPTION	Ø 10 mm. (3 x 2'5). Rubber hose Male and female connector to connect additional power module.	Ø 8 mm. (3 x 2). Rubber hose Plug and ground Ø 4'8 / 16A Female terminal plugged (with protection).			1 input / 3 outputs
	MINIMUM UNITS ORDER	4 units · Price for 1 unit	4 units · Price for 1 unit	4 units · Price for 1 unit	4 units · Price for 1 unit	5 units · Price for 1 unit
	REFERENCE	GX20	GX21	GX21L	GX21D	GX22
	PRICE	40,60	43,40	43,40	43,40	28,00

Explanation of use of the cable tray - desks de reunión


Use of cable tray on **Meeting desks of 120 cm:**
To use electrification cable tray on desks of 120 cm width, request the desired/corresponding model, which is listed on the pricelist:

- 42cm width Cable tray: Usage on all Meeting desks - Length 50 cm.
- 29cm width Recessed Cable tray: Use on LM1G011612C meeting desk - Length 84 cm.
- 29cm width Recessed Cable tray: Use on LM1G012212C and LM1G013212C meeting desk - Length 104 cm.
- 29cm width Recessed Cable tray: Use on LM1G021612C meeting desk - Length 144 cm.




Use of cable tray on **Meeting desks of 132 cm:**
To use electrification cable tray on desks of 132 cm width, request the desired/corresponding model, which is listed on the pricelist::

- 42cm width Cable tray: Usage on all Meeting desks - Length 50 cm.
- 42cm width Recessed Cable tray: Use on LM1G012613C meeting desk - Length 104 cm.
- 42cm width Recessed Cable tray: Use on LM1G021313C meeting desk - Length 124 cm.






Use of cable tray on **Meeting desks of 160 cm:**
To use electrification cable tray on desks of 160 cm width, request the desired/corresponding model, which is listed on the pricelist:

- 42cm width Cable tray: Usage on all Meeting desks - Length 50 cm.
- 42cm width Recessed Cable tray: Use on LM1G013216C meeting desk - Length 104 cm.
- 42cm width Recessed Cable tray: Use on LM1G021616C meeting desk - Length 144 cm.



Cable tray fixed Width Meeting tables				
				
				
				
MEASURES	500 x 420 x 38 mm	840 x 290 x 38 mm	1000,4 x 290 x 38 mm	1440 x 290 x 38 mm
COMPATIBILITY	With meeting desk	With tables LM1G011612C	With tables LM1G013212C and LM1G012212C	With tables LM1G021612C
REFERENCE	5829	XPMTTC1B58429A	5880	5884

STRUCTURE					
White	0	74,20	96,60	105,00	126,00
Black	8				


Fixed height cable tray Meeting tables			
	1040 x 420 x 38 mm	1240 x 420 x 38 mm	1440 x 420 x 38 mm
MEASURES	1040 x 420 x 38 mm	1240 x 420 x 38 mm	1440 x 420 x 38 mm
COMPATIBILITY	Central tables of the 1200mm progressions. - Tables for individual use of 1320 and 1600 mm. 1320 and 1600 mm. quadruple tables or progression end tables.	Central tables of the 1320mm progressions.	Central tables of the 1600mm progressions.
REFERENCE	6880	6882	6884

STRUCTURE				
White	0	110,60	117,60	127,40
Black	8			


EXPLANATION OF USE OF THE CABLE TRAY - DOUBLE OPERATIVE DESKS AND EXTENDABLE DOUBLE DESKS

- Use of cable tray on **double operative desks and extendable double desks**:
To use electrification cable tray on double and middle extension desks, ask for the corresponding/desired model, which is listed on the pricelist.
- 42cm width Cable tray - Length 50 cm: Usage on all Operative double desks - Length 50 cm.
 - 42cm width Recessed Cable tray: Usage on all Operative double desks - Length 84 / 104 / 124 / 144 cm.


Fixed-height Cable tray compatibility for doubles, quads and progression tables




Fixed-height recessed Cable tray compatibility for doubles, quads and progression tables





Height-adjustable recessed Cable tray compatibility for doubles, quads and progression tables






Fixed Widthr Cable tray Double, quadruple and progression tables	
MEASURES	500 x 420 x 38 mm
COMPATIBILITY	For use on all models of double, quadruple and progression tables .
REFERENCE	5829


STRUCTURE		
White	0	74,20
Black	8	

Fixed height Cable tray Double, quadruple and progression tables		
MEASURES	1040 x 420 x 38 mm	1440 x 420 x 38 mm
COMPATIBILITY	Tables for individual use of 1600 mm. - 1600 mm. quadruple tables or progression end tables.	Central tables of the 1600mm progressions.
REFERENCE	6880	6884

STRUCTURE			
White	0	110,60	127,40
Black	8		

Height-adjustable Cable tray Double, quadruple and progression tables		
MEASURES	1040 x 420 x 38 mm	1440 x 420 x 38 mm
POSITIONS		
COMPATIBILITY	Tables for individual use of 1600 mm. - 1600 mm. quadruple tables or progression end tables.	Central tables of the 1600mm progressions.
REFERENCE	6890	6894


STRUCTURE			
White	0	154,00	170,80
Black	8		



■ Desks mounted screens


Desk-Mounted screens, different sizes available, fixing kits and finishes. Easy to be adapted to any surface. They provide visual contact but at the same time privacy. Twin desks with electrification system have their own desk-mounted screens (**D50 Serie for Vital or Arkitek**)

■ DESK MOUNTED SCREENS OFFER




GLASS SCREEN - e=8mm

Laminatd Security Glass (4+4 mm) / Tempered glass (8 mm)





METHACRYLATE SCREEN - e=8mm

8 mm thick White Methacrylathe



UPHOLSTERED SCREEN WITH FLEXIBLE PROFILE - e=30mm

- ① 19 mm thick Chipboard
- ② Foam thickness e= 5 mm and 60 Kg/m³ density (etotal= 30 mm)
- ③ Different fabrics available glued using water glue.
- Optional accoustic or fire resistant fabrics for projects.
- ④ 8mm thick flexible Profile









UPHOLSTERED SCREEN. SEWAN AND SEATHED - e=30mm

- ① 19 mm thick Chipboard
- ② Foam thickness e= 5 mm and 60 Kg/m³ density (etotal= 30 mm)
- ③ Different fabrics available glued using water glue.
- Optional accoustic or fire resistant fabrics for projects.
- ④ Sewn and sheathed.

EXAMPLE OF AN ORDER

Model	Bracket finish	Divider Finish	Final Reference
DLN432 Screen mobile Pack 2 units	N Black bracket	T82 Sewn and Sheathed upholstered - e=30mm Group T Upholstered	DLN432NT82

TABLE TOP DIVIDERS FOR: USE ON DOUBLE DESKS ET INDIVIDUAL DESKS AND CROSS USE ON DOUBLE PROGRESSIVE DESKS

					
	Support on discs with anti slip pad.	38 	38 	38 	38 
		Upholstered divider e=30 mm	Upholstered divider e=30 mm	Upholstered divider e=30 mm	Upholstered divider e=30 mm

Model Dimensions (A x B)	ZW43 110 38 	ZW44 130 38 	ZW45 150 38 
	TABLE TOP DIVIDER FOR 120, 140 and 160 cm DESK	TABLE TOP DIVIDER FOR 140 and 160 cm DESK	TABLE TOP DIVIDER FOR 160 cm DESK

Units / Pack	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units
Base Reference	ZW431	ZW432	ZW441	ZW442	ZW451	ZW452
Bracket finish	WHITE	0				
	BLACK	8				

FLEXIBLE PROFILE UPHOLSTERED DIVIDER e= 30 mm - h= 38 cm

Upholstered e=30 Flexible profile	GROUP 0		Group T	3T--	189,00	358,40	194,60	373,80	207,20	403,20
			Group AE	3AE--	215,60	414,40	228,20	441,00	270,20	527,80
	GROUP 1		Group AO	3AO--						
			Group D	3D--	226,80	443,80	242,20	469,00	299,60	581,00
	GROUP 2		Group M	3M--						

Model Dimensions (A x B)	DLN43 110 38 	DLN44 130 38 	DLN45 150 38 
	TABLE TOP DIVIDER FOR 140 and 160 cm DESK	TABLE TOP DIVIDER FOR 140 and 160 cm DESK	TABLE TOP DIVIDER FOR 160 cm DESK

Units / Pack	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units
Base Reference	DLN431	DLN432	DLN441	DLN442	DLN451	DLN452
Bracket finish	WHITE	B				
	BLACK	N				




SEWN AND SHEATHED UPHOLSTERED DIVIDER e= 30 mm - h= 38 cm

Upholstered e= 30 Sewn and sheathed	GROUP 0		Group T	T--	222,60	431,20	228,20	446,60	245,00	476,00
	GROUP 1		Group AE	AE--	249,20	487,20	264,60	519,40	306,60	597,80
			Group AO	AO--						
	GROUP 2		Group D	D--	263,20	515,20	278,60	543,20	334,60	653,80
			Group M	M--						
	GROUP 3		Group A	A--	310,80	609,00	333,20	651,00	396,20	779,80

EXAMPLE OF AN ORDER

Model	Bracket finish	Divider Finish	Final Reference
DPM432 Screen for frontal use Pack 2 units	N Black bracket	T82 Group T Upholstered	DPM432NT82

TABLE TOP DIVIDERS FOR FRONTAL USE ON DOUBLE DESKS

				
	38	38	38	38
	Upholstered divider e=30 mm	Upholstered divider e=30 mm		

Model Dimensions (A x B)	ZL43 110 38	ZL44 130 38	ZL45 150 38
	TABLE TOP DIVIDER FOR 120 and 160 cm DESK	TABLE TOP DIVIDER FOR 140 and 160 cm DESK	TABLE TOP DIVIDER FOR 160 cm DESK

Coding required to
configure reference.
They do not mean an
increase in cost

Units / Pack	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units
Base Reference	ZL431	ZL432	ZL441	ZL442	ZL451	ZL452
Bracket finish	WHITE	0				

FLEXIBLE PROFILE UPHOLSTERED DIVIDER e= 30 mm - h= 38 cm

Upholstered e= 11/2" Flexible profile	GROUP 0	GROUP 1	GROUP 2	GROUP 3	GROUP 4	GROUP 5	GROUP 6	GROUP 7
	Group T	3T--	161,00	306,60	166,60	319,20	179,20	347,20
	Group AE	3AE--	189,00	361,20	200,20	386,40	242,20	471,80
	Group AO	3AO--						
	Group D	3D--	201,60	389,20	214,20	417,20	273,00	529,20
	Group M	3M--						

Model Dimensions (A x B)	DPM43 110 38	DPM44 130 38	DPM45 150 38
	TABLE TOP DIVIDER FOR 120 and 160 cm DESK	TABLE TOP DIVIDER FOR 140 and 160 cm DESK	TABLE TOP DIVIDER FOR 160 cm DESK

Units / Pack	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units
Base Reference	DPM431	DPM432	DPM441	DPM442	DPM451	DPM452
Bracket finish	WHITE	B				


SEWN AND SHEATHED UPHOLSTERED DIVIDER e= 30 mm - h= 38 cm

Upholstered e= 11/2" Sewn and sheathed	GROUP 0	GROUP 1	GROUP 2	GROUP 3	GROUP 4	GROUP 5	GROUP 6	GROUP 7
	Group T	T--	196,00	378,00	203,00	393,40	217,00	420,00
	Group AE	AE--	224,00	432,60	239,40	466,20	278,60	541,80
	Group AO	AO--						
	Group D	D--	235,20	459,20	252,00	490,00	308,00	599,20
	Group M	M--						
	Group A	A--	284,20	555,80	306,60	596,40	369,60	722,40

EXAMPLE OF AN ORDER

Model	Divider Finish	Bracket finish	Final Reference
DPM432 Screen for frontal use Pack 2 units	90 White Methacrylate	B White bracket	DPM43290B

TABLE TOP DIVIDERS FOR FRONTAL USE ON DOUBLE DESKS

			
	Methacrylate	Glass	

Model Dimensions (A x B)	DPM43 110 28	DPM44 130 28	DPM45 150 28
	TABLE TOP DIVIDER FOR 140, 160 and 180 cm DESK	TABLE TOP DIVIDER FOR 140, 160 and 180 cm DESK	TABLE TOP DIVIDER FOR 160 and 180 cm DESK

Units / Pack	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units
Base Reference	DPM431	DPM432	DPM441	DPM442	DPM451	DPM452

METHACRYLATE DIVIDER e = 8 mm - h= 28 cm

Methacrylate	White	90	148,40	282,80	162,40	308,00	172,20	333,20
--------------	-------	----	--------	--------	--------	--------	--------	--------

GLASS DIVIDER e = 8 mm - h= 28 cm

Glass	White	52	257,60	501,20	285,60	555,80	313,60	611,80
-------	-------	----	--------	--------	--------	--------	--------	--------

Bracket finish	WHITE	B						
	BLACK	N						

Coding required to configure reference.

They do not mean an increase in cost