

Prices shown are not the final selling price.
To obtain the list price, multiply the price by 2.65.
Prices effective as May 2025.

CADDY

VIDEO-CONFERENCE

— By ACTIU —





■ FEATURES

- ① Aluminium profile 2mm thick by 7cm width. Available in white.
- ② 10mm thick MFC panels in white and black. Hollow internal steel structure to house cables and connections
(TV screen, cables and connections not included)*
- ③ Steel support base in white epoxy paint.
- ④ 4 black castors Ø45mm with Teflon tyre thread.
- ⑤ Fixing points for monitors as per VESA 200, 300 and 400:
 - Monitor can be fixed in 4 different positions with a distance between them of 2,5cm.(Total:10cm)
 - Height from monitor center in relation to the screen:
 - Min: 125 cm
 - Max: 135 cm
- ⑥ 2 Models: Video-Conference caddy with or without POWER FRAME connection.
- ⑦ Hanging support on rear back of the caddy for cables.
- ⑧ Includes small opening on back panel to drive cable through.
- ⑨ Interior fixing points for PC (As per VESA 75 and 100)



Detail of the hanging support for leads



Power Frame.
2 plugs + HDMI



Power Frame.
1 plug + 2 USB + HDMI



Small opening on back panel for leads.

■ TECHNICAL FEATURES



CADDY WITHOUT POWER FRAME

It includes:

- **EU:** 3 power modules - GX30 + Cable with Power GX21
 - **UK:** 3 power modules - GX30L + Cable with Power GX21L
 - **US:** 3 power modules - GX30D + Cable with Power GX21D
-
- 2 USB - 3.0 elbow
 - 1 HDMI elbow
 - 4 adhesive support for cables
 - 1 screw kit





CADDY WITH POWER FRAME

It includes:


- **EU:** 3 power modules - GX30 + Cable with Power GX21
 - **UK:** 3 power modules - GX30L + Cable with Power GX21L
 - **US:** 3 power modules - GX30D + Cable with Power GX21D
-
- 2 USB - 3.0 elbow
 - 1 HDMI elbow
 - 4 adhesive support for cables
 - 1 screw kit
 - Power Frame – 2 types:
 - **With Dedicated CPU**
- 2 USB - 3.0 + HDMI + Power
 - **Without Dedicated CPU**
- HDMI + 2 powers

NOTE: Computers and/or Televisions are not included in the price.

■ MEASURES



■ MONITOR SHIFT RANGE



■ FINISHES

Aluminium profile



White

Steel base



White

Surfaces

MFC panels



White



Black

Fabric T




T85 T77 T37 T27 T70 T58 T61 T89 T87




T82 T64 T84

Fabric AE




AE82 AE84 AE92 AE37 AE21 AE44 AE62 AE69 AE16 AE14 AE08

Fabric AO




AO90 AO34 AO59 AO62 AO16 AO08

Fabric AI



AI90 AI89 AI44 AI42 AI58 AI53 AI66 AI13 AI08



AI23 AI25

Fabric M



M16 M92 M12 M76 M62 M58 M46 M90 M91 M77 M93



M14 M22 M19 M17 M63 M10 M49 M20 M89

Fabric D



D11 D14 D21 D16 D13 D18 D15 D22 D12


Fabric A




A11 A27 A25 A17 A20 A13 A18 A16 A22

■ CADDY - ELECTRONIC DEVICES


CADDY WITHOUT POWER FRAME





**CADDY WITH POWER FRAME
NO CPU
(HDMI + SCHUKO)**












**CADDY WITH POWER FRAME
WITH CPU (not included)
(HDMI + USB + SCHUKO)**





• CAPTION

- HDMI 1 (This cable connects TV to Power frame)
- HDMI 2 (This cable connects TV to CPU)
- TV ELECTRICITY (this cable connects TV to electricity)
- CPU ELECTRICITY (this cable connects CPU to electricity)
- ===== USB – 2 UDS. (These cables connect CPU with power frame)
- WEBCAM (This cable connects webcam with CPU)
- GENERAL ELECTRICITY (This cable connects multiple connector to electricity)
- CABLE RED (This cable connects CPU to Ethernet point)
- PF ELECTRICITY (This cable connects power frame to GX30)
-  GX30 (Located where power frame is connected, tv and the CPU electricity, in the panel)
-  POWER FRAME: USB (2ud) + HDMI (1ud) + Shuko (1ud). (Devices are connected outwardly. HDMI of the tv and 2 USB are connected to CPU inwardly).

FINISHES CODES





	WHITE	BLACK	GROUP 0	GROUP 1				GROUP 2		GROUP 3
			GROUP T	GROUP AE	GROUP AO	GROUP AI	GROUP D	GROUP M	GROUP A	
										
MFC	00	08								
STEEL	00	08								
FABRIC			T--	AE--	AO--	AI--	D--	M--	A--	

CADDY VIDEO-CONFERENCE – FREESTANDING SCREEN ON CASTORS FOR TV/MONITOR











TWB37 	CADDY WITHOUT POWER FRAME It includes: <ul style="list-style-type: none"> EU: 3 power modules - GX30 + Cable with Power GX21 UK: 3 power modules - GX30L + Cable with Power GX21L US: 3 power modules - GX30D + Cable with Power GX21D <hr/> <ul style="list-style-type: none"> 2 USB- 3.0 elbow 1 HDMI elbow 4 adhesive support for cables 1 screw kit 	TWB38 - TWB39 	CADDY WITH POWER FRAME It includes: <ul style="list-style-type: none"> EU: 3 power modules - GX30 + Cable with Power GX21 UK: 3 power modules - GX30L + Cable with Power GX21L US: 3 power modules - GX30D + Cable with Power GX21D <hr/> <ul style="list-style-type: none"> 2 USB- 3.0 elbow 1 HDMI elbow 4 adhesive support for cables 1 screw kit Power Frame – 2 types: <ul style="list-style-type: none"> With Dedicated CPU <ul style="list-style-type: none"> -2 USB – 3.0 + HDMI + Power Without Dedicated CPU <ul style="list-style-type: none"> - HDMI + 2 powers
---	--	--	--

NOTE: Computers and/or Televisions are not included in the price.

CADDY VIDEO-CONFERENCE - WITHOUT POWER FRAME SYSTEM


Model	Plinth and profile finishing	Plug System	Refe Reference	MFC panel finishing		FABRIC panel finishing				Packaging Packs- Vol - Weight
				White	Black	Group 0	Group 1	Group 2	Group 3	
TWB37 	White	 EU 220 Voltios	TWB3702--	1.360,80	1.360,80	1.540,00	1.590,40	1.621,20	1.710,80	
		 UK 220 Voltios	TWB3703--	1.360,80	1.360,80	1.540,00	1.590,40	1.621,20	1.710,80	
		 US 120 Voltios*	TWB3701--	1.360,80	1.360,80	1.540,00	1.590,40	1.621,20	1.710,80	

CADDY VIDEO-CONFERENCE - CON SISTEMA POWER FRAME

Model	POWER FRAME	Plinth and profile finishing	POWER FRAME Plug System + Voltaje	Reference	MFC panel finishing		FABRIC panel finishing				Packaging Packs- Vol - Weight
					Blanco	Negro	Group 0	Group 1	Group 2	Group 3	
TWB38 	 Without Dedicated CPU	White	 EU 220 Voltios	TWB3802--	1.611,40	1.611,40	1.790,60	1.841,00	1.871,80	1.961,40	
			 UK 220 Voltios	TWB3803--	1.646,40	1.646,40	1.825,60	1.876,00	1.906,80	1.996,40	
			 US 120 Voltios*	TWB3801--	1.628,20	1.628,20	1.807,40	1.859,20	1.888,60	1.979,60	
TWB39 	 With Dedicated CPU	White	 EU 220 Voltios	TWB3902--	1.757,00	1.757,00	1.936,20	1.986,60	2.017,40	2.107,00	
			 UK 220 Voltios	TWB3903--	1.792,00	1.792,00	1.971,20	2.021,60	2.052,40	2.142,00	
			 US 120 Voltios*	TWB3901--	1.773,80	1.773,80	1.953,00	2.004,80	2.034,20	2.125,20	

*** CHECK LEAD TIMES FOR THE 120 Volts OPTION**

OPTIONAL TRAY FOR VIDEO-CONFERENCE CADDY

Model	Description	Reference	STEEL finish		Packaging Packs- Vol - Weight
			White	Black	
TWB40 	OPTIONAL TRAY FOR VIDEO-CONFERENCE CADDY	TWB40--	57,40	57,40	

Prices shown are not the final selling price.
To obtain the list price, multiply the price by 2.65.
Prices effective as May 2025.

CADDY 500


By I+D+i Actiu





AGILE

A line of light and versatile mobile supports that allow the space to be divided into different zones, creating ephemeral micro architectures. In addition to improving the flexibility of the work area, Caddy 500 can integrate interactive whiteboards and screens, increasing the operability of the caddy. Complementary accessories such as decorative trays are also available. The possibility of incorporating an upholstered finish favours its sound-absorbent quality and greater acoustic privacy. At the same time, the wheels with brakes ensure mobility and stability.






Model	TECH MODEL		CLASS MODEL	
Structure	<ul style="list-style-type: none">• Structure made of steel profile 2 mm thick and 7 cm wide.• Outer profile made of extruded aluminium 2 mm thick and 7 cm wide. Easy installation and removal. Finished in white or black.• Fixing points for monitors according to VESA 200, 300 and 400:<ul style="list-style-type: none">• The positioning of the monitor can be done in 4 different positions with a range of 2,5 cm per position (Total: 10cm).• Height of the centre of the monitor from the floor:<ul style="list-style-type: none">• min: 125 cm / max: 135 cm• Cable grommet integrated in the lower profile of the frame.		<ul style="list-style-type: none">• Structure made of steel profile 2 mm thick and 7 cm wide.• Outer profile made of extruded aluminium 2 mm thick and 7 cm wide. Easy installation and removal. Finished in white or black.	
Base	Injection-moulded aluminium feet in black and white finish coated with epoxy paint.			
Support	Black 65 mm diameter wheels (black structure) or white 65 mm diameter wheels (white structure), 2 with brake and 2 without brake.			
Surfaces	Front and rear panels made of different materials to suit different needs.			
Technical characteristics	<ul style="list-style-type: none">• 10 mm thick melamine panels in different finishes.• Laminate panels (HPL) in white, suitable for direct writing with dry-erase marker pens.• 10 mm melamine panels upholstered in different finishes and colours, plus 2 mm foam.• Integrated cable grommet in front panel.• Inner fixing points for PC (according to VESA 75 and 100).		<ul style="list-style-type: none">• 10 mm thick melamine panels in different finishes.• Laminate panels (HPL) in white, suitable for direct writing with dry-erase marker pens.• 10 mm melamine panels upholstered in different finishes and colours, plus 2 mm foam.	
Connection system	<ul style="list-style-type: none">• POWERFRAME WITHOUT DEDICATED PC<ul style="list-style-type: none">• Powerframe with one HDMI input + 2 sockets• 2 HDMI elbows• 4 adhesive cable holders• 1 set of screws• 3 power strips<ul style="list-style-type: none">• EU: GX30 + Cable with plug GX21• UK: GX30L + Cable with plug GX21L• US: GX30D + Cable with plug GX21• POWERFRAME WITH DEDICATED PC<ul style="list-style-type: none">• Powerframe with 2 USB- 3.0 inputs + one HDMI input + Plug• 2 HDMI elbows• 2 USB - 3.0 elbows• 4 adhesive cable holders• 1 set of screws• 3 power strips<ul style="list-style-type: none">• EU: GX30 + Cable with plug GX21• UK: GX30L + Cable with plug GX21L• US: GX30D + Cable with plug GX21			
Complements	Optional tray made of hot-rolled sheet steel with a thickness of 0.8 mm available in black and white.			
Dimensions				
Dimensions	<p>Overall dimensions: Height: 1920 mm Width: 1175 mm Depth: 605 mm</p>	<p>117,5 cm</p>  <p>192 cm</p> <p>60,5 cm</p>	<p>Overall dimensions: Height: 1920 mm Width: 1175 mm Depth: 605 mm</p>	<p>117,5 cm</p>  <p>192 cm</p> <p>60,5 cm</p>

RANGE OF FINISHES

TECH & CLASS MODELS




Structure, base and bowl (complement)




Surfaces


MFC




Fabric T



Fabric AE




Fabric M




Laminate panels (HPL)



Fabric AI



Fabric AO



Fabric D



Fabric A



CADDY 500 WITH LAMINATED WRITING SURFACE


White laminated melamine desk-top, suitable for writing directly on it with dry erase markers.



Cleaning the Desk-top

Easily erased and cleaned with a simple dry cloth or rubber, even when the writing has been there for a while.

The use of chemical products for cleaning the desk-top is not recommended.




Markers for Writing


To correctly write on the desk-top, the use of dry erase markers is recommended in order to lengthen the desk desk-top's useful life.

CABLE MANAGEMENT

CADDY WITH POWER FRAME NO CPU
(HDMI + SCHUKO)



CADDY WITH POWER FRAME
WITH CPU (not included)
(HDMI + USB + SCHUKO)



CAPTION

— HDMI 1 (This cable connects TV to Power frame)

..... HDMI 2 (This cable connects TV to CPU)

— TV ELECTRICITY (this cable connects TV to electricity)

..... CPU ELECTRICITY (this cable connects CPU to electricity)


== USB – 2 UDS. (These cables connect CPU with power frame)

— WEBCAM (This cable connects webcam with CPU)


— GENERAL ELECTRICITY (This cable connects multiple connector to electricity)

..... CABLE RED (This cable connects CPU to Ethernet point)

— PF ELECTRICITY (This cable connects power frame to GX30)


































GX30 (Located where power frame is connected, tv and the CPU electricity, in the panel)






















POWER FRAME: USB (2ud) + HDMI (1ud) + Shuko (1ud). (Devices are connected outwardly. HDMI of the tv and 2 USB are connected to CPU inwardly).

PANELS FOR MONITOR USE

TECH MODEL - PANELS ONLY ONE FINISHED									
<div><div><div>A</div><div></div></div><div><div>B</div><div></div></div></div>					<div><div>A</div><div>REAR PANEL 2 PIECES</div><div>Front panel: Melamine or Upholstered</div><div>Rear Panel: Melamine or Upholstered</div></div>		<div><div>B</div><div>REAR PANEL 1 PIECE</div><div>Front panel: Melamine or Upholstered</div><div>Rear Panel: Paintable HPL</div></div>		
					CDT121		CDT122		
STRUCTURE	PROFILE AND FEET		White	0	1650,60		1880,20		
			Black	8					
FRONT PANELS	METAL BUCKET (1 unit) BOTTOM PANEL		Without bucket	9					
			White	0	+ 105,00		+ 105,00		
			Black	8	+ 105,00		+ 105,00		
	MFC		White	00					
			Coco Grey	15					
			Lime Oak	11					
			Light Oak	10					
	UPHOLSTERY	GROUP 0		Group T	T--	+ 166,60		+ 166,60	
			GROUP 1		Group AE	AE--	+ 225,40		+ 225,40
				Group AO	AO--				
				Group AI	AI--				
		GROUP 2		Group D	D--	+ 266,00		+ 266,00	
				Group M	M--				
		GROUP 3		Group A	A--	+ 368,20		+ 368,20	
	CONNECTION MODEL	Power Frame No Dedicated PC		US-120v	4	+ 268,80		+ 268,80	
				EU-220v	5	+ 250,60		+ 250,60	
				UK-220v	6	+ 285,60		+ 285,60	
		Power Frame With Dedicated PC		US-120v	7	+ 414,40		+ 414,40	
				EU-220v	8	+ 396,20		+ 396,20	
				UK-220v	9	+ 431,20		+ 431,20	
REAR PANELS	METAL BUCKET (2 units) TOP PANEL		Without bucket	9					
			White	0	+ 210,00				
			Black	8	+ 210,00				
	SURFACE FOR WRITING (FULL Panel)		White	20					
	MFC		White	00					
			Coco Grey	15					
			Lime Oak	11					
			Light Oak	10					
	UPHOLSTERY	GROUP 0		Group T	T--	+ 166,60			
		GROUP 1		Group AE	AE--	+ 225,40			
				Group AO	AO--				
				Group AI	AI--				
		GROUP 2		Group D	D--	+ 266,00			
				Group M	M--				
		GROUP 3		Group A	A--	+ 368,20			


















PANELS FOR MONITOR USE

TECH MODEL - Combined Rear Panel						
			C REAR PANEL 2 PIECES Front panel: Melamine or Upholstered Rear Panel: Paintable HPL + Melamine or Upholstered		CDT123	
STRUCTURE	PROFILE AND FEET					
			White	0	1765,40	
			Black	8		
FRONT PANELS	METAL BUCKET (1 unit) BOTTOM PANEL		Without bucket	9		
			White	0	+ 105,00	
			Black	8	+ 105,00	
	MFC		White	00		
			Coco Grey	15		
			Lime Oak	11		
			Light Oak	10		
	UPHOLSTERY	GROUP 0	Group T	T--	+ 166,60	
			Group AE	AE--	+ 225,40	
		GROUP 1	Group AO	AO--		
			Group AI	AI--		
		GROUP 2	Group D	D--	+ 266,00	
			Group M	M--		
		GROUP 3	Group A	A--	+ 368,20	
	CONNECTION MODEL	Power Frame No Dedicated PC	US-120v	4	+ 268,80	
			EU-220v	5	+ 250,60	
			UK-220v	6	+ 285,60	
		Power Frame With Dedicated PC	US-120v	7	+ 414,40	
			EU-220v	8	+ 396,20	
			UK-220v	9	+ 431,20	
REAR PANELS	TOP PANEL	SURFACE FOR WRITING		White	20	
	BOTTOM PANEL	METAL BUCKET (1 unit) BOTTOM PANEL		Without bucket	9	
				White	0	+ 105,00
				Black	8	+ 105,00
		MFC		White	00	
				Coco Grey	15	
				Lime Oak	11	
				Light Oak	10	
		UPHOLSTERY	GROUP 0	Group T	T--	+ 85,40
				Group AE	AE--	+ 114,80
			GROUP 1	Group AO	AO--	
				Group AI	AI--	
			GROUP 2	Group D	D--	+ 133,00
				Group M	M--	
			GROUP 3	Group A	A--	+ 186,20

















-  Coding required to set up reference.
No cost increase
-  Combination not available.
-  Optional add-ons.




PANELS WITH ACCESSORIES 3rd LEVEL

CADDY 500

MODELO CLASS - PANELS ONLY ONE FINISHED						
<div> <div>A</div>  </div> <div> <div>B</div>  </div>		<div>A</div> REAR PANEL 2 PIECES Front panel: Melamine or Upholstered Rear Panel: Melamine or Upholstered			<div>B</div> REAR PANEL 1 PIECE Front panel: Melamine or Upholstered Rear Panel: Paintable HPL	
		CDC121			CDC122	
STRUCTURE	PROFILE AND FEET					
			White	0	1321,60	1549,80
			Black	8		
FRONT PANELS	METAL BUCKET (2 units) TOP PANEL		Without bucket	9		
			White	0	+ 210,00	+ 210,00
			Black	8	+ 210,00	+ 210,00
	MFC		White	00		
			Coco Grey	15		
			Lime Oak	11		
			Light Oak	10		
	UPHOLSTERY	GROUP 0	Group T	T--	+ 166,60	+ 166,60
			Group AE	AE--	+ 225,40	+ 225,40
		GROUP 1	Group AO	AO--		
			Group AI	AI--		
		GROUP 2	Group D	D--	+ 266,00	+ 266,00
			Group M	M--		
		GROUP 3	Group A	A--	+ 368,20	+ 368,20
REAR PANELS	METAL BUCKET (2 units) TOP PANEL		Without bucket	9		
			White	0	+ 210,00	
			Black	8	+ 210,00	
	SURFACE FOR WRITING (FULL Panel)		White	20		
	MFC		White	00		
			Coco Grey	15		
			Lime Oak	11		
			Light Oak	10		
	UPHOLSTERY	GROUP 0	Group T	T--	+ 166,60	
			Group AE	AE--	+ 225,40	
		GROUP 1	Group AO	AO--		
			Group AI	AI--		
		GROUP 2	Group D	D--	+ 266,00	
			Group M	M--		
		GROUP 3	Group A	A--	+ 368,20	

PANELS WITH ACCESSORIES 3rd LEVEL

MODELO CLASS - Combined Rear Panel						
				C REAR PANEL 2 PIECES Front panel: Melamine or Upholstered Rear Panel: Paintable HPL + Melamine or Upholstered		
				CDC123		
STRUCTURE	PROFILE AND FEET		White	0	1436,40	
			Black	8		
FRONT PANELS	METAL BUCKET (2 units) TOP PANEL		Without bucket	9		
			White	0	+ 210,00	
			Black	8	+ 210,00	
	MFC		White	00		
			Coco Grey	15		
			Lime Oak	11		
			Light Oak	10		
	UPHOLSTERY	GROUP 0	Group T	T--	+ 166,60	
			Group AE	AE--	+ 225,40	
		GROUP 1	Group AO	AO--		
			Group AI	AI--		
		GROUP 2	Group D	D--	+ 266,00	
			Group M	M--	+ 368,20	
		GROUP 3	Group A	A--		
REAR PANELS	TOP PANEL		White	20		
	METAL BUCKET (1 unit) BOTTOM PANEL		Without bucket	9		
			White	0	+ 105,00	
			Black	8	+ 105,00	
	MFC		White	00		
			Coco Grey	15		
			Lime Oak	11		
			Light Oak	10		
	UPHOLSTERY	GROUP 0	Group T	T--	+ 85,40	
			Group AE	AE--	+ 114,80	
		GROUP 1	Group AO	AO--		
			Group AI	AI--		
		GROUP 2	Group D	D--	+ 133,00	
			Group M	M--	+ 186,20	
		GROUP 3	Group A	A--		

-  Coding required to set up reference.
No cost increase
-  Combination not available.
-  Optional add-ons.