Prices shown are not the final selling price.
To obtain the list price, multiply the price by 2.65.
Prices effective as May 2025.











WHAT IS LINK?

The new trends in office design suggest combining privacy with open and collaborative offices , where creativity and communication flow in a natural way. This evolution in the way of understanding work environments lead us to the need to adapt the furniture so that it is flexible and versatile

With this aim, the studio ITEM designworks designed LINK, a modular system which creates and configures spaces of different heights that enables endless design possibilities to adapt work spaces to every need.

'LINK enables you to create new spaces within offices and change them swiftly. It is a light, different program with personality. It works to complement and act as a transition between more individual areas of the office and other more open and collective places. To do this and by means of accessories that make it more operative and dynamic,LINK can combine modular sofas, operative desks and other accessories which expand the possibilities within the office, with the aim to stimulate efficiency of people through comfort and change. 'says Javier Cuñado, designer of ITEM designworks.



WHAT LINK IS COMPOSED OF?



PANELS

Link PANELS are a modular system for creating spaces from panels of 130 and 170 cm height, with widths of 69, 80 and 102cm. The panels are clad in upholstery in different finishes. The simultaneous composition of panels allows great configuration possibilities.



JOINTS

The joint system consists of two elements. A superior joint piece and a lower joint piece which also incorporates a leveler. The joints are made of cast aluminum with epoxy paint in black. The joint system is designed to high strength and durability.



TABLES

The tables, made of melamine board 25mm thickness to configure modulations jobs in both 90 and 120°. The tables incorporate standard height adjustment system, with a minimum height of 74 cm and 82 cm, divided in 5 positions. In addition, all tables incorporate the new access to wiring "push latch" that allows access to more quickly and conveniently.



ACCESSORIES

These are made of folded 1.5 mm steel, finished in epoxy paint, textured white with a unique design, optional accessories, allowing higher performance and provides comfort in the workplace.







DESCRIPTION

Metal structure, on which are placed sound-absorbing panels

There are 4 types of panels:

- Finished or extended panel without placement of the table.
- Panel for placement of 1-sided table.
- Panel for placement of 2-sided table with grommets.
- Panel with height change.





■ TECHNICAL CHARACTERISTICS

- 1) Steel perimeter structure.
- (2) Central structure made of steel for elements anchored to the height of the table
- (3) Placement area of absorbing panels 30 mm thick.
- \bigcirc Circular grommets Ø80 mm with access on both sides of the panel.
- 5 Cover upholstered in different finishes (See finishes card).



FINISHES

Joints



Accessories





Surfaces

Melamina











Light oak

Fabric T



















T82

T64 T84

Fabric AE











AE37







AE21





AE44











AE14 AE08



AI90



A189



AE92



























Fabric M















M76



M62





M46





M90



M91

Fabric A

M14






























Fabric AO



Fabric D




A008



PANELS. TYPES AND DIMENSIONS


LINK PANELS - END AND GROWTH MODULES

End and growth modules 130 cm high




LINK PANELS - INDEPENDENT MODULES

Independent Modules - 170 cm high



LINK TYPE PANELS






PANELS WITHOUT ANCHORAGE SYSTEM OF THE TABLE

Panels that enable the system of anchoring tables from none of its two sides. Available:


- Growth or end panels in 130 cm height.




PANELS WITH THE PLACEMENT OF THE TABLE ON ONE SIDE

Panels that enable the system of anchoring tables on one side. The other side doesn't have the anchorage system.

- Growth or end panels in 130 cm height.





PANELS WITH THE PLACEMENT OF THE TABLE ON TWO SIDES

Panels that enable the system of anchoring tables on two sides

- Growth or end panels in 130 cm height.




LONGO AND LINK ACCOUSTIC SCREENS



- 10 mm thick Chipboard
- 2 Foam thickness e= 10 mm and 60 Kg/m3 density
- 3 Fabric foam 30mm thick and 20kg/m3 density
- Different fabrics available glued using water glue.
 Optional accoustic or fire resistant fabrics for projects.

Actiu fabric range							
GROUP "M"	MELANGE	Medium accoustic properties. Fire resistant fabric.					
GROUP "B"	BLAZER	Good accoustic properties					

Accoustic absorbence ratio - UNE EN ISO 354:2004



Frequence (HZ)	Ratio
80	0,07
100	0,11
125	0,19
160	0,37
200	0,37
250	0,35
315	0,34
400	0,35
500	0,41
630	0,47

Ratio
0,53
0,60
0,71
0,78
0,87
0,91
0,98
0,99
0,98





2. SYSTEMS OF LINK JOINTS

The joint system consists of two elements. A superior joint piece and a bottom piece which also incorporates an leveler. The joints are made of cast aluminum painted with black epoxy. The joint system is designed to obtain high strength, durability and structural fixation






TWO TYPES OF JOINTS

Pieces for joining panels of the same height.

Superior joining piece

Lower joining piece

ANCHORAGE SYSTEMS FOR CONFIGURATIONS







3. WORK DESKS FOR LINK



TABLES

Melamine of 90 and 120 gr. / M2, on chipboard made from certified PEFC 25 mm thickness. PVC edges 2mm thickness, applied with a hot melt glue and rounded R = 2 mm. With high durability and 100% recyclable.



HEIGHT REGULATION

The LINK tables incorporates as standard a system which adjusts mechanical height. It allows the modification of the height of a table from 74 cm to 82 cm in 5 intervals. The system is anchored at 4 points which ensures maximum stability and resistance.

The possibility of carrying out a fixed anchorage system for projects exists, please consult with the Commercial Department.



CABLING ACCESS "T"


Access system of cabling with an opening system. "Push-Latch" incorporated as standard on all surfaces. Made from White or Black ABS, it facilitates cable management channels using electrification. It also incorporates an "Anti Dust" system that prevents the accumulation of dust in the wiring.

There is the possibility of using other cabling access systems for projects, please consult with the Commercial Department.


TABLES FOR LINK CONFIGURATIONS

The work surfaces are used with **front panels** of **69**, **80** and **102** cm. long and with **side panels** of **80** and **102** cm. long.

Work surfaces for the use of Link with a height adjustment system - Width 68 cm



Work surfaces for the use of Link with a height adjustment system - Width 78 cm



HEIGHT ADJUSTMENT

Min height. 74 cm and max 82 cm - 5 intervals







4. OPTIONAL ACCESSORIES FOR LINK

Made from 2 mm folded steel, finished in white epoxy paint, textured and with a unique design, optional accessories, which provide greater benefits to the workplace.







Shelf



Magazine rack



Magnetic board



Support monitor



Cable tray



Cable riser

COMPLEMENTOS OPCIONALES PARA PANELES LINK






TABLE OF FINISHES

	GROUP 0	GROUP 1		GROUP 1 GROUF		UP 2	GROUP 3	
	FABRIC T	FABRIC AE	FABRIC AO	FABRIC AI	FABRIC D	FABRIC M	FABRIC A	
FABRIC	T	AE	A0	Al	D	M	A	

To see fisishes in detail, check finishes section. Before ordering we suggest to check real samples

HOW TO ORDER UPHOLSTERED LINK PANELS

To place an order for a product, the reference will be complemented with the desired finish code, replacing the 3 hypens with the desired tiles finish. The available finishes are reflected in the price list.

Ex: LK13118-----> 2 directions Link panel - without anchorage system of the table - Fabric M19 --> LK13118 M19



Panels of 60cm width will be used exclusively with tables of 135cm being combined with longo's frames.

For different uses, we will have to use panels of 80cm and 102cm width instead


LINK PANELS-130cm HEIGHT - END AND GROWTH PANELS

LIMITAMELS	100cm melom END A	IND OROWII	IIAIILL	'				
Model	Description	Width Panel	Reference	Group 0	Group 1	Group 2	Group 3	Packaging Packs· Vol · Weight
LK1311	• Two sides progression Panel	69 cm only for front panels	LK13116	501,20	561,40	578,20	676,20	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1
-130-	Without Table anchorage systemWithout Grommets	80 cm	LK13118	513,80	579,60	603,40	711,20	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1
	• All 1 color upholstery	102 cm	LK13111	553,00	637,00	666,40	800,80	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1
LK1312	 Two sides progression Panel Table anchorage system 1-side Without Grommets All 1 color upholstery 	69 cm only for front panels	LK13126	506,80	567,00	586,60	681,80	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1
		80 cm	LK13128	518,00	586,60	609,00	721,00	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1
		102 cm	LK13121	560,00	644,00	670,60	806,40	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1
LK1313	 Two sides progression Panel Table anchorage system 2-side With Black Grommets All 1 color upholstery 	69 cm only for front panels	LK13136	532,00	592,20	607,60	702,80	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1
		80 cm	LK13138	543,20	610,40	614,60	739,20	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1
		102 cm	LK13131	579,60	665,00	691,60	827,40	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1

Model	Description	Width Panel	Reference	Group 0	Group 1	Group 2	Group 3	Packaging Packs: Vol : Weigh
LK1791	 Modules for Independent Use Without Table anchorage system Without Grommets All 1 color upholstery Includes 2 feet support 	102 cm	LK17911	793,80	870,80	910,00	1.127,00	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1
K1792	 Modules for Independent Use Without Table anchorage system Without Grommets All 1 color upholstery Includes 2 panels, 3 feet support and intermediate anchoring kit for 2 panels 	102 cm	LK17921	1.554,00	1.631,00	1.780,80	2.212,00	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1



ANCHORAGE SYSTEMS FOR CONFIGURATIONS OF THE SAME HEIGHT





ANCHORAGE SYSTEMS FOR CONFIGURATIONS OF THE SAME HEIGHT						
Model	Description	Finish	Reference	R.R.P. PACK	Packaging Packs-Vol · Weight	
LK11 120° JOINT 120° LEG WITH LEVELLER	Pack for joining 3 panels of the same height in 120°. Contains: - 1 upper joint of 120° - 1 lower leg of 120° with leveller	Black	LK1108	23,80	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1	
LK21 90° JOINT 90° LEG WITH LEVELLER	Pack for joining 4 panels of the same height in 90°. Contains - 1 upper joint of 90° - 1 lower leg of 90° with leveller	Black	LK2108	23,80	19,1 Kg. Vol: 0,1828 m ² Units / Pack: 1	
LK31 JOINT IN T' TT LEG WITH LEVELLER	Pack for joining 3 panels of the same height in 'T'. Contains: - 1 upper joint in T - 1 lower leg in T with leveller	Black	LK3108	23,80	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1	
LK41 90° TURN JOINT 90° TURN LEG WITH LEVELLER	Pack for joining 2 panels of the same height in 90°. Contains: - 1 upper joint with 90° turn - 1 lower leg with 90° turn with leveller	Black	LK4108	22,40	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1	
LK51 120° TURN JOINT 120° TURN LEG WITH LEVELLER	Pack for joining 2 panels of the same height in 120°. Contains: - 1 upper joint with 120° turn - 1 lower leg with 120° turn with leveller	Black	LK5108	22,40	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1	
LK61 STRAIGHT STRAIGHT PROGRESSIVE PROGRESSIVE JOINT LEG WITH LEVELLER OOOOO	Pack for joining 2 panels of the same height in progression. Contains: - 1 upper progressive joint - 1 lower progressive leg with leveller	Black	LK6108	22,40	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1	
END JOIN WITH TURN + EXTREME END END LEG WITH TURN WITH FLAT LEG	Pack for joining 2 end panels of the same height with a turn. Contains: - 1 upper end join - 1 lower end leg - 1 flat leg to turn - 1 upper end trim	Black	LK7108	32,20	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1	
EXTREME END LEG WITH LEVELLER	Pack for fixed extreme end panels. Contains: - 1 lower fixed end leg with leveller - 1 upper end trim	Black	LK8108	16,80	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1	



TABLE OF FINISHES



 $For more \ details \ of \ color \ finishes, \ go \ to \ the \ page \ of \ finishes. \ We \ recommend \ you \ to \ check \ our \ physical \ samples, \ before \ delivery$

HOW TO ORDER WORK SURFACES FOR LINK


To place an order for a product, the reference will be complemented with the desired finish code, replacing the 2 hypens with the desired tiles finish. The available finishes are reflected in the price list.

Ex: LK6010--TF --> 80x60 cm Work Surface, with white height adjustment system. White MFC Finish --> LK6010 00 TF



WORK SURFACES FOR THE USE OF LINK WITH A HEIGHT ADJUSTMENT SYSTEM - WIDTH 68 CM

Model	Adjustment System	Height adjustment System Finish	Reference	MFC	Packaging Packs: Vol : Weight
LK608TF 80 68 Rectangular desk	Height Adjustable	Black	LK60828TF	141,40	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1
LK610TF 100 68 Rectangular desk	Height Adjustable	Black	LK61028TF	165,20	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1
LK634TF 135 68 Rectangular desk	Height Adjustable	Black	LK63428TF	214,20	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1
LK660TF 160 68 Rectangular desk	Height Adjustable	Black	LK66028TF	233,80	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1
LK710TF 100 68 175 120° desk	Height Adjustable	Black	LK71028TF	245,00	19,1 Kg. Vol: 0,1828 m ³ Units / Pack: 1





IMPORTANT NOTE: The combination of wired access is carried out in the following way:

(If in any case you want the upper access in different finishing established, the customer must indicate it on the order.)

Access to wiring finish

Combinations Surface/Structure

White

Black

Surface: White

Surface: Chestnut

Surface: Lime Oak

Black Wired Access in option

Black Wired Access in option

WORK SURFACES FOR THE USE OF LINK WITH A HEIGHT ADJUSTMENT SYSTEM - WIDTH 78 CM

•

Surface: Light Oak

Model	Anchorage System	Anchorage System Finish	Reference	MFC	Packaging Packs: Vol : Weight
LK808TF	, and a discount of the second		Treses established		Tacks for Weight
78 Rectangular desk	Height Adjustable	Black	LK80828TF	159,60	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1
LK810TF					
78 100 2 100	Height Adjustable	Black	LK81028TF	176,40	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1
Rectangular desk					
LK834TF 135 78 Rectangular desk	Height Adjustable	Black	LK83428TF	229,60	19,1 Kg. Vol.: 0,1828 m³ Units / Pack: 1
LK860TF					
78 Rectangular desk	Height Adjustable	Black	LK86028TF	254,80	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1
LK910TF					
186.6 120° desk	Height Adjustable	Black	LK91028TF	274,40	19,1 Kg. Vol.: 0,1828 m³ Units / Pack: 1

HEIGHT ADJUSTABLE SYSTEM	FIXED SYSTEM	
		To order Work Surfaces for Link Panles with Fixed system for projects, please contact with Actiu Sales Department.
STANDARD OFFER	FOR PROJECTS	



TABLE OF FINISHES

	WHITE	BLACK	
STEAL SHEET	00	08	

For more details of color finishes, go to the page of finishes. We recommend you to check our physical samples, before delivery

HOW TO ORDER OPTIONAL ACCESSORIES FOR LINK

To place an order for a product, the reference will be complemented with the desired finish code, replacing the 2 hypens with the desired tiles finish. The available finishes are reflected in the price list.

Ex: LKC102-- --> Double coat rack - Pack 2units - Matt Black finish --> LKC102 08



				R.R.P	R.R.P. PACK		
Model		Units/pack	Reference	White	Matt Black	— Packaging Packs· Vol · Weigh	
LKC10	Double coat rack	1 Unit	LKC101	28,00	28,00	19,1 Kg. —— Vol: 0,1828 m³	
	9	2 Units	LKC102	49,00	49,00	Units / Pack: 1	
LKC20	Shelf - bottom 22cm	1 Unit	LKC201	53,20	53,20	19,1 Kg.	
		2 Units	LKC202	99,40	99,40	Vol: 0,1828 m³ Units / Pack: 1	
LKC30	KC30 Magazine rack - 32x42 cm	1 Unit	LKC301	60,20	60,20	19,1 Kg. —— Vol: 0,1828 m³	
		2 Units	LKC302	121,80	121,80	Units / Pack: 1	
LKC40 Magnetic board - 40x42 cm (magnets not inclunited)	(magnets not inclunited)	1 Unit	LKC401	50,40	50,40	19,1 Kg.	
		2 Units	LKC402	92,40	92,40	Vol: 0,1828 m³ Units / Pack: 1	
LKC52	Monitor Support - 49,8 cm (For panels of 130 cm height)	1 Unit	LKC521	51,80	51,80	19,1 Kg.	
		2 Units	LKC522	93,80	93,80	Vol: 0,1828 m ³ Units / Pack: 1	
LKC53	Monitor Support - 75 cm (For panels of 170 cm height)	1 Unit	LKC531	65,80	65,80	19,1 Kg.	
	D	2 Units	LKC532	126,00	126,00	Vol: 0,1828 m³ Units / Pack: 1	



ELECTRIFICATION CHANNELS FOR LINK WORK SURFACES									
Model	Dimensions (A x B x H)	Description	Matt Black		R.R.P. Unit	Packaging Packs· Vol · Weight			
	77,6 x 13 x 9 cm	For 80 cm desks	58	918	77,00	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1			
B A	99 x 13 x 9 cm	For 100 cm desks	58	938	81,20	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1			
B	134 x 13 x 9 cm	For 135 cm desks	58948		92,40	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1			
	159 x 13 x 9 cm	For 160 cm desks	58968		99,40	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1			
B C A		For 120º Desks	58	738	89,60	19,1 Kg. Vol: 0,1828 m³ Units / Pack: 1			
Model	Dimensions (A x B x H)	Description	Matt Black Polystyrene		R.R.P. Unit	Packaging Packs· Vol · Weight			
H HAMMAN A	7 x 4,5 x 80 cm	Cable spine (kit 3 units, 80cms, height)	395258		28,00	0,4 Kg. Vol: 0,0045 m³ Units / Pack: 1			
H WALLES B	4,5 x 4,5 x 80 cm	Cable spine (kit 3 units, 80cms, height)	394258		23,80	0,4 Kg. Vol: 0,0045 m ³ Units / Pack: 1			
Model	Dimensions (A x B x H)	Description	Units / Pack	Black	R.R.P. Unit	Packaging Packs· Vol · Weight			
н	Ø3 x 75 cm	Braided textile wrap with zipper for quick and easy installation. Offers additional protection against flames	1 Unit	394318	39,20				
ØA	93 x 73 cm	and abrasion	4 Units	394348	137,20				
"Y" WIRING ACCESS "W" V	WIRING ACCESS "T"	WIRING ACCESS (Displaced)							

"Y" WIRING ACCESS	"W" WIRING ACCESS	"T" WIRING ACCESS (Displaced)	
	M'ES M		Тс

To order other desks with access to wiring which does not have the standard outputs, please consult our Sales Department.



LINK SETUP EXAMPLES

■ 130 cm Height Panel ■ 170 cm Height Panel





