PROTECTIVE PANEL

— By Actiu —







PROTECTIVE PANEL

Self-supporting protective panels - ADMINISTRATIVE & RETAIL





-6 mm thick methacrylate - High strength amorphous thermoplastic, transparent and colourless. - Bounded edges. - Safety glass, high resistance to traction and impact and excellent clarity - Source of the table. Supports Steel foot (t= 4mm) with non-slip patch. Screwed to the panel by means of a steel plate. Can be screwed to the table. Total Dimensions: Height: 500 / 600 / 750 mm Width: 750 / 1000 mm Dimensions Height: 500 / 600 / 750 mm Width: 750 / 1000 mm Dimensions: Height: 500 / 600 / 750 mm Width: 750 / 1000 mm Dimensions: Height: 500 / 600 / 750 mm Width: 750 / 1000 mm Width: 420 mm Dimensions: Plate height: 300 mm Vidth: 420 mm Plate height: 300 mm Plate	lodel	Self-supporting protective panels - ADMINISTRATIVE	Self-supporting protective panels - RETAIL
Supports Can be screwed to the table. Total Dimensions: Total Dimensions: Height: 500 /600 /750 mm Height: 750 /1000 mm Width: 750 /1000 mm Depth: 180 mm Panel Dimensions: Height: 750 /1000 mm Height: 500 /600 /750 mm Depth: 180 mm Panel Dimensions: Height: 750 /1000 mm Height: 500 /600 /750 mm Width: 750 /1000 mm Width: 750 /1000 mm Height: 750 /1000 mm Width: 750 /1000 mm Height: 750 /1000 mm Width: 750 /1000 mm Height: 750 /1000 mm Width: 750 /1000 mm Width: 750 /1000 mm Thickness: 4 /6 mm Window Dimensions: Height: 100 mm Window Dimensions: Height: 100 mm Width: 420 mm Window Dimensions: Height: 130 mm Plate height: 300 mm Plate height: 300 mm Plate thickness: 8 mm Foot Width: 80 mm Foot Width: 80 mm Foot Depth: 200 mm Foot Thickness: 4 mm Foot Depth: 200 mm Foot Thickness: 4 mm Foot Thickness: 4 mm		 High strength amorphous thermoplastic, transparent and colourless. High resistance to traction and impact and excellent clarity Rounded edges. 4mm thick tempered glass Safety glass, high resistance to traction and impact and excellent clar 	
Dimensions Height: 500 / 600 / 750 mm Height: 750 / 1000 mm Vidth: 750 / 1000 mm Depth: 180 mm Depth: 180 mm Panel Dimensions: Height: 750 / 1000 mm Width: 750 / 1000 mm Width: 750 / 1000 mm Depth: 180 mm Depth: 180 mm Window Dimensions: Height: 750 / 1000 mm Window Dimensions: Height: 500 / 600 / 750 mm Window Dimensions: Height: 750 / 1000 mm Window Dimensions: Height: 750 / 1000 mm Window Dimensions: Height: 100 mm Window Dimensions: Height: 150 mm Window Dimensions: Height: 300 mm Height: 300 mm Blate height: 300 mm Plate height: 300 mm Plate height: 300 mm Plate height: 200 mm Foot Width: 80 mm Foot Width: 80 mm Foot Depth: 200 mm Foot Depth: 200 mm Foot Depth: 200 mm Foot Thickness: 4 mm Foot Thickness: 4 mm Foot Thickness: 4 mm	Supports		
	Dimensions	Height: 500 / 600 / 750 mm Width: 750 / 1000 mm Depth: 150 / 180 mm Panel Dimensions: Height: 500 / 600 / 750 mm Width: 750 / 1000 mm Thickness: 4 / 6 mm Window Dimensions: Height: 100 mm Width: 420 mm Support Dimensions: Plate height: 300 mm Plate thickness: 8 mm Foot Width: 80 mm Foot Depth: 200 mm Foot Depth: 200 mm Foot Thickness: 4 mm	Height: 750 / 1000 mm Width: 750 / 1000 mm Depth: 180 mm Panel Dimensions: Height: 750 / 1000 mm Width: 750 / 1000 mm Thickness: 4 / 6 mm Window Dimensions: Height: 150 mm Width: 420 / 670 mm Support Dimensions: Plate height: 300 mm Plate thickness: 8 mm Foot Width: 80 mm Foot Depth: 200 mm Foot Thickness: 4 mm

ANEL



Clear methacrylate

Clear glass

JUPPURI

Utility Model

FIX BLOCK SYSTEM by ACTIU

System designed, developed and manufactured by Actiu, registered as a Utility Model thanks to its innovative assembly system.



Movable model Dimensions: Plate height: 300 mm Plate thickness: 8 mm Foot Width: 80 mm Foot Depth: 200 mm Foot Thickness: 4 mm

Steel

Department.



Non-slip patch. Hole for fixing the panel to the surface.



Support for surface fixation (FOR PROJECTS) For those projects that require a smaller support, fixed to the board directly, it can be requested from the Sales

NOTE: The self-supporting pannels are supported on the surface. Special care must be taken with those table programs that have a movable top (Vital Plus family), as the screen could move with the top if this movement is used. If you wish to move the tabletop, first make sure that the screen is not on this sliding surface.

Self-supporting protective panels - CORPORATE



Utility Model

FIX BLOCK SYSTEM by ACTIU

System designed, developed and manufactured by Actiu, registered as a Utility Model thanks to its innovative assembly system.

Model	Self	-supporting protective panels - CORPORAT	E
Technical Features	• 6 mm thick methacrylate • High strength amorphous thermoplastic, trar • High resistance to traction and impact and ex • Rounded edges.		
Supports	Steel foot (t= 4mm) with non-slip patch. Screw Can be screwed t		Steel foot (t= 4mm) with non-slip patch. Screwed to the panel by means of a steel plate Fixed to the tabletop.
Use	FRONTAL USE	TRANSVERSAL / LATERAL USE	TRANSVERSAL / LATERAL USE
	Total Dimensions: Height: 750 / 1000 mm Width: 750 / 1000 / 1500 mm Depth: 180 mm Panel Dimensions: Height: 750 / 1000 mm Width: 750 / 1000 / 1500 mm Thickness: 6 mm Support Dimensions: Plate height: 300 mm Plate height: 300 mm Foot Width: 80 mm Foot Depth: 200 mm Foot Depth: 200 mm	Total Dimensions: Height: 750 / 1000 mm Width: 750 / 1500 / 2000 mm Depth: 180 mm Panel Dimensions: Height: 750 / 1500 / 2000 mm Width: 750 / 1500 / 2000 mm Thickness: 6 mm Support Dimensions: Plate height: 300 mm Plate thickness: 8 mm Foot Width: 80 mm Foot Depth: 200 mm Foot Thickness: 4 mm	Total Dimensions: Height: 750 / 1000 mm Width: 750 / 1500 / 2000 mm Depth: 180 mm Panel Dimensions: Height: 750 / 1000 mm Width: 750 / 1500 / 2000 mm Thickness: 6 mm Support Dimensions: Plate height: 300 mm Plate thickness: 8 mm Foot Width: 80 mm Foot Depth: 200 mm Foot Thickness: 4 mm
	Use on individual and twin desks	Transversal use on twin desk	Transversal use on twin desk
Dimensions		5 25 cm	
	150 cm	5 12 12 12 12 12 12 12 12 12 12	200 cm
		Lateral use on individual desks	Lateral use on individual desks
		100 cm	— 75 cm —

PANEL



Clear methacrylate

SUPPORT



Dimensions: Plate height: 300 mm Plate thickness: 8 mm Foot Width: 80 mm Foot Depth: 200 mm Foot Thickness: 4 mm



Non-slip patch. Hole for fixing the panel to the surface.




Support for surface fixation (FOR PROJECTS) For those projects that require a smaller support, fixed to the board directly, it can be requested from the Sales Department.

NOTE: The self-supporting pannels are supported on the surface. Special care must be taken with those table programs that have a movable top (Vital Plus family), as the screen could move with the top if this movement is used. If you wish to move the tabletop, first make sure that the screen is not on this sliding surface.


Self-supporting protective panels - CORPORATE





Map of Uses


PROTECTIVE PANEL



Protective panels - Use with Desk-mounted Screens







Technical Features

PANEL


Methacrylate








ACTIU Screens



Other Manufacturers Screens



Lightweight structural panel - D150



Model		Lightweight struc	ctural panel - D150			
Technical Features	 Extruded aluminium profiles silve Alloy cast moulded angles Polyamide covers and clips Panel different finishes: MFC Boards - 10 mm thickness Frosted Polycarbonate - 10 mm Clear methacrylate - 5 mm thickness MFC Board upholstered with factors 	s. n thickness. ckness.				
	E-link system developed by Actiu is clips to do configurations with two c		ith 1 polyamide single clip easily and o	quickly. The system accepts different		
Link System	E-link system					
Supports		soo mm -	380 mm	380 mm		
	Levellers (each module includes 2 levellers as standard)	Flat foot (optional) For aisles where people passing through	Double foot with levellers (optional) Ideal for configurations to divide areas	Double foot with castors (optional) Mobile foot ideal for configurations to divide areas		
	Height	152 cm	Height	182 cm		
	Total dim Height: 1 Width: 820 / 10	520 mm	Height: ⁻	n ensions: 1820 mm 020 / 1220 mm		
Dimensions						

Technical Features

PROFILE





Map of Uses



D150 Screens




Table h: 74 cm

Lightweight structural panel - **SPLIT**



Model	Lightweight struct	tural panel - SPLIT
Technical Features	 Profiles of anodized extruded aluminium, in aluminized or white finis Aluminium injection connecting system with aluminized epoxy coati Anodized extruded aluminium monorail. Possibility of hanging 3rd let Central panel - Complete: MFC Boards - 22 mm thickness. Clear methacrylate - 5 mm thickness. Tom melamine board + 3+3mm upholstered foam HPL writing board - two faces. Central panel - Mixed: Clear methacrylate HPL writing board - two faces. Clear methacrylate HPL writing board - two faces. Bottom Panel: Clear methacrylate MFC Boards - 22 mm thickness. Top Panel: Clear methacrylate MFC Boards - 22 mm thickness. Bottom Panel: MFC Boards - 22 mm thickness. Tom melamine board + 3+3mm upholstered foam 	ng.
Supports	Flat Foot Steel foot with two coats of paint. White and aluminium finish.	Fot with castors Steel foot with two coats of paint. White and aluminium finish.
	Each module includes 2 as standard. Fixed Model - Height 195 cm	Each module includes 2 as standard with 2 wheels of Ø65 mm. Mobile Model - Height 200 cm
	Total dimensions: Height: 1937 mm Width: 1000 / 1200 mm Thickness: 41 mm	Dimensiones Totales: Altura: 2000 mm Width: 1000 / 1200 mm Thickness: 41 mm
Dimensions	100 cm 120 cm 12	

Technical Features

PROFILE



PANEL



T68

T89

Т87

T82

T64

T84

Map of Uses



SPLIT Screens




Table h: 74 cm

PROTECTIVE PANEL

Map of Uses













Prices shown are not the final selling price. To obtain the list price, multiply the price by 2.65. Prices effective as June 2020.

SELF-SUPPORTING PROTECTIVE PANELS

PROTECTIVE PANEL





Г

PROTECTIVE PANEL

	CORPORATE - INDIVIDUAL TABLES													
FRONTAL USE														
reference. They do not	iired to configure mean an increase in n not available.	cost	Panel Di 100 x - Use on 1	mensions: 75 cm tables of : 0 and 180 cm Pack 2 Units ZMC8172	Panel Di 75 x 1 Use on 1	mensions: 00 cm tables of : 0 and 180 cm Pack 2 Units ZMC8712	Panel Di 100 x Use on 1	mensions: 100 cm 						
	Clear Methacrylate	91	228,20 RRP PACK: 228,20	217,00 RRP PACK: 434,00	228,20 RRP PACK: 228,20	217,00 RRP PACK: 434,00	278,60 RRP PACK: 278,60	266,00 RRP PACK: 532,00						
STRPPORTS	White steel	0												

ref	erence.	uired to configure t mean an increase in	cost								
		n not available.	COSL	Panel Dimensions: 150 x 75 cm Use on tables of : 160 and 180 cm			Panel Dimensions: 150 x 100 cm Use on tables of : 160 and 180 cm				
				Pac	k 1 Unit	Pack	2 Units	Pac	k 1 Unit	Pack	2 Units
				ZMC8571		ZMC8572		ZM	IC8511	ZM	C8512
PANEL		Clear Methacrylate	91	315,00		301,00		37	2,40	35	5,60
PAI					315,00	RRP PACK:	602,00	RRP PACK:	372,40	RRP PACK:	711,20
SUPPORTS	\bigcirc	White steel	0								

PROTECTIVE PANEL

CORPORATE - INDIVIDUAL TABLES

	S	IDE USE - TAE	BLES	5 DEP	тн 80 «	cm	
refei They	rence. / do not	uired to configure t mean an increase in n not available.	cost		Panel Dir		idth 2 Units
				ZN	1C8711	ZM	C8712
PANEL	\frown		01	22	28,20	21	7,00
PAN	\bigcirc	Clear Methacrylate	91	RRP PACK:	228,20	RRP PACK:	434,00
SUPPORTS	\bigcirc	White steel	0				

	F	INAL USE - TA	BLE	S DEPTH 80	cm
refe	rence.	uired to configure : mean an increase in	cost		— 75 cm —
Com	nbinatio	n not available.		75 Use on table	siones Panel: x 100 cm es of 80 cm width n to table top
				Pack 1 Unit	Pack 2 Units
				ZMC7711	ZMC7712
PANEL	\frown	Clear Methacrylate	91	228,20	217,00
PA	\subseteq		51	RRP PACK: 228,20	RRP PACK: 434,00
SUPPORTS	\bigcirc	White steel	0		
SS		19 mm boards (Arkitek)	1	+ 15,40	+30,80
NE		25 mm boards	2	+ 15,40	+30,80
SURFACE THICKNESS			3	+ 15,40	+30,80

1 1/4" Melamine) and 1/2" Compact laminate surfaces (All programmes), please consult the SALES DEPARTMENT.

Г

PROTECTIVE PANEL

	CORPORATE - TWIN DESKS												
FRONTAL USE													
reference. They do not	uired to configure t mean an increase in n not available.	cost	Panel Dir 100 x Use on t	mensions: 75 cm 	Panel Dir 75 x 1 Use on t	mensions: 00 cm 	Panel Di 100 x	mensions: Do cm 					
PANEL	Clear Methacrylate	91	228,20 RRP PACK: 228,20	217,00 RRP PACK: 434,00	228,20 RRP PACK: 228,20	217,00 RRP PACK: 434,00	278,60 RRP PACK: 278,60	266,00 RRP PACK: 532,00					
SUPPORTS	White steel	0											

refer	rence.	uired to configure : mean an increase in	cost								
		n not available.	COSL	Panel Dimensions: 150 x 75 cm Use on tables of : 160 and 180 cm			Panel Dimensions: 150 x 100 cm Use on tables of : 160 and 180 cm				
				Pac	k 1 Unit	Pack	2 Units	Pac	k 1 Unit	Pack	2 Units
				ZM	ZMC8571		C8572	ZM	C8511	ZM	C8512
PANEL	\frown	Clear Matheon date	01	31	5,00	301,00		37	2,40	35	5,60
IA	Clear Methacrylate 91				315,00	RRP PACK:	602,00	RRP PACK:	372,40	RRP PACK:	711,20
SUPPORTS	\bigcirc	White steel	0								

PROTECTIVE PANEL

CORPORATE - TWIN DESKS

				TRANSV	ERSAL US	SE - TABL	ES DEPTH	l 160 cm			
re [.] Th	ference. Ney do not	uired to configure t mean an increase in	cost		0.cm		0 cm		0 cm		0 cm
Co	ombinatic	n not available.		Panel Dimensions: 150 x 75 cm		Panel Dimensions: 150 x 100 cm		Panel Dimensions: 200 x 75 cm		Panel Dimensions: 200 x 100 cm	
				Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units
			-	ZMC8571	ZMC8572	ZMC8511	ZMC8512	ZMC2271	ZMC2272	ZMC2211	ZMC2212
PANEL		Class Mathematics	91	315,00	301,00	372,40	355,60	376,60	359,80	464,80	445,20
PAI	Clear Methacrylate 91		91	RRP PACK: 315,00	RRP PACK: 602,00	RRP PACK: 372,40	RRP PACK: 711,20	RRP PACK: 376,60	RRP PACK: 719,60	RRP PACK: 464,80	RRP PACK: 890,40
SUPPORTS	\bigcirc	White steel	0								

				FIN	AL USE - 1	TABLES D	EPTH 160	cm			
refe The	Coding required to configure reference. They do not mean an increase in cost Combination not available.				nensions: 75 cm o f I60 cm width	Panel Dir 150 x 1	 of 160 cm width	Panel Dir 200 x	75 cm of 160 cm width	Panel Dimensions: 200 cm 26 26 26 26 26 26 26 26 26 20 20 cm 26 20 26 26 20 26 26 26 26 20 26 26 26 26 26 26 26 26 26 26 26 26 26	
				Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units
				ZMC7571	ZMC7572	ZMC7511	ZMC7512	ZMC7271	ZMC7272	ZMC7211	ZMC7212
PANEL		Class Mathematics	01	315,00	301,00	372,40	355,60	376,60	359,80	464,80	445,20
PAI	\cup	Clear Methacrylate	91	RRP PACK: 315,00	RRP PACK: 602,00	RRP PACK: 372,40	RRP PACK: 711,20	RRP PACK: 376,60	RRP PACK: 719,60	RRP PACK: 464,80	RRP PACK: 890,40
SUPPORTS	\bigcirc	White steel	0								
щS		19 mm boards (Arkitek)	1	+15,40	+ 30,80	+15,40	+30,80	+ 15,40	+ 30,80	+ 15,40	+ 30,80
SURFACE THICKNESS		25 mm boards	2	+ 15,40	+ 30,80	+15,40	+30,80	+ 15,40	+ 30,80	+15,40	+ 30,80
° ⊨		50 mm boards (Prisma)	3	+15,40	+ 30,80	+15,40	+30,80	+ 15,40	+ 30,80	+15,40	+ 30,80

For the Vital Plus (ST, 60, 300 and Spine), Mobility Step, Longo, Cool C300 and C500 (1 1/4" Melamine) and 1/2" Compact laminate surfaces (All programmes), please consult the SALES DEPARTMENT.

PROTECTIVE PANEL FOR SCREENS

				PROTEC	TIVE PANEL	.S - h: 32 cm			
r	eference.	uired to configure		E S S S S S S S S S S S S S S S S S S S	4 cm		74 cm		84 cm ———
		t mean an increase in co on not available.	sl i	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Unit
				ZDM071	ZDM072	ZDM081	ZDM082	ZDM091	ZDM092
		Divider clamp for thickness from 19 mm to 23.5 mm	1						
Clamp		Divider clamp for thickness of 25 mm	2						
		Divider clamp for thickness of 30 mm	3						
	\bigcirc	White	0						
Bracket finish		Silver	2						
-		Black	8						
METHACRYLATE		Clear Methacrylate	91	85,40	159,60	91,00	170,80	98,00	184,80
GLASS MI	\bigcirc	Clear Glass	51	127,40	235,20	133,00	243,60	137,20	252,00
r	eference.	uired to configure t mean an increase in co	st		94 cm	g cu	94 cm	1 32 22 22	24 cm
		on not available.		Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Unit
				ZDM101	ZDM102	ZDM111	ZDM112	ZDM131	ZDM132
		Divides clance for thickness							
		Divider clamp for thickness from 19 mm to 23.5 mm	1						
Clamp		from 19 mm to 23.5 mm Divider clamp for thickness of 25 mm	1 2						
Clamp		from 19 mm to 23.5 mm Divider clamp for							
Clamp		from 19 mm to 23.5 mm Divider clamp for thickness of 25 mm Divider clamp for	2						
Bracket finish		from 19 mm to 23.5 mm Divider clamp for thickness of 25 mm Divider clamp for thickness of 30 mm	2 3						
		from 19 mm to 23.5 mm Divider clamp for thickness of 25 mm Divider clamp for thickness of 30 mm White	2 3 0						
		from 19 mm to 23.5 mm Divider clamp for thickness of 25 mm Divider clamp for thickness of 30 mm White Silver	2 3 0 2	107,80	204,40	121,80	229,60	134,40	254,80

PROTECTIVE PANEL FOR SCREENS

PRO	PROTECTIVE PANELS FOR USE WITH DESK MOUNTED SCREENS (UNIVERSAL SYSTEM)									
				PROTEC		S - h: 32 cm		-		
re	eference.	quired to configure ot mean an increase in co	st		34 cm		44 cm	-154 cm-		
		on not available.		Pack 1 Unit	Pack 2 Units	Pack 1 Unit Pack 2 Units		Pack 1 Unit	Pack 2 Units	
				ZDM141	ZDM142	ZDM151	ZDM152	ZDM161	ZDM162	
		Divider clamp for thickness from 19 mm to 23.5 mm	1							
Clamp		Divider clamp for thickness of 25 mm	2							
		Divider clamp for thickness of 30 mm	3							
	\bigcirc	White	0							
Bracket finish		Silver	2							
		Black	8							
METHACRYLATE	\bigcirc	Clear Methacrylate	91	137,20	260,40	145,60	277,20	155,40	294,00	
CLASS	\bigcirc	Clear Glass	51	162,40	299,60	168,00	308,00	175,00	322,00	
		·		·	64 cm	·	74 cm			
re	eference.	quired to configure ot mean an increase in co	ct	33 cm		- 32 cm				
		on not available.	SL	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units			
				ZDM171	ZDM172	ZDM181	ZDM182			
		Divider clamp for thickness from 19 mm to 23.5 mm	1	·	·	·	·			

re	ference.	quired to configure ot mean an increase in co	st	- 32 cm -		- 33 cm -	
		on not available.		Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units
				ZDM171	ZDM172	ZDM181	ZDM182
		Divider clamp for thickness from 19 mm to 23.5 mm	1				
Clamp		Divider clamp for thickness of 25 mm	2				
		Divider clamp for thickness of 30 mm	3				
	\bigcirc	White	0				
Bracket finish		Silver	2				
		Black	8				
METHACRYLATE	\bigcirc	Clear Methacrylate	91	168,00	316,40	183,40	344,40
CLASS	\bigcirc	Clear Glass	51	182,00	336,00	197,40	364,00

ACTIU Screens

PROTECTIVE PANELS FOR USE WITH DESK MOUNTED SCREENS (UNIVERSAL SYSTEM)

				PROTEC		S - h: 50 cm			
re	ference.	uired to configure ot mean an increase in co	st	ES S	4 cm	e cu	74 cm	e e e e e e e e e e e e e e e e e e e	94 cm
Co	ombinati	on not available.		Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units
				ZDM5071	ZDM5072	ZDM5081	ZDM5082	ZDM5091	ZDM5092
		Divider clamp for thickness from 19 mm to 23.5 mm	1						
Clamp		Divider clamp for thickness of 25 mm	2						
		Divider clamp for thickness of 30 mm	3						
	\bigcirc	White	0						
Bracket finish		Silver	2						
		Black	8						
METHACRYLATE	\bigcirc	Clear Methacrylate	91	106,40	201,60	114,80	218,40	130,20	249,20

re Tł	eference. h <mark>ey do no</mark>	quired to configure ot mean an increase in co on not available.	st	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	D4 cm B D24 cm Pack 1 Unit Pack 2 Units ZDM5131 ZDM5132	
		Divider clamp for thickness from 19 mm to 23.5 mm	1						
Clamp		Divider clamp for thickness of 25 mm	2						
		Divider clamp for thickness of 30 mm	3						
	\bigcirc	White	0						
Bracket finish		Silver	2						
		Black	8						
METHACRYLATE	\circ	Clear Methacrylate	91	138,60	266,00	161,00	310,80	170,80	327,60

ACTIU Screens

PROTECTIVE PANEL FOR SCREENS

PROTECTIVE PANELS FOR USE WITH DESK MOUNTED SCREENS (UNIVERSAL SYSTEM)

				PROTEC	TIVE PANEL	.S - h: 50 cm			
re	eference.	quired to configure ot mean an increase in co	st	В 134 ст. 144			5 8 9 154 cm		
C	ombinati	on not available.		Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units
				ZDM5141	ZDM5142	ZDM5151	ZDM5152	ZDM5161	ZDM5162
		Divider clamp for thickness from 19 mm to 23.5 mm	1						
Clamp		Divider clamp for thickness of 25 mm	2						
		Divider clamp for thickness of 30 mm	3						
	\bigcirc	White	0						
Bracket finish		Silver	2						
		Black	8						
METHACRYLATE	\bigcirc	Clear Methacrylate	91	186,20	358,40	189,00	361,20	210,00	400,40

ref	erence.	quired to configure ot mean an increase in co	st	B 8 9 1	54 cm	20 00 00 00 00 00 00 00 00 00 00 00 00 0	74 cm
Co	mbinati	on not available.		Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units
				ZDM5171	ZDM5172	ZDM5181	ZDM5182
		Divider clamp for thickness from 19 mm to 23.5 mm	1				
Clamp		Divider clamp for thickness of 25 mm	2				
		Divider clamp for thickness of 30 mm	3				
	\bigcirc	White	0				
Bracket finish		Silver	2				
		Black	8				
METHACRYLATE	\bigcirc	Clear Methacrylate	91	225,40	428,40	242,20	459,20

Prices shown are not the final selling price. To obtain the list price, multiply the price by 2.65. Prices effective as June 2020.

LIGHTWEIGHT STRUCTURAL PANEL

			D	150	LIGHTWE		JCTURAL F	PANELS		
					Scr	een D150 - 152 cm Hei	ight	Scr	een D150 - 182 cm He	ight
	ref Th	ference. <mark>Iey do no</mark>	uired to configure ot mean an increase in co on not available.	st	52 cm	102 cm-			102 cm-	
					AD153	AD152	AD151	AD183	AD182	AD181
	MFC	\bigcirc	White MFC	00	201.00	00.00	2/7.60	226.00	252.00	277.20
	Σ		Lime Oak MFC	11	201,60	219,80	243,60	226,80	252,00	277,20
	Polycarbonate		Frosted	42	+ 95,20	+ 114,80		+ 103,60	+ 127,40	
	METHACRYLATE	\bigcirc	Clear methacrylate	91	+ 142,80	+ 184,80		+ 159,60	+ 193,20	
Fabric	Group 1		Fabric T	T	+ 49,00	+ 86,80	+ 92,40	+ 53,20	+ 91,00	+ 96,60

FOOT OPTIONS

Minim	um Orde	r 2 Units	Flat Foot Set of 1 Unit APD35	Double foot with levellers Set of 1 Unit APD15	Double foot with castors Set of 1 Unit APD25
Aluminium		Aluminium	37,80	26,60	26,60

D150

Prices shown are not the final selling price. To obtain the list price, multiply the price by 2.65. Prices effective as June 2020.

SPLIT

LIGHTWEIGHT STRUCTURAL PANEL

			SPLIT LIGF		EIGHT STRUC		L5		
					Screen Spli	t - Flat Foot	Screen Split - Fo	bot with Castors	
		reference. They do n	quired to configure ot mean an increase in cost ion not available.		uno 2001	TDS192	ZDS220	TDS222	
	ш		White aluminium	0					
	PROFILE		Anodized aluminium	2					
	ų		White MFC	00					
	MFC		Lime Oak MFC	11	474,60	504,00	523,60	553,00	
NEL	FABRIC GROUP 1		Fabric T	T	+ 116,20	+ 131,60	+ 116,20	+ 131,60	
SCREEN PANEL	HPL SURFACE 2-FACE FOR WRITING		HPL White	20	+ 162,40	+ 165,20	+ 162,40	+ 165,20	
	METHACRYLATE	Clear methacrylate		91	+ 242,20	+ 373,80	+ 242,20	+ 373,80	
					Screen Spli	t - Flat Foot	Screen Split - Fo	oot with Castors	
		reference. They do n	quired to configure ot mean an increase in cost ion not available.			120 cm			
						100 cm			
					ZDS190	ZDS192	ZD5220	ZDS222	
	ОНГЕ		White aluminium	0		ZDS192			
	РКОЯІЕ			0 2		ZDS192			
			White aluminium Anodized aluminium Top panel: HPL White Bottom Panel: White MFC				Image: Contract of the second seco	ZDS222	
			White aluminium Anodized aluminium Top panel: HPL White	2	ZDS190	ZDS192 635,60		Ţ Ţ	
EEN PANEL			White aluminium Anodized aluminium Top panel: HPL White Bottom Panel: White MFC Top panel: HPL White	2	ZDS190		Image: Contract of the second seco	ZDS222	
11XED SCREEN PANEL	HPL SURFACE 2-FACE FOR WAITING FABRIC GROUP 1 MFC		White aluminium Anodized aluminium Top panel: HPL White Bottom Panel: White MFC Top panel: HPL White Bottom Panel: Lime Oak MFC Top panel: HPL White	2 2000 2011	2DS190 2DS190 593,60 + 68,60	635,60 + 75,60	<pre></pre>	ZDS222 648,60 + 75,60	
MIXED SCREEN PANEL	PL SURFACE SE FOR WRITING MFC		White aluminium Anodized aluminium Top panel: HPL White Bottom Panel: White MFC Top panel: HPL White Bottom Panel: Lime Oak MFC Top panel: HPL White Bottom Panel: Fabric T	2 2000 2011 20T	ZDS190 593,60	635,60	CD5220	ZDS222 648,60	

SPLIT

LIGHTWEIGHT STRUCTURAL PANEL

LINK SYSTEM FOR SPLIT PANELS

	Pack X Unidades			Progressive straight line pack Link System - 2 modules ZDSL20	Progressive angle of 90° pack Link System - 2 modules ZDSL29	Progresive pack for "T" joint Link System - 3 modules ZDSL30	Progressive pack for 4 panels of 90° Link System - 4 modules ZDSL40
FINISH	\bigcirc	White	0				
EN		Silver	2				

LINK SYSTEM FOR FEET - SPLIT PANELS

				Link system for fe	eet for Split panels
				Pack 1 unit	Pack 1 units
				ZDSL11	ZDSL12
FINISH	\bigcirc	White	0	۲	•
EI		Silver	2	۰	٠